

S1 (37-00N,141-02E,水深55m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	13.1	10.5	11.4	10.0	8.0	8.3	9.7	14.8	20.8	18.2	16.3	12.8
H26	13.0	8.9	9.0	-	9.2	8.8	10.1	17.5	18.2	-	16.8	14.9
H27	10.8	8.6	7.5	8.1	7.1	6.4	10.8	14.1	19.3	19.1	17.5	16.0
H28	13.0	9.4	8.7	9.4	10.7	10.0	12.8	14.5	16.5	18.3	16.7	15.3
H29	14.0	13.9	10.3	8.0	8.6	9.5	11.2	13.7	17.4	16.4	16.2	12.8
H30	9.6	7.6	10.0	11.5	11.3	10.8	11.0	14.6	16.2	19.4	19.2	16.8
H31	13.6	12.1	8.8	10.1	8.3	8.1	11.9	14.2	19.1	18.8	17.5	14.666
R2	-	12.5	9.2	8.8	10.9	11.7	13.1	13.8	16.1	17.8	16.4	
平年値	11.5	9.7	8.6	8.6	8.2	8.8	11.1	14.1	17.2	18.4	16.9	15.2
前年差		0.4	0.4	-1.3	2.6	3.6	1.1	-0.4	-3.0	-1.0	-1.1	
平年差		2.8	0.6	0.2	2.7	2.9	2.0	-0.3	-1.0	-0.5	-0.4	

S2 (37-00N,141-06E,水深105m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	13.2	9.0	10.7	7.7	6.2	7.9	9.7	12.8	15.7	14.1	14.4	12.0
H26	12.9	9.1	9.0	-	7.2	7.2	9.5	11.1	14.5	-	15.4	15.0
H27	9.8	8.9	7.5	7.7	5.8	6.2	11.0	12.8	11.8	14.0	15.6	15.9
H28	13.0	9.9	9.1	8.5	8.9	9.5	10.9	12.2	13.6	14.3	15.7	14.6
H29	13.6	13.6	9.9	8.0	8.2	8.5	10.9	12.7	14.5	12.8	14.6	12.3
H30	10.1	8.5	9.5	10.8	11.3	9.4	9.9	13.2	13.1	13.4	15.9	16.2
H31	11.8	11.6	6.9	8.3	6.6	7.7	10.4	12.3	14.0	15.1	15.0	13.7
R2	-	11.9	9.1	8.8	9.7	10.6	11.1	12.7	12.6	15.6	16.4	
平年値	11.2	9.7	8.2	7.8	7.2	8.1	10.0	12.1	13.3	14.4	15.2	14.3
前年差		0.3	2.2	0.5	3.1	2.8	0.7	0.4	-1.4	0.5	1.4	
平年差		2.2	0.9	1.0	2.5	2.5	1.1	0.6	-0.7	1.2	1.2	

S3 (37-00N,141-12E,水深136m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	13.4	8.4	9.7	5.8	6.2	7.4	9.9	11.7	8.5	7.8	13.2	13.8
H26	11.7	9.7	8.4	-	4.9	7.8	8.9	8.3	11.6	-	13.1	14.5
H27	9.5	8.3	7.5	6.8	5.9	7.2	10.3	11.7	10.2	12.1	15.1	14.6
H28	12.7	9.3	8.9	9.1	8.8	9.2	10.7	11.5	11.6	12.9	13.5	14.0
H29	-	11.9	-	8.0	7.3	8.0	9.6	11.5	12.1	11.2	11.3	13.6
H30	9.5	9.5	9.3	10.9	12.2	8.9	9.7	10.6	11.7	12.6	12.4	13.8
H31	11.8	11.3	6.5	7.5	6.3	7.9	9.6	8.5	12.0	14.2	10.8	13.8
R2	-	11.1	9.0	8.3	12.2	9.3	10.2	10.2	9.9	11.0	12.9	
平年値	10.8	9.0	7.7	7.4	6.8	7.9	9.1	10.0	10.7	11.8	12.9	13.4
前年差		-0.3	2.5	0.8	5.9	1.4	0.6	1.6	-2.0	-3.1	2.1	
平年差		2.0	1.3	0.9	5.4	1.3	1.1	0.2	-0.8	-0.7	0.0	

S4 (37-00N,141-24E,水深180m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	8.5	7.8	9.2	6.0	7.2	5.5	7.1	5.9	3.5	8.7	10.4	-
H26	10.8	-	8.6	-	5.3	6.3	6.0	4.7	6.3	-	14.0	11.3
H27	9.1	5.5	6.8	6.0	6.6	7.8	9.0	9.3	9.6	10.2	9.2	11.2
H28	12.2	8.7	8.7	8.8	8.4	9.2	10.4	10.2	11.1	11.0	11.4	13.3
H29	12.7	12.7	-	7.9	6.8	7.9	5.1	9.4	9.3	7.0	9.7	12.3
H30	8.7	9.6	7.8	11.2	12.0	8.9	8.3	9.3	10.6	9.6	9.7	11.4
H31	10.8	11.0	6.8	5.1	7.2	9.1	9.4	5.0	5.7	10.8	9.4	12.8
R2	-	10.7	8.1	7.9	14.0	9.3	8.5	4.8	7.4	10.5	13.1	
平年値	9.8	8.1	7.3	6.7	7.0	7.5	7.8	7.5	8.2	8.7	10.0	11.1
前年差		-0.4	1.3	2.8	6.8	0.1	-0.8	-0.1	1.7	-0.3	3.7	
平年差		2.6	0.8	1.2	7.0	1.8	0.8	-2.7	-0.8	1.8	3.1	

S5 (37-00N,141-36E,水深430m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25		4.3	4.5	3.0	4.1	3.0	3.5	3.0	3.3	3.6	3.6	-
H26	3.9	-	5.5	-	4.5	3.0	3.5	3.9	4.1	-	4.6	3.8
H27	3.2	3.2	3.7	3.2	4.2	4.0	3.9	4.1	5.1	4.8	4.7	6.0
H28	6.1	4.5	4.2	4.7	4.7	5.3	4.5	5.1	5.2	6.1	5.6	5.2
H29	5.7	5.8	-	4.0	4.2	4.1	3.4	3.6	5.1	3.8	3.9	4.6
H30	4.5	4.2	4.5	5.6	5.4	5.0	4.2	5.0	5.0	5.3	5.2	5.4
H31	5.1	6.0	4.3	3.9	5.2	6.1	3.8	3.6	4.0	3.9	3.7	3.7
R2	-	4.7	4.1	4.5	6.8	4.6	3.7	3.7	3.9	4.3	3.6	
平年値	4.3	4.0	4.0	3.8	4.2	3.9	3.9	3.8	4.1	4.0	4.4	4.6
前年差		-1.3	-0.1	0.6	1.6	-1.5	-0.1	0.1	-0.1	0.4	0.0	
平年差		0.7	0.1	0.7	2.6	0.7	-0.2	-0.1	-0.1	0.3	-0.7	

S6 (37-00N,141-45E,水深678m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	5.6	6.2	4.0	3.2	3.4	3.4	3.6	3.4	3.4	3.6	3.5	-
H26	3.9	-	4.7	-	3.6	3.9	3.6	3.9	4.0	-	3.7	4.3
H27	3.5	3.7	3.5	3.4	3.9	3.7	3.6	3.6	4.5	3.8	3.7	4.4
H28	4.1	4.0	3.7	4.2	3.8	3.9	3.8	4.0	3.9	3.8	4.0	4.1
H29	-	3.9	-	4.0	4.0	3.8	3.7	3.6	3.8	3.8	3.7	3.8
H30	3.9	3.9	-	4.5	4.0	4.0	3.9	4.0	3.5	3.9	3.9	3.5
H31	-	4.4	3.8	3.6	3.9	4.2	3.4	3.4	-	3.4	3.5	3.4
R2	-	4.0	3.8	3.9	4.3	3.7	3.7	3.5	3.5	3.7		
平年値	3.9	3.8	3.7	3.7	3.8	3.7	3.6	3.6	3.7	3.7	3.8	3.8
前年差		-0.4	0.0	0.3	0.4	-0.5	0.2	0.1		0.3		
平年差		0.2	0.1	0.2	0.5	0.1	0.1	-0.1	-0.2	0.0		

※H11年～H30年の水温平均を平年値として使用  
H23年以前の底水温は「過去の底水温」に記載

T1 (37-25N,141-05E,水深23m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	-	-	-	-	-	9.0	10.3	15.6	22.1	18.5	-	14.1
H26	8.6	-	-	-	11.6	10.1	11.3	-	-	-	17.7	-
H27	10.6	7.6	7.5	8.0	9.3	9.2	13.6	15.5	20.7	19.0	17.0	14.8
H28	11.5	7.8	8.0	8.6	10.9	10.5	14.0	17.4	19.1	19.6	18.4	13.0
H29	13.2	14.0	7.7	8.1	9.3	10.9	14.0	15.7	20.6	17.2	15.8	12.9
H30	7.6	7.5	7.9	9.9	13.0	13.4	14.4	17.8	19.1	19.9	18.0	15.1
H31	10.9	10.3	10.1	9.1	8.5	9.1	14.0	16.2	22.2	-	17.8	13.5
R2	-	12.1	8.9	9.0	9.7	11.1	14.4	16.1	20.1	19.4	17.1	-
平年値	10.0	8.7	7.7	8.3	9.4	10.3	12.6	15.9	20.3	19.4	17.5	14.5
前年差	-	1.9	-1.2	-0.1	1.2	2.0	0.4	-0.2	-2.0	-	-0.7	-
平年差	-	3.5	1.2	0.7	0.3	0.8	1.7	0.2	-0.1	0.0	-0.4	-

T2 (37-25N,141-09E,水深43m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	-	-	-	8.8	8.1	8.1	9.8	16.0	21.8	17.9	-	14.9
H26	9.1	-	-	-	9.0	9.1	9.7	-	-	-	16.6	-
H27	10.7	8.5	7.6	7.5	7.4	8.0	13.8	14.0	18.9	19.2	15.8	15.4
H28	12.6	8.7	8.1	8.5	10.5	10.0	12.9	14.9	18.2	18.8	17.9	13.8
H29	14.6	14.0	8.5	8.0	9.1	10.2	12.3	13.4	18.8	17.5	15.7	13.4
H30	9.2	8.7	8.8	10.5	11.6	11.3	12.6	14.7	17.6	19.6	18.5	14.7
H31	11.5	11.2	10.1	8.9	7.8	8.9	13.0	14.7	21.5	-	17.2	14.4
R2	-	12.4	8.9	8.7	9.6	11.8	13.0	14.0	19.7	19.0	15.2	-
平年値	10.9	9.4	8.1	8.2	8.3	9.1	11.6	14.4	18.2	18.5	17.1	15.0
前年差	-	1.2	-1.2	-0.2	1.8	2.9	0.0	-0.7	-1.9	-	-2.0	-
平年差	-	3.0	0.9	0.5	1.3	2.7	1.3	-0.4	1.4	0.4	-1.9	-

T3 (37-25N,141-15E,水深97m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	12.0	-	-	6.7	7.3	7.9	9.5	13.3	15.2	14.1	-	15.0
H26	9.9	-	-	-	5.9	8.0	8.8	-	-	-	15.0	-
H27	10.6	7.9	7.6	7.3	5.9	7.7	10.7	13.3	13.1	14.2	15.1	15.5
H28	12.5	9.8	8.5	8.4	8.7	9.3	11.4	12.3	13.1	14.5	13.8	14.5
H29	13.0	11.5	9.3	8.0	7.9	8.9	11.3	13.4	15.5	13.8	13.2	12.4
H30	9.0	8.6	8.6	9.4	10.1	9.3	10.2	12.6	15.8	16.6	15.8	14.8
H31	11.9	11.0	7.4	8.9	6.5	8.8	10.9	12.7	15.4	-	15.3	14.5
R2	-	10.8	8.9	8.2	8.8	9.1	11.4	12.7	13.5	12.8	12.9	-
平年値	10.7	9.0	8.0	7.3	7.1	8.3	10.1	12.3	14.1	14.9	15.3	14.5
前年差	-	-0.2	1.4	-0.7	2.3	0.2	0.5	0.0	-1.9	-	-2.3	-
平年差	-	1.8	0.8	0.9	1.7	0.8	1.4	0.4	-0.6	-2.1	-2.3	-

T4 (37-25N,141-27E,水深137m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	11.5	-	-	6.1	7.7	6.4	9.1	12.1	7.8	10.7	-	13.0
H26	9.7	-	-	-	5.8	7.6	9.1	-	-	-	12.1	-
H27	9.4	8.0	7.1	5.5	6.6	8.0	9.7	9.5	9.7	12.5	13.4	13.5
H28	12.7	9.4	8.1	9.6	8.7	9.2	10.6	11.0	10.5	11.8	12.5	13.7
H29	13.1	11.3	7.9	8.1	7.5	8.7	10.5	9.1	10.8	10.3	8.7	12.9
H30	9.8	9.6	8.7	9.3	10.4	8.8	9.6	10.4	11.8	12.6	11.5	13.4
H31	11.4	9.7	7.6	7.6	6.6	9.1	9.7	12.8	11.9	-	12.2	14.0
R2	-	10.8	8.3	8.0	12.5	9.3	10.2	8.5	11.1	12.6	11.6	-
平年値	10.6	8.6	7.4	6.7	7.1	8.0	9.3	9.0	10.1	10.9	11.6	13.4
前年差	-	1.1	0.8	0.4	5.9	0.2	0.4	-4.3	-0.9	-	-0.6	-
平年差	-	2.2	0.9	1.3	5.4	1.3	0.8	-0.5	1.0	1.7	0.0	-

T5 (37-25N,141-40E,水深285m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	12.1	-	-	5.6	5.9	2.3	3.8	3.0	3.3	3.3	-	3.9
H26	5.8	-	-	-	3.6	3.7	4.1	-	-	-	3.6	-
H27	6.7	5.8	5.3	5.2	4.3	6.1	6.0	5.8	5.9	6.2	6.1	7.5
H28	7.5	7.6	7.6	7.2	6.5	6.9	6.0	7.0	7.2	7.4	6.7	7.5
H29	9.7	8.2	7.8	6.6	4.6	5.5	3.0	3.5	5.8	2.9	3.2	5.4
H30	7.8	8.5	6.0	5.6	7.0	5.8	5.8	5.7	7.3	6.9	6.9	7.1
H31	9.9	5.9	5.8	4.5	3.7	4.6	4.5	3.1	-	-	4.1	5.3
R2	-	10.8	6.2	7.1	8.8	6.8	5.3	4.1	4.2	6.5	4.3	-
平年値	7.8	5.8	5.5	5.2	5.0	4.7	4.1	4.1	4.5	4.6	4.7	5.6
前年差	-	4.9	0.4	2.6	5.1	2.2	0.8	0.9	-	-	0.2	-
平年差	-	5.0	0.7	1.9	3.8	2.1	1.2	0.0	-0.3	1.9	-0.4	-

T6 (37-25N,141-50E,水深466m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	5.3	-	-	3.1	3.5	3.2	3.8	3.0	3.1	3.1	-	4.1
H26	3.4	-	-	-	3.4	3.3	3.7	-	-	-	3.2	-
H27	3.3	3.3	3.7	3.4	4.0	3.9	3.8	4.6	4.4	4.5	4.4	5.5
H28	5.5	4.2	4.2	4.7	4.3	4.3	4.1	4.4	4.7	4.7	-	5.0
H29	5.0	5.4	-	8.5	3.9	3.9	3.3	4.0	4.5	3.8	3.0	4.4
H30	4.6	4.0	-	5.4	4.8	4.7	4.2	4.6	4.3	4.8	5.0	6.1
H31	-	4.7	3.9	3.4	3.6	3.6	3.5	3.7	-	-	3.6	3.9
R2	-	-	3.9	3.9	6.8	4.3	3.8	3.9	3.8	3.8	3.7	-
平年値	4.1	3.7	3.5	3.9	3.7	3.7	3.7	3.5	3.5	3.8	3.9	4.3
前年差	-	-	0.0	0.5	3.2	0.7	0.3	0.2	-	-	0.1	-
平年差	-	-	0.4	0.0	3.1	0.6	0.1	0.3	0.3	0.0	-0.2	-

T7 (37-25N,142-00E,水深611m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	4.1	-	-	3.3	3.8	3.3	3.6	3.4	3.4	3.4	-	4.0
H26	3.8	-	-	-	3.6	3.5	3.8	-	-	-	3.5	-
H27	3.7	3.8	3.7	3.4	3.8	3.7	3.6	3.9	-	3.9	3.9	5.0
H28	4.5	4.0	3.8	3.9	3.8	3.8	3.8	3.9	4.1	4.1	-	4.4
H29	-	4.1	-	3.9	3.8	3.6	3.5	3.7	3.7	3.6	3.5	3.9
H30	4.1	4.0	-	4.4	4.2	4.0	4.2	4.1	4.0	4.1	4.1	3.9
H31	-	4.3	3.7	3.6	3.7	3.7	3.5	3.8	-	-	3.6	3.7
R2	-	4.3	3.7	3.7	3.8	3.9	3.7	3.7	3.6	3.7	3.7	-
平年値	3.9	3.7	3.6	3.7	3.6	3.6	3.6	3.7	3.6	3.7	3.7	3.9
前年差	-	-0.1	0.1	0.1	0.2	0.2	0.2	0.0	-	-	0.2	-
平年差	-	0.6	0.2	0.0	0.2	0.3	0.0	0.1	-0.1	0.0	0.0	-

T8 (37-25N,142-15E,水深885m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	-	-	-	-	-	-	-	-	-	-	-	-
H26	-	-	-	-	-	-	-	-	-	-	-	-
H27	3.1	3.2	3.1	3.0	3.3	3.0	-	-	-	-	3.2	-
H28	3.2	3.2	-	3.4	3.2	4.5	4.5	3.2	3.2	3.8	-	3.4
H29	-	3.2	-	-	-	3.2	3.1	-	3.2	3.1	3.2	3.1
H30	-	-	-	3.2	3.9	-	3.3	3.1	3.3	3.2	3.6	-
H31	-	4.2	3.0	3.2	3.3	3.0	3.0	3.0	-	-	3.0	3.0
R2	-	-	-	-	-	-	-	-	-	-	-	-
平年値	3.2	3.2	3.1	3.1	3.2	3.1	3.2	3.1	3.1	3.2	3.2	3.2
前年差	-	-	-	-	-	-	-	-	-	-	-	-
平年差	-	-	-	-	-	-	-	-	-	-	-	-

※H11年～H30年の水温平均を平年値として使用  
H23年以前の底水温は「過去の底水温」に記載

U1 (37-50N,141-02E,水深20m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	8.0	-	-	-	10.5	10.1	11.5	16.4	21.9	21.4	17.9	13.3
H26	8.5	7.2	-	-	12.5	10.8	11.3	-	-	-	16.9	-
H27	8.8	8.0	7.2	8.1	7.7	9.1	16.6	16.8	20.5	18.6	17.0	14.3
H28	11.0	9.0	-	8.3	10.1	11.7	15.2	19.0	21.8	20.1	18.8	12.2
H29	10.5	8.6	8.9	8.7	11.0	11.0	13.4	22.6	21.6	19.5	16.6	12.3
H30	5.5	8.0	7.6	9.4	11.8	16.0	14.5	18.5	21.3	21.3	18.3	13.7
H31	10.2	9.8	9.3	8.7	9.5	9.6	14.4	16.9	21.1	-	17.9	13.5
R2	-	10.4	8.6	9.2	12.7	10.3	16.6	17.8	21.3	20.1	17.0	-
平年値	9.2	7.8	7.4	8.0	9.8	10.7	13.4	17.3	20.6	20.2	17.0	13.5
前年差	0.7	-0.6	0.5	3.2	0.6	2.2	0.9	0.2	-	-	-0.9	-
平年差	-	2.6	1.2	1.2	2.9	-0.4	3.2	0.5	0.7	0.0	-0.1	-

U2 (37-50N,141-06E,水深28m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	8.9	-	-	-	9.4	8.7	9.9	14.5	20.0	21.0	17.6	13.7
H26	8.6	8.0	-	-	10.7	9.6	9.8	-	-	-	16.9	-
H27	9.7	8.0	7.2	7.3	7.2	7.9	12.4	14.7	20.4	18.4	17.1	14.8
H28	10.7	9.3	-	9.1	9.8	12.9	12.6	16.6	19.5	19.2	18.8	13.2
H29	11.8	9.9	9.1	8.4	9.4	9.7	12.5	20.7	20.1	18.3	16.1	12.9
H30	8.8	8.5	7.5	9.6	12.8	14.7	13.6	15.7	19.8	21.4	18.4	14.8
H31	9.4	10.5	9.3	8.5	8.2	8.7	13.0	15.1	17.7	-	18.0	14.0
R2	-	11.2	8.8	9.0	9.2	10.6	15.9	15.6	20.4	20.3	16.5	-
平年値	9.9	8.4	7.6	7.8	9.0	9.8	11.8	15.5	18.9	19.7	17.2	14.2
前年差	0.6	-0.6	0.5	1.0	1.9	2.8	0.5	2.7	-	-	-1.6	-
平年差	-	2.7	1.2	1.2	0.2	0.8	4.1	0.0	1.5	0.6	-0.7	-

U3 (37-50N,141-12E,水深38m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	8.9	-	-	-	8.4	8.4	9.3	13.8	19.6	19.9	17.5	14.2
H26	9.8	7.9	-	-	8.3	9.9	10.4	-	-	-	17.5	-
H27	10.1	8.0	7.2	7.1	7.2	7.8	12.4	13.9	15.0	18.4	16.9	16.6
H28	12.5	9.5	-	9.1	9.3	11.1	12.0	15.5	19.3	18.7	18.5	13.7
H29	12.5	10.3	8.6	8.1	9.0	9.3	11.1	19.3	19.3	17.8	15.3	13.1
H30	8.8	8.7	7.5	10.3	12.7	13.1	11.9	15.3	18.7	20.1	18.3	15.7
H31	11.5	10.3	9.3	8.2	8.1	8.4	12.1	13.9	17.3	-	17.6	14.3
R2	-	10.3	8.8	8.8	8.5	10.8	14.6	14.6	17.6	19.2	14.5	-
平年値	10.5	8.9	7.7	7.6	8.3	9.5	11.2	14.7	18.0	19.1	17.1	14.9
前年差	0.0	-0.4	0.6	0.4	2.5	2.5	0.7	0.2	-	-	-3.0	-
平年差	-	1.4	1.2	1.2	0.2	1.3	3.4	-0.1	-0.5	0.0	-2.6	-

U4 (37-50N,141-24E,水深106m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	9.0	-	-	-	5.6	6.0	9.0	13.1	14.8	15.6	14.7	14.6
H26	9.4	8.3	-	-	6.4	8.7	8.9	-	-	-	13.3	-
H27	9.5	6.9	7.6	7.1	6.7	8.3	10.1	13.1	11.9	18.4	14.9	14.4
H28	12.5	9.4	-	8.5	8.6	9.7	11.3	11.6	12.9	15.2	15.8	13.9
H29	12.6	10.9	-	8.1	9.0	11.4	-	12.0	15.9	12.5	13.0	12.8
H30	9.8	9.6	8.3	8.9	9.1	9.9	10.8	14.0	14.5	15.4	15.7	15.8
H31	11.5	11.2	8.3	7.9	6.6	9.1	10.1	13.4	14.6	-	14.6	14.5
R2	-	10.0	8.0	8.3	8.7	9.3	11.0	11.6	12.6	15.9	14.5	-
平年値	10.3	8.7	7.6	6.8	6.9	8.4	9.7	12.3	13.5	14.9	15.3	14.6
前年差	-	-1.2	-0.3	0.4	2.1	0.3	0.9	-1.8	-1.9	-	-0.1	-
平年差	-	1.3	0.4	1.5	1.8	1.0	1.3	-0.7	-0.9	1.0	-0.8	-

U5 (37-50N,141-36E,水深143m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	6.4	-	-	-	6.5	6.8	7.2	7.5	9.0	9.4	11.8	13.0
H26	9.7	7.4	-	-	7.9	6.3	8.8	-	-	-	13.0	-
H27	9.8	5.7	5.7	6.6	7.3	7.9	8.7	9.4	9.8	9.0	11.0	13.3
H28	12.3	9.4	-	8.9	8.6	9.8	10.0	10.9	10.7	12.6	13.2	12.9
H29	11.9	8.4	8.1	6.2	7.7	8.6	9.4	9.0	10.5	8.0	11.5	12.0
H30	9.8	9.8	8.6	8.2	7.2	9.1	8.8	10.8	14.0	12.7	14.2	14.6
H31	11.3	11.3	7.2	5.8	8.0	8.9	7.6	6.3	12.2	-	11.6	12.9
R2	-	6.7	7.6	8.0	9.0	9.1	10.2	10.0	9.8	11.1	13.0	-
平年値	9.7	7.9	6.8	6.3	7.2	8.1	8.9	8.8	10.5	10.4	12.6	13.0
前年差	-	-4.6	0.5	2.2	0.9	0.2	2.5	3.7	-2.4	-	1.4	-
平年差	-	-1.2	0.8	1.7	1.8	1.0	1.2	1.2	-0.7	0.7	0.4	-

U6 (37-50N,141-45E,水深324m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	5.0	-	-	-	6.6	2.1	2.7	2.6	3.2	4.5	4.6	3.7
H26	4.4	5.0	-	-	3.5	4.6	4.3	-	-	-	3.2	-
H27	6.9	5.9	4.7	4.5	6.0	5.0	6.2	5.2	5.9	5.5	5.4	6.2
H28	6.7	7.6	-	5.3	5.6	5.2	5.7	6.2	6.6	6.8	5.8	9.0
H29	8.4	8.3	5.6	4.3	3.8	3.3	3.7	5.3	4.6	3.0	3.1	3.5
H30	6.3	7.1	-	5.8	6.6	4.8	5.4	5.2	5.1	5.7	5.8	6.9
H31	-	8.6	4.8	5.6	3.3	3.6	3.4	4.5	-	-	3.7	5.1
R2	-	6.7	5.9	5.8	8.0	4.5	3.7	3.3	3.8	3.4	3.8	-
平年値	5.4	5.3	4.3	4.8	4.6	4.0	3.9	3.9	3.9	4.1	4.1	4.9
前年差	-	-1.9	1.1	0.2	4.6	0.9	0.3	-	-	-	0.1	-
平年差	-	1.4	1.6	1.0	3.4	0.5	-0.2	-0.6	-0.1	-0.8	-0.3	-

U7 (37-50N,142-00E,水深507m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	3.7	-	-	-	4.0	2.8	3.7	3.2	3.3	4.4	3.3	3.6
H26	3.5	4.5	-	-	3.3	3.2	4.2	-	-	-	3.2	-
H27	3.3	3.4	3.6	3.5	3.9	4.1	3.7	3.8	4.4	4.1	4.2	4.4
H28	4.6	5.3	-	4.4	4.2	4.0	4.0	4.3	4.4	4.5	4.3	4.8
H29	4.7	4.2	4.2	3.9	3.9	3.6	3.6	4.5	4.1	3.5	3.5	3.6
H30	4.0	4.0	-	5.0	4.5	4.2	3.9	3.3	4.7	4.6	4.6	4.8
H31	-	4.7	3.5	3.4	3.9	3.4	3.3	3.9	-	-	3.6	4.3
R2	-	4.2	3.9	3.8	4.6	4.1	4.0	3.9	3.8	3.7	3.6	-
平年値	3.7	3.7	3.5	3.6	3.6	3.6	3.7	3.6	3.7	3.8	3.8	4.0
前年差	-	-0.4	0.4	0.4	0.7	0.7	0.7	0.0	-	-	0.0	-
平年差	-	0.5	0.5	0.2	1.0	0.5	0.3	0.3	0.1	-0.2	-0.3	-

U8 (37-50N,142-15E,水深820m)

	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
H25	-	-	-	-	-	-	-	-	-	-	3.2	-
H26	-	-	-	-	-	-	-	-	-	-	-	-
H27	3.3	3.5	3.3	3.8	3.4	3.2	3.2	3.3	-	3.4	3.5	-
H28	4.2	4.5	-	3.5	3.4	3.6	3.4	3.4	3.3	3.3	3.4	3.4
H29	-	3.5	3.4	3.3	3.4	3.2	3.2	3.6	3.2	3.3	3.3	3.2
H30	-	-	-	3.6	3.5	3.6	3.5	3.3	3.4	3.5	3.5	-
H31	-	3.2	3.3	3.2	3.4	3.3	3.1	3.2	-	-	3.1	3.2
R2	-	-	-	-	-	-	-	-	-	-	-	-
平年値	3.4	3.4	3.2	3.3	3.3	3.3	3.2	3.2	3.2	3.3	3.3	3.3
前年差	-	-	-	-	-	-	-	-	-	-	-	-
平年差	-	-	-	-	-	-	-	-	-	-	-	-

※H11年～H29年の水温平均を平年値として使用  
H23年以前の底水温は「過去の底水温」に記載