

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)	
1月平均	5.4	5.9	6.9	8.3	7.0	6.7	7.9	7.6	7.2	7.3	7.6	7.1	9.1	8.0	8.4	8.6	7.0	9.3	6.6	6.9	7.7	6.6	8.2	7.7	7.9	7.2	7.0	6.3	7.8	7.0	7.7	8.4	7.6	7.0	8.0	7.5	1月
2月平均	6.2	4.8	6.6	5.8	6.4	6.3	6.6	6.5	6.3	6.2	6.7	6.1	8.0	7.4	7.7	7.3	6.5	8.2	6.3	6.5	6.4	6.6	7.9	6.0	7.0	6.2	6.7	5.5	6.4	5.7	6.8	7.6	7.3	6.3	8.0	6.6	2月
3月平均	6.1	5.8	7.0	6.2	7.8	7.9	7.2	7.1	7.1	7.3	7.7	7.1	8.8	8.4	8.2	7.4	7.1	8.5	6.8	7.4	6.8	6.9	8.0	8.5	7.3	6.7	6.2	6.6	8.5	7.1	7.8	8.9	8.2	8.3	9.0	7.4	3月
4月平均	9.7	9.6	9.8	9.7	11.1	10.7	10.9	10.2	9.9	10.7	10.9	9.9	11.3	11.4	11.1	10.2	10.5	12.0	10.5	11.1	10.3	9.5	10.5	10.7	11.5	9.1	11.2	9.9	10.9	10.5	11.1	11.9	10.9	12.2	9.8	10.5	4月
5月平均	14.3	13.5	14.1	14.7	13.5	15.5	15.6	13.3	14.4	14.9	15.5	14.3	15.4	15.6	16.3	16.0	15.1	15.4	14.8	15.0	14.0	15.0	15.0	14.5	15.7	14.5	15.0	15.8	14.8	14.6	15.2	16.3	16.4	17.2	14.6	14.9	5月
6月平均	17.3	16.5	18.1	17.9	16.1	18.6	19.6	17.4	18.4	18.5	17.3	17.8	18.5	17.8	19.5	18.6	18.7	18.2	17.8	19.3	18.9	19.2	19.8	17.9	18.8	19.0	19.0	18.5	19.3	19.5	19.1	19.3	18.4	20.1	18.0	18.4	6月
7月平均	20.6	19.7	21.3	19.3	20.0	21.4	21.7	20.8	19.1	22.7	21.5	21.3	21.6	22.3	22.1	22.8	23.9	21.8	19.5	22.7	21.4	21.3	21.3	21.8	20.8	23.3	24.0	21.9	20.7	22.7	22.8	22.8	23.2	24.5	21.6	21.5	7月
8月平均	24.6	22.3	23.3	23.2	23.8	24.9	22.7	23.0	21.7	24.8	25.4	23.7	24.2	23.1	24.3	24.7	23.2	24.4	21.4	22.7	24.2	23.8	25.0	23.4	23.4	25.0	24.4	25.2	23.8	24.3	24.5	25.7	23.6	25.1	24.7	23.8	8月
9月平均	22.1	22.6	21.9	21.5	21.8	23.8	22.0	21.8	21.3	23.5	21.8	22.2	22.6	23.6	22.7	22.5	22.7	21.5	22.2	22.7	22.7	23.6	22.5	22.0	23.7	22.9	24.3	23.6	22.5	21.2	23.0	22.3	22.6	24.1	22.5	9月	
10月平均	18.1	17.5	18.6	18.4	17.9	19.9	18.1	17.4	17.1	19.8	19.0	18.8	18.1	19.5	19.1	19.1	17.9	18.4	17.2	17.5	19.5	18.1	18.9	18.8	18.3	19.9	18.7	19.8	19.2	18.2	17.7	19.3	17.2	19.8	19.0	18.5	10月
11月平均	14.0	12.8	13.9	12.6	15.2	15.6	14.1	13.8	14.2	14.9	13.6	14.2	14.9	14.5	15.3	14.1	13.8	12.3	14.2	15.3	14.4	14.8	14.9	14.2	14.5	15.2	15.1	14.8	14.5	14.1	15.2	13.7	13.4	15.4	14.9	14.4	11月
12月平均	9.0	9.6	9.2	9.2	10.3	12.5	11.0	10.4	10.4	10.8	9.5	11.7	11.9	11.0	10.8	9.5	10.0	9.3	11.5	11.7	9.2	10.8	10.8	11.6	11.2	11.8	10.5	9.8	10.3	9.9	11.5	10.7	9.5	11.0	10.9	10.6	12月
最高値	27.9	25.7	26.3	26.6	26.2	27.8	26.1	26.8	24.2	29.2	28.1	26.8	26.7	25.3	27.4	26.9	26.5	27.7	25.0	26.5	26.4	27.1	27.4	26.0	26.1	28.3	28.9	28.5	26.4	27.9	28.2	27.9	26.1	28.5	27.2	26.9	Max.
最低値	4.6	3.8	4.9	4.2	5.4	4.5	5.7	5.2	5.3	5.2	5.8	5.1	6.4	6.2	7.0	6.0	5.5	6.4	4.8	5.5	5.1	5.6	6.6	5.4	5.6	4.9	4.9	5.1	4.5	4.6	5.5	6.4	6.0	5.0	7.0	5.4	Min.
平均値	14.2	13.6	14.4	14.0	14.3	15.5	15.0	14.2	14.0	15.3	14.9	14.7	15.5	15.3	15.7	15.2	14.9	15.3	14.2	15.0	14.8	14.7	15.5	15.0	15.0	15.3	16.0	15.0	15.2	14.9	15.2	15.7	15.0	16.0	15.4	14.9	Ave.
1/1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/1
1/2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/2
1/3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1/3
1/4	7.2	7.6	-	8.5	7.2	8.6	9.2	8.2	8.2	9.2	8.8	6.8	-	7.9	8.0	8.3	8.4	-	-	9.7	6.6	7.7	9.1	-	7.7	8.4	7.6	8.0	-	-	10.5	9.0	7.2	7.6	8.2	1/4	
1/5	5.1	-	7.1	8.2	7.0	8.6	9.0	-	7.8	8.8	9.9	6.3	-	9.5	8.4	8.4	7.8	-	-	8.6	8.7	6.1	8.3	-	8.8	8.2	8.7	7.4	-	-	7.9	9.6	8.8	8.1	-	8.2	1/5
1/6	-	7.0	7.4	7.9	6.4	8.6	-	8.0	7.0	8.1	8.8	-	10.2	10.4	9.0	8.8	-	-	6.3	8.3	9.0	6.4	-	-	9.3	7.7	8.0	7.2	-	8.2	8.2	9.7	8.4	-	8.1	1/6	
1/7	4.8	7.2	7.3	8.0	6.2	-	8.6	8.2	7.2	8.6	-	-	9.4	9.4	9.1	9.8	-	9.3	6.7	7.9	8.7	-	-	8.3	9.0	8.1	8.0	-	8.4	8.2	8.0	9.6	-	8.6	8.2	1/7	
1/8	5.2	7.4	8.0	9.2	-	7.4	8.8	7.4	7.3	-	-	7.7	10.0	9.5	8.9	-	-	10.0	6.8	7.2	-	-	-	8.5	8.6	8.2	-	8.4	7.8	7.9	8.9	-	-	8.5	8.3	1/8	
1/9	5.8	7.0	8.0	9.4	7.3	7.5	8.5	8.5	-	8.7	6.2	10.1	7.5	-	-	6.6	9.5	6.7	7.7	-	-	8.4	8.7	8.8	-	-	-	7.9	8.2	8.0	-	-	8.2	8.3	8.1	1/9	
1/10	5.8	6.4	7.4	-	7.7	7.5	8.1	8.0	-	8.1	8.6	6.7	10.2	-	-	7.4	9.4	6.9	-	-	6.7	9.1	8.1	-	-	-	6.8	8.2	7.2	-	-	8.0	8.2	7.8	7.8	1/10	
1/11	6.3	6.4	-	8.1	7.9	7.7	8.5	-	7.6	7.6	7.9	7.0	-	7.9	8.8	7.3	9.4	-	-	7.6	6.8	8.5	7.9	-	-	7.3	6.6	6.9	-	-	-	7.7	8.2	7.8	7.7	1/11	
1/12	5.8	-	6.4	7.9	7.6	7.4	-	7.4	7.8	7.6	7.4	-	7.6	8.0	8.9	7.4	-	-	7.6	6.5	8.6	-	-	7.5	7.6	6.1	-	-	-	8.7	7.9	7.8	-	7.5	1/12		
1/13	-	5.8	6.7	8.1	7.8	-	-	8.8	7.4	7.4	7.1	-	10.2	8.2	8.3	8.9	-	-	7.6	7.2	6.3	-	-	7.8	7.4	7.1	6.5	-	-	8.0	8.8	7.9	-	7.6	1/13		
1/14	5.4	5.5	5.7	8.8	7.6	-	7.4	8.7	7.4	7.6	-	-	10.6	8.0	8.1	9.2	-	-	7.6	7.1	7.6	-	-	-	7.5	6.7	7.4	-	-	6.2	7.6	9.0	-	-	7.6	1/14	
1/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.2	9.7	6.9	6.3	-	-	8.4	8.2	7.1	6.8	-	-	7.1	5.8	8.1	8.7	-	6.3	9.1	7.4	1/15
1/16	6.2	5.4	6.4	9.1	-	6.8	7.5	8.0	-	-	-	8.6	9.1	7.1	-	-	7.3	10.3	5.8	6.3	-	7.2	8.2	8.5	7.3	-	-	6.2	7.6	5.8	8.2	-	7.5	6.8	8.9	7.5	1/16
1/17	5.4	5.8	7.4	-	7.2	6.7	7.5	8.6	-	8.2	6.5	8.5	10.2	-	-	9.4	7.5	9.5	6.8	-	6.1	7.1	8.0	7.9	-	-	6.4	6.1	8.4	6.2	-	-	7.6	7.6	8.8	7.5	1/17
1/18	5.4	6.0	-	8.4	7.7	6.6	6.6	8.2	7.4	7.0	6.8	7.8	-	-	7.3	9.3	8.2	9.4	-	-	7.8	7.2	7.6	7.7	-	6.4	5.9	6.2	8.1	-	-	8.3	7.9	7.4	7.3	7.4	1/18
1/19	4.6	-	7.0	7.2	7.2	7.4	7.2	-	7.6	7.6	6.0	7.0	-	8.3	8.2	8.7	7.3	-	-	6.5	7.9	6.7	7.3	-	8.0	6.9	6.5	6.4	-	-	7.1	8.8	7.9	7.3	-	7.3	1/19
1/20	-	6.0	6.6	7.7	7.5	7.2	-	7.2	7.4	7.4	6.9	-	9.2	8.4	8.4	9.0	-	-	6.9	6.2	8.4	6.0	-	-	7.8	7.2	6.6	6.3	-	6.8	6.6	8.0	7.9	-	7.3	1/20	
1/21	5.4	6.8	6.5	8.2	7.4	-	8.3	7.2	7.0	7.0	-	-	8.9	8.9	8.0	7.8	-	9.7	7.1	6.6	8.2	-	-	7.5	7.4	6.9	6.3	-	8.3	7.6	7.0	6.4	-	7.3	7.6	1/21	
1/22	5.0	6.3	6.2	9.2	-	6.8	7.8	7.4	6.9	-	-	7.4	6.4	8.4	7.9	-	6.4	10.7	6.9	6.5	-	-	8.4	7.3	7.4	6.8	-	-	8.2	6.8	7.5	7.3	-	7.3	7.0	7.4	1/22
1/23	5.8	5.8	6.5	9.5	6.0	6.5	7.6	7.4	-	-	7.8	7.1	7.0	8.2	-	-	6.2	10.2	6.9	6.3	-	6.5	7.9	7.2	7.8	-	-	6.2	7.8	7.0	7.6	-	7.4	6.6	7.7	7.3	1/23
1/24	5.2	4.8	7.0	-	6.4	5.4	7.4	6.1	-	6.4	7.8	6.8	8.1	-	-	8.9	5.7	10.3	6.2	-	5.7	6.7	8.1	7.5	-	-	6.4	5.6	8.0	6.6	-	-	7.0	7.1	7.6	6.9	1/24
1/25	4.8	4.6	-	8.6	6.2	4.8	8.0	-	7.0	6.0	7.8	6.4	-	-	8.5	7.9	5.7	10.6	-	-	7.1	6.4	7.7	6.4	-	7.4	6.3	5.6	8.0	-	-	6.9	6.9	6.6	7.8	7.0	1/25
1/26	4.7	-	6.7	8.4	6.2	4.5	-	-	6.0	6.2	8.0	6.6	-	6.5	9.1	8.1	6.4	-	-	6.5	7.2	6.4	8.4	-	7.3	7.0	6.8	5.6	-	-	7.6	7.3	6.1	6.5	-	6.9	1/26
1/27	-																																				

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
1/28	5.2	4.4	6.7	8.0	6.0	-	8.0	7.1	6.9	5.8	-	-	8.7	6.6	9.1	7.7	-	7.5	6.7	6.3	7.2	-	-	6.6	6.9	6.7	6.5	-	7.0	7.2	7.9	7.6	-	7.6	7.0	1/28		
1/29	4.9	4.4	7.9	7.6	-	5.0	7.5	6.8	6.6	-	-	6.9	8.3	6.5	8.2	6.7	6.4	6.5	6.4	-	-	8.5	7.0	7.4	6.9	-	-	6.9	6.2	7.9	7.6	-	5.7	7.8	6.9	1/29		
1/30	4.8	4.4	7.2	7.8	6.4	5.2	6.9	6.7	-	-	6.2	7.0	9.2	6.8	-	-	7.0	8.0	5.5	6.5	-	6.4	8.3	7.2	7.9	-	-	5.4	7.1	6.4	7.6	-	7.2	5.0	7.4	6.8	1/30	
1/31	5.3	5.0	6.2	-	7.0	5.1	6.9	6.6	-	5.6	5.8	6.2	8.3	-	-	8.6	6.9	8.5	4.8	-	7.0	6.6	8.6	7.3	-	-	5.8	5.5	7.3	6.8	-	-	7.2	5.6	8.3	6.7	1/31	
2/1	5.8	4.8	-	7.2	7.0	4.6	7.0	5.2	7.0	6.0	5.8	6.1	-	-	8.0	7.6	7.3	9.2	-	-	6.1	6.8	8.5	6.9	-	7.1	5.7	5.6	7.6	-	-	6.6	7.4	5.7	7.7	6.7	2/1	
2/2	5.6	-	5.5	7.6	6.3	4.8	7.0	-	6.6	5.8	6.2	5.1	-	7.0	8.2	7.8	6.5	-	-	6.3	6.8	6.3	7.6	-	6.8	6.9	5.6	5.3	-	-	6.0	6.8	7.0	5.4	6.5	2/2		
2/3	-	5.4	5.2	6.5	6.0	5.8	-	6.2	6.5	5.8	6.3	-	8.6	7.8	7.6	7.6	-	-	5.5	6.5	7.1	6.4	-	-	7.2	6.4	6.2	5.9	-	7.6	6.3	6.9	7.2	6.5	2/3			
2/4	5.4	5.0	4.9	5.9	5.4	-	7.3	7.2	6.6	5.4	-	-	6.9	7.2	7.2	7.4	-	9.3	5.6	6.2	7.2	-	-	6.5	7.4	6.0	6.8	-	7.8	7.2	6.7	7.5	-	8.7	6.7	2/4		
2/5	5.7	4.7	5.8	6.6	-	5.7	6.5	7.0	6.2	-	-	5.7	7.0	7.0	7.3	-	6.2	9.8	5.6	6.0	-	-	7.4	6.2	7.5	6.2	-	-	7.3	6.4	6.8	7.6	-	6.6	7.8	6.6	2/5	
2/6	6.3	5.0	6.3	6.6	6.1	6.0	6.8	6.8	-	-	6.6	5.4	7.6	7.1	-	-	6.1	9.5	5.6	5.5	-	6.4	8.1	6.1	7.7	-	-	5.5	7.5	6.5	7.2	-	8.9	6.7	7.8	6.6	2/6	
2/7	6.7	4.7	6.4	-	6.2	6.3	7.2	7.2	-	6.8	6.8	5.6	7.5	-	-	8.1	5.6	9.8	5.9	-	6.4	6.5	7.8	6.0	-	-	7.1	6.0	7.2	6.6	-	-	8.6	6.7	8.4	6.7	2/7	
2/8	6.4	4.0	-	6.5	6.6	6.6	7.0	-	6.2	6.1	6.8	5.7	-	-	7.4	8.2	5.5	9.5	-	-	5.1	6.3	7.8	5.8	-	5.7	6.5	5.4	6.3	-	-	6.7	7.8	6.8	8.3	6.4	2/8	
2/9	6.4	-	7.3	6.7	6.4	5.6	-	-	5.3	7.1	7.0	6.2	-	6.5	7.3	8.0	5.6	-	-	6.3	6.6	5.8	8.3	-	6.5	6.2	6.6	5.2	-	-	6.7	7.6	7.5	6.9	6.5	2/9		
2/10	-	3.8	7.7	6.5	6.8	-	-	6.8	5.3	6.7	7.2	-	7.5	6.3	7.9	8.0	-	-	7.1	6.2	7.4	5.7	-	-	7.7	6.2	6.4	5.2	-	5.2	6.8	7.1	7.0	6.6	2/10			
2/11	-	-	-	-	-	-	-	-	5.8	-	-	-	-	-	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8	2/11		
2/12	7.0	5.0	8.2	6.5	-	-	6.2	7.1	6.2	-	-	-	8.3	6.8	7.6	-	-	6.5	7.1	6.7	-	-	-	6.7	7.6	4.9	-	-	5.6	4.8	7.2	7.7	-	-	7.6	6.6	2/12	
2/13	7.2	5.0	6.8	6.6	6.7	6.1	5.7	7.3	-	-	7.2	6.7	8.2	7.9	-	-	6.4	6.9	6.3	6.8	-	5.6	7.8	6.1	7.6	-	-	5.2	6.8	4.6	7.3	-	7.0	5.6	7.4	6.6	2/13	
2/14	7.1	5.4	6.8	-	6.3	5.9	5.9	7.4	-	5.2	7.3	6.9	8.1	-	7.9	6.5	7.1	6.3	-	6.1	6.6	7.9	5.4	-	-	6.8	5.7	6.8	5.0	-	-	7.0	5.8	7.7	6.5	2/14		
2/15	6.9	5.3	-	6.1	6.8	6.0	6.6	7.3	6.2	5.4	6.6	7.1	-	-	7.4	7.9	6.6	7.6	-	-	6.5	7.1	7.5	5.8	-	5.7	6.7	5.8	7.0	-	-	8.5	7.6	6.0	7.0	6.6	2/15	
2/16	6.0	-	6.3	5.7	7.4	6.0	7.4	-	6.4	6.2	6.7	6.6	-	7.4	7.5	7.2	6.8	-	-	6.8	6.1	6.9	6.6	-	7.8	5.3	6.1	5.7	-	-	5.7	8.3	7.7	5.8	6.6	2/16		
2/17	-	4.8	6.0	5.0	7.3	6.2	-	6.0	6.7	6.6	5.8	-	8.4	7.6	7.4	6.8	-	-	6.1	6.7	6.4	6.7	-	-	7.5	5.3	6.4	5.4	-	4.6	5.9	8.4	8.2	6.3	2/17			
2/18	6.1	5.0	6.0	5.1	6.8	-	6.0	6.3	6.2	7.2	-	-	8.3	7.5	7.9	6.3	-	8.3	6.3	5.6	6.7	-	-	5.6	7.1	5.1	6.9	-	6.6	4.8	5.9	7.9	7.1	6.4	2/18			
2/19	6.3	4.8	6.3	5.0	-	6.3	6.7	6.6	5.8	-	-	5.6	7.9	7.7	7.6	-	6.8	7.3	6.7	6.5	-	-	7.1	5.5	7.2	5.6	-	-	6.2	4.6	5.9	7.9	5.6	7.6	6.4	2/19		
2/20	6.4	4.0	6.2	4.8	6.3	6.5	5.9	5.8	-	-	6.6	5.3	7.5	8.3	-	-	6.4	7.5	6.9	6.2	-	7.1	8.1	6.0	6.6	-	-	5.1	6.2	5.2	6.5	-	7.4	6.2	7.7	6.3	2/20	
2/21	6.2	4.5	6.2	-	7.3	7.2	6.9	5.8	-	7.9	6.5	5.4	8.7	-	-	6.7	6.6	8.4	6.4	-	6.5	7.2	8.4	5.6	-	-	6.6	5.4	5.8	5.4	-	-	7.0	6.1	8.4	6.6	2/21	
2/22	5.5	4.4	-	4.7	5.7	7.2	6.8	-	6.6	6.0	6.8	5.6	-	-	7.2	6.0	7.3	8.2	-	-	5.8	7.4	8.9	6.1	-	5.9	6.8	5.4	5.8	-	-	7.0	6.8	6.3	8.1	6.4	2/22	
2/23	5.4	-	7.2	5.0	5.5	7.6	-	-	6.8	5.8	6.8	6.2	-	8.0	8.2	6.3	7.5	-	-	7.3	6.4	8.0	8.3	-	6.4	6.5	6.7	5.8	-	-	7.9	7.8	7.2	6.6	6.9	2/23		
2/24	-	5.6	7.8	5.0	-	-	-	6.0	6.8	5.2	7.2	-	7.5	8.0	8.4	6.2	-	-	6.6	6.8	6.3	7.7	-	-	5.6	6.9	7.7	5.9	-	6.2	8.1	7.7	6.0	6.7	2/24			
2/25	5.8	4.4	7.9	5.4	6.6	-	6.6	6.2	6.4	6.2	-	-	7.6	7.5	8.4	6.3	-	7.3	6.5	7.0	5.9	-	-	5.4	6.3	7.3	8.6	-	4.5	6.0	7.6	7.6	9.0	6.6	2/25			
2/26	5.6	4.5	6.9	5.6	-	7.9	6.1	6.3	6.6	-	-	6.6	8.6	7.2	8.5	-	5.9	7.3	6.5	7.6	-	-	7.6	5.9	6.2	7.7	-	-	4.6	5.6	7.1	7.5	6.9	8.9	6.7	2/26		
2/27	5.8	4.9	6.6	4.4	5.6	7.8	6.0	6.3	-	-	6.9	6.5	8.8	8.5	-	-	6.7	7.8	6.5	6.6	-	6.3	8.0	6.1	6.0	-	-	5.3	5.4	6.0	7.4	-	6.8	6.5	8.4	6.5	2/27	
2/28	5.9	4.4	6.4	-	6.5	7.0	6.8	6.6	-	7.0	6.7	6.7	8.5	-	-	7.1	7.2	8.0	5.8	-	6.3	6.0	8.5	5.6	-	-	7.5	5.6	6.8	6.9	-	-	6.8	6.9	8.7	6.7	2/28	
2/29	-	-	-	4.7	-	-	-	-	-	-	-	6.9	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	-	-	5.6	-	-	-	8.7	-	-	5.8	2/29	
3/1	4.8	4.6	-	5.2	7.9	7.3	5.8	-	7.3	7.4	7.0	7.1	-	-	8.2	6.2	7.3	8.3	-	7.1	6.1	6.2	7.3	-	-	6.6	7.0	6.0	7.2	-	-	8.0	7.6	7.9	8.3	6.8	3/1	
3/2	5.8	-	6.4	4.6	5.5	7.3	5.8	6.6	7.2	7.2	7.2	-	-	7.6	8.0	6.4	6.8	-	-	6.7	5.9	6.5	7.9	-	6.5	5.6	6.7	6.3	-	-	6.3	7.8	7.9	5.8	6.6	3/2		
3/3	-	5.2	5.6	4.2	7.7	7.1	-	6.6	7.4	7.2	6.9	-	8.2	8.3	7.8	7.2	-	-	6.3	5.7	6.5	6.4	-	7.6	6.6	6.0	5.6	-	-	6.6	5.5	7.8	8.4	6.6	3/3			
3/4	5.3	5.1	6.6	4.9	8.0	-	6.2	6.4	7.7	7.6	-	6.0	8.3	8.5	8.1	-	-	7.3	5.7	6.1	5.5	-	-	9.1	6.5	6.9	6.2	-	6.0	7.4	7.4	6.4	-	-	7.7	8.2	6.9	3/4
3/5	5.5	5.2	7.0	5.2	-	7.7	7.1	6.3	7.8	-	-	5.6	8.3	8.3	8.6	-	6.7	8.1	5.9	5.8	-	-	9.1	6.5	6.9	6.2	-	6.0	7.4	7.4	6.4	-	-	7.7	8.2	6.9	3/5	
3/6	5.4	5.0	7.1	-	7.4	7.6	7.5	5.2	-	-	7.0	5.3	8.1	8.4	-	7.4	6.5	8.3	5.9	-	-	6.9	8.9	6.8	7.3	-	-	6.2	8.0	6.4	6.9	-	8.9	6.9	8.7	7.0	3/6	
3/7	5.4	5.2	6.4	6.2	7.2	8.0	6.9	5.4	-	7.2	7.1	6.1	9.8	-	-	7.7	6.9	8.3	5.9	-	6.1	7.2	7.8	6.9	-	-	6.7	6.6	8.4	6.2	-	8.8	8.7	6.9	8.7	7.0	3/7	
3/8	6.3	5.6	-	5.8	6.7	7.4	6.8	-	5.5	7.2	7.2	6.3	-	-	8.1	7.0	6.0	7.8	-	5.5	6.3	7.3	7.7	-	-	6.8	6.2	6.4	8.7	-	-	9.1	8.3	7.0	8.2	6.8	3/8	
3/9	6.3	-	6.6	5.9	6.5	6.7	-	7.2	5.3	7.2	7.6	-	-	8.0	8.2	6.8	5.9	-	-	6.2	6.6	7.3	8.5	-	7.0	6.4	6.4	6.4	-	-	7.4	8.7	8.0	8.4	6.9	3/9		

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
3 /10	-	6.4	6.6	5.9	7.0	-	-	7.4	6.7	7.2	7.5	-	7.7	7.8	7.8	6.3	-	-	6.1	7.2	6.3	7.2	-	7.6	7.6	5.8	6.1	-	-	6.8	7.9	8.2	8.0		7.0	3/10		
3 /11	5.1	6.1	6.1	6.4	7.6	-	6.8	7.8	6.6	6.2	-	6.8	8.9	7.5	7.6	-	-	7.8	5.9	7.6	6.9	-	-	7.7	6.2	5.6	-	-	6.4	6.2	6.2	8.4	-	8.7		6.9	3/11	
3 /12	4.6	6.0	5.6	6.8	-	8.3	6.7	7.5	6.8	-	-	6.6	8.3	8.2	7.7	-	6.2	8.1	5.4	7.1	-	-	7.2	7.7	6.0	5.8	-	6.1	7.4	6.0	6.4	-	-	7.0	8.9		6.9	3/12
3 /13	5.6	6.4	6.2	-	8.4	6.9	6.9	8.2	-	-	6.4	6.8	8.5	8.5	-	7.3	6.1	8.1	6.3	-	-	6.4	7.2	8.0	6.6	-	-	6.4	8.5	5.8	6.7	-	7.9	6.7	9.4		7.1	3/13
3 /14	5.7	6.8	6.8	7.4	8.9	6.9	6.6	-	-	6.6	6.2	7.0	8.8	-	-	7.1	6.5	8.4	6.7	-	5.8	6.2	7.1	8.5	-	-	-	6.6	7.8	5.9	-	8.5	8.2	8.3	8.8		7.1	3/14
3 /15	5.6	5.9	-	7.4	9.1	7.8	6.0	-	6.2	6.8	7.0	7.4	-	-	8.7	6.9	7.4	9.1	-	7.5	6.2	6.2	6.9	-	-	6.8	-	6.8	8.1	-	-	8.7	6.9	8.0	9.2		7.2	3/15
3 /16	6.0	-	6.8	5.4	9.0	8.0	6.2	8.6	7.0	7.0	7.8	-	-	7.5	8.2	7.0	6.9	-	-	8.0	7.0	7.5	7.2	-	8.0	8.4	-	6.7	-	-	7.8	8.6	7.8	9.0		7.4	3/16	
3 /17	-	5.9	6.4	6.3	8.6	8.1	-	7.5	6.7	7.8	9.5	-	8.2	7.9	8.8	6.7	-	6.5	7.9	6.9	7.3	-	9.7	7.5	7.0	-	-	-	6.8	8.8	9.0	8.0				7.6	3/17	
3 /18	6.0	5.7	6.8	6.3	7.6	-	7.0	7.3	6.8	7.2	-	7.6	9.1	7.5	9.6	-	-	9.0	6.5	8.4	7.4	-	-	9.8	7.8	7.1	-	-	9.3	7.4	8.6	9.3	-	9.2		7.7	3/18	
3 /19	6.2	5.6	7.4	6.5	-	8.3	6.6	6.7	6.6	-	-	6.7	8.2	8.0	10.0	-	7.6	8.9	6.9	7.4	-	-	6.8	9.9	9.2	7.5	-	6.4	10.2	6.8	8.8	-	-	8.6	9.3		7.7	3/19
3 /20	6.4	5.8	6.9	-	7.0	8.3	8.4	-	-	-	8.0	-	9.2	-	-	-	8.8	6.8	-	-	6.5	6.8	-	-	-	-	-	-	7.0	9.3	-	-	8.4	9.6		7.6	3/20	
3 /21	-	-	-	-	-	-	-	-	-	-	-	7.8	9.8	-	-	7.2	8.3	-	-	-	-	-	-	9.2	-	-	-	5.7	9.4	-	-	-	8.8	-	-	8.2	3/21	
3 /22	7.2	5.8	-	6.6	6.7	7.8	7.6	-	7.0	7.6	9.2	8.2	-	-	-	7.8	8.3	9.3	-	7.3	7.1	6.5	8.0	-	-	-	-	6.4	9.6	-	-	9.4	8.6	7.9	10.1		7.6	3/22
3 /23	7.0	-	7.4	7.6	7.8	8.0	-	6.5	7.8	7.5	8.4	-	-	8.5	7.2	7.6	8.4	-	-	7.2	7.6	6.5	8.3	-	8.8	7.4	-	6.9	-	-	9.4	9.4	8.6	7.6		7.7	3/23	
3 /24	-	4.9	7.6	7.1	7.8	-	-	6.2	8.4	7.4	8.8	-	8.7	8.0	7.6	8.1	-	-	7.6	7.8	7.7	7.0	-	9.5	7.4	7.4	-	-	-	7.0	7.6	9.1	8.2				7.6	3/24
3 /25	7.3	4.6	8.2	6.4	8.4	-	8.6	6.5	8.8	7.2	-	7.2	8.9	8.5	8.7	-	-	8.8	7.9	8.1	7.6	-	-	9.3	7.2	6.8	-	-	9.0	7.1	8.4	8.6	-	8.8		7.8	3/25	
3 /26	7.8	6.1	6.8	6.3	-	7.8	8.6	7.0	8.6	-	-	7.8	9.2	8.9	8.9	-	9.6	9.0	8.2	8.3	-	-	9.1	9.7	6.8	7.2	-	7.0	8.6	8.6	8.1	-	-	9.5	9.3		8.1	3/26
3 /27	6.6	7.4	6.8	-	8.4	8.1	8.6	7.0	-	-	7.6	8.2	9.2	9.3	-	7.3	7.6	9.7	8.7	-	-	7.7	8.6	10.0	6.8	-	-	7.0	8.6	8.6	7.9	-	7.4	9.4	9.4		8.1	3/27
3 /28	6.8	6.9	7.7	7.0	8.6	9.0	7.9	-	-	7.8	8.0	8.4	9.6	-	-	7.8	7.3	8.1	8.1	-	7.7	7.9	8.8	9.5	-	-	-	7.4	9.4	8.8	-	9.8	8.0	10.7	9.5		8.2	3/28
3 /29	7.1	6.0	-	6.8	8.8	9.1	8.5	-	7.2	8.2	7.4	8.8	-	-	7.5	8.8	7.2	8.9	-	8.8	7.8	7.8	9.0	-	-	7.0	-	7.1	10.2	-	-	9.7	9.0	11.7	9.4		8.0	3/29
3 /30	7.1	-	9.7	7.1	9.0	8.8	9.2	8.0	7.0	7.6	8.6	-	-	10.9	7.0	8.9	6.5	-	-	9.5	7.2	6.9	9.0	-	7.8	6.3	-	7.4	-	-	9.7	10.4	9.3	10.5		8.2	3/30	
3 /31	-	7.4	8.8	6.5	8.4	9.4	-	9.5	7.9	8.4	10.0	-	9.7	10.3	7.2	8.8	-	-	8.4	9.5	7.3	6.5	-	8.8	8.4	7.3	-	-	-	9.5	10.4	10.6	8.3		8.6	3/31		
4 /1	7.4	7.4	7.3	6.2	9.0	-	8.8	9.8	8.5	8.4	-	9.2	9.7	9.1	8.2	-	-	10.4	9.4	8.8	7.4	-	-	8.3	8.0	8.7	-	-	9.2	9.2	11.1	10.7	-	8.3		8.7	4/1	
4 /2	7.3	7.8	7.5	7.6	-	10.3	8.4	10.8	8.8	-	-	9.4	10.1	7.7	9.8	-	7.5	10.9	9.4	8.4	-	-	10.5	8.9	8.4	8.2	-	7.2	9.3	9.8	10.4	-	-	12.6	8.4		9.0	4/2
4 /3	8.2	7.6	7.8	-	9.3	10.6	8.9	11.2	-	-	8.0	8.0	9.7	8.2	-	8.5	8.1	10.9	9.3	-	-	7.3	10.1	10.2	8.8	-	-	7.4	9.6	9.8	11.4	-	8.3	11.7	8.2		9.1	4/3
4 /4	8.8	7.5	8.4	10.3	10.0	9.6	9.0	11.4	-	9.0	8.3	8.0	10.3	-	-	8.9	7.8	11.0	9.6	-	8.4	7.2	9.8	10.3	-	-	-	7.6	10.6	10.2	-	10.6	8.8	12.2	8.5		9.2	4/4
4 /5	9.4	8.2	-	9.6	9.6	9.1	9.6	-	9.3	8.8	9.4	8.4	-	-	9.9	9.0	8.1	11.1	-	9.1	8.5	7.3	9.5	-	-	7.6	-	8.0	10.4	-	-	10.7	9.7	10.6	8.8		9.0	4/5
4 /6	9.3	-	8.8	9.4	10.2	8.5	10.0	10.8	9.2	8.8	9.7	-	-	9.0	9.3	9.2	9.3	-	-	10.1	8.9	7.6	9.4	-	9.3	9.4	-	8.8	-	-	10.9	11.4	10.5	10.3		9.4	4/6	
4 /7	-	8.1	8.8	8.6	10.6	9.0	-	9.9	9.7	9.6	9.8	-	10.8	9.5	9.0	9.3	-	-	9.3	11.1	10.5	7.8	-	11.3	10.9	8.3	-	-	-	7.8	10.4	10.8	10.8				9.6	4/7
4 /8	8.8	8.0	9.8	7.2	10.4	-	9.6	9.0	9.5	10.8	-	9.3	11.2	10.6	8.7	-	-	11.0	9.4	10.6	11.1	-	-	10.9	11.2	8.4	-	-	10.2	9.0	9.4	11.5		9.4		9.8	4/8	
4 /9	9.4	9.8	10.2	6.9	-	10.0	10.5	9.6	8.8	-	-	9.3	12.3	10.1	9.2	-	11.0	11.8	9.4	10.6	-	-	10.7	10.0	11.8	8.5	-	8.6	10.2	8.8	9.8	-	10.7	9.2		9.9	4/9	
4 /10	9.2	10.2	10.2	-	11.4	11.4	10.4	9.3	-	-	10.2	9.0	10.7	11.2	-	9.8	11.9	11.2	8.9	-	-	7.8	10.4	9.9	12.6	-	-	8.8	10.8	10.8	9.8	-	9.9*	10.9*	9.1*		10.3	4/10
4 /11	8.7	9.5	10.4	8.3	10.8	11.9	11.2	-	-	9.8	9.6	9.2	11.0	-	-	9.2	11.9	11.5	9.3	-	10.9	8.4	10.3	9.8	-	-	-	8.2	11.3	8.8	-	10.4	9.9	10.7	7.9		10.1	4/11
4 /12	8.2	8.3	-	8.0	9.6	11.9	12.7		8.8	10.0	10.0	9.0	-	-	9.4	9.4	12.2	11.3	-	11.2	10.0	8.4	10.6	-	-	9.6	-	9.2	10.4	-	-	10.7	10.3	11.3	9.2		10.0	4/12
4 /13	7.7	-	8.4	7.9	9.6	11.6	-	7.8	9.4	11.0	9.9	-	-	13.5	10.5	9.6	10.8	-	-	10.7	9.2	10.7	10.7	-	12.5	8.9	-	9.6	-	-	9.8	11.3	9.4	10.3		10.1	4/13	
4 /14	-	9.3	8.4	9.5	10.2	-	-	8.2	9.3	10.6	10.0	-	10.6	13.5	10.1	9.7	-	-	10.7	10.8	9.4	10.5	-	10.2	12.6	9.6	-	-	-	10.4	10.4	10.6	10.1				10.2	4/14
4 /15	8.8	8.8	9.4	10.2	10.2	-	12.4	8.8	9.5	10.8	-	9.5	10.5	11.1	10.6	-	-	12.6	10.4	11.0	10.0	-	-	11.2	12.9	8.6	-	-	11.9	11.2	10.6	11.0		10.5		10.6	4/15	
4 /16	9.3	9.3	9.8	10.2	-	10.0	13.2	9.9	9.8	-	-	10.6	10.3	11.2	11.4	-	11.0	13.2	11.4	11.1	-	-	10.5	10.7	12.8	8.0	-	9.8	11.2	11.4	11.8	-	11.0	10.2		10.8	4/16	
4 /17	10.5	8.5	9.5	-	12.2	9.7	12.2	10.0	-	-	12.0	10.5	10.2	10.6	-	10.1	11.1	13.3	12.2	-	-	9.9	9.1	12.2	14.2	-	-	9.8	11.2	10.4	10.9	-	10.6	12.2	10.4		10.9	4/17
4 /18	10.8	9.2	10.8	12.4	11.7	9.6	12.2	11.0	-	10.0	11.4	10.2	11.3	-	-	11.2	11.6	11.9	12.6		10.1	10.3	9.5	11.8	-	-	11.8	10.8	11.0	10.0	-	12.8	11.2	12.4	10.9		11.0	4/18
4 /19	11.5	9.0	-	10.7	12.4	10.3	9.9	-	11.7	10.2	11.6	10.5	-	-	11.3	11.4	10.4	11.4	-	13.2	10.3	9.8	10.3	-	-	8.8	11.4	13.1	11.6	-	-	12.6	11.6	13.0	11.0		10.9	4/19
4 /20	10.4	-	11.0	10.2	14.0	10.6	10.0	10.8	11.0	10.2	11.0	-	-	12.0	12.5	10.0	12.4	-	-	14.1	10.6	9.9																

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)							
4/21	-	10.9	10.6	10.4	13.1	10.1	-	9.8	10.0	10.2	11.5	-	14.0	11.5	12.6	9.9	-	-	10.1	11.6	10.9	9.3	-	10.5	11.4	9.6	10.0	-	-	10.6	11.8	13.2	10.5			10.9	4/21						
4/22	10.9	12.2	10.3	9.8	13.0	-	10.2	9.8	10.9	10.8	-	9.8	13.6	12.9	12.8	-	-	11.7	11.0	12.5	11.8	-	-	11.5	12.3	8.7	10.3	-	9.2	10.8	11.7	12.6		11.0		11.2	4/22						
4/23	11.3	11.5	10.8	10.4	-	12.4	11.0	10.4	11.0	-	-	10.2	12.3	13.5	13.3	-	10.2	13.3	10.2	11.8	-	-	11.3	11.9	12.8	8.4	-	11.2	10.2	11.3	10.9	-		13.8	10.9		11.3	4/23					
4/24	12.0	12.6	11.5	-	12.4	12.1	12.4	10.6	-	-	12.0	12.0	10.8	15.6	-	11.6	11.3	13.7	9.9	-	-	11.1	11.4	11.3	12.4	-	-	11.6	12.2	11.6	11.4	-	12.8	14.6	11.4			11.9	4/24				
4/25	10.8	12.6	9.7	10.8	12.0	12.2	12.2	-	-	14.0	11.7	11.2	11.6	-	-	11.7	11.0	14.5	10.1	-	12.2	11.5	11.4	10.9	-	-	11.4	11.8	13.2	12.0	-	13.1	13.4	14.0	11.1			11.8	4/25				
4/26	11.5	12.3	-	10.9	11.3	12.0	13.2	-	10.6	14.4	13.4	10.8	-	-	12.3	11.9	11.1	12.4	-	11.2	12.6	11.2	11.7	-	-	11.5	11.0	11.8	14.0	-	-	13.8	13.8*	13.4*	10.7*			12.0	4/26				
4/27	11.2	-	10.6	11.2	11.8	12.4	-	13.0	11.4	13.8	13.0	-	-	11.5	13.5	11.3	11.4	-	-	11.2	12.0	11.7	11.0	-	11.4	11.1	12.3	11.5	-	-	11.3	13.8	12.9	14.6	-			11.8	4/27				
4/28	-	10.6	11.8	12.6	11.6	-	-	10.6	10.4	12.6	14.8	-	13.0	12.9	14.8	11.5	-	-	14.1	11.1	12.0	11.4	-	12.1	11.4	9.9	13.8	-	-	15.0	12.5	13.3	12.4	-	-			12.3	4/28				
4/29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	4/29		
4/30	10.8	11.4	12.4	14.2	-	-	13.4	12.5	9.9	-	-	14.8	13.5	13.5	13.6	-	-	13.5	14.4	12.1	-	-	-	11.8	12.3	11.4	-	-	11.4	12.2	15.2	-	-	-	-	-			12.8	4/30			
5/1	11.5	10.8	13.2	-	11.0	11.6	12.6	10.2	-	-	14.4	14.6	12.8	13.3	-	12.7	11.0	13.9	11.3	-	-	11.7	14.0	11.5	12.4	-	-	14.4	11.2	12.8	16.6	-	11.9	16.8	-			12.6	5/1				
5/2	13.6	8.8	12.8	15.6	11.4	11.4	12.8	11.2	-	11.4	14.3	14.4	14.3	-	-	13.9	10.7	14.2	12.2	-	12.7	11.4	13.4	15.7	-	-	13.4	13.0	12.5	13.0	-	12.7	12.0	14.4	-			12.8	5/2				
5/3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	5/3	
5/4	16.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	5/4	
5/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	5/5
5/6	-	13.7	10.8	12.6	14.8	-	-	10.9	13.6	12.0	-	-	17.3	13.8	13.2	-	-	-	14.5	13.0	14.2	-	-	-	-	11.3	13.7	-	-	-	-	-	13.7	-	-					13.3	5/6		
5/7	13.5	15.2	11.2	12.4	-	15.0	13.0	11.3	14.2	-	-	11.3	15.9	14.6	14.1	-	15.5	13.3	14.3	13.6	-	-	13.5	15.1	15.2	11.2	-	15.6	13.2	11.8	13.7	-		15.4	11.7					13.7	5/7		
5/8	13.3	16.8	11.1	-	13.4	14.5	13.4	11.0	-	-	13.4	12.2	15.4	16.1	-		15.7	13.3	13.3	-	-	12.5	14.1	13.9	15.9	-	-	15.2	13.7	12.2	12.7	-	15.9	14.4	12.1					13.8	5/8		
5/9	13.5	15.8	12.5	12.8	14.0	16.0	12.4	-	-	15.6	14.6	11.8	14.5	-	-	14.1	13.8	14.2	12.4	-	14.2	12.9	14.5	14.1	-	-	13.0	15.3	14.0	12.8	-	13.8	16.2	13.6	13.9					13.9	5/9		
5/10	13.4	14.8	-	12.2	14.0	17.3	14.6	-	12.0	15.4	13.8	11.8	-	-	14.9	14.6	14.3	14.9	-	13.1	14.6	14.4	13.8	-	-	14.7	13.2	15.1	14.8	-	-	13.8	15.6	14.2	13.1					14.2	5/10		
5/11	12.3	-	15.4	11.0	11.2	17.0	-	11.2	12.8	15.4	14.6	-	-	15.3	15.0	13.6	14.5	-	-	13.0	13.8	15.7	13.8	-	16.2	15.2	13.6	15.2	-	-	13.5	13.9	15.9	14.0					14.1	5/11			
5/12	-	12.1	15.7	12.9	10.6	-	-	11.7	13.7	14.2	16.0	-	15.5	14.5	15.3	14.0	-	-	12.5	14.4	12.2	15.0	-	13.1	16.3	14.4	13.0	-	-	15.8	13.9	14.2	16.6					13.9	5/12				
5/13	12.1	12.2	16.1	12.9	-	-	16.6	13.2	13.3	15.0	-	11.2	15.2	15.7	17.8	-	-	13.9	13.7	13.2	11.1	-	-	13.1	16.7	12.5	14.2	-	12.9	16.0	13.8	14.9			13.5				14.1	5/13			
5/14	12.8	12.2	14.4	14.6	-	15.2	17.8	13.8	12.8	-	-	12.4	14.7	15.9	19.0	-	15.0	14.8	16.6	14.5	-	-	14.0	12.8	14.6	13.3	-	15.2	14.3	14.8	16.2	-		17.2	14.4					14.7	5/14		
5/15	14.1	12.0	13.1	-	11.3	14.5	17.9	14.7	-	-	15.8	14.0	13.6	15.7	-	16.5	14.9	15.7	16.1	-	-	14.9	16.4	13.2	13.6	-	-	14.4	13.2	14.4	17.4	-	14.1	18.2	15.9					14.7	5/15		
5/16	13.6	12.9	14.5	15.1	13.4	14.4	16.6	14.1	-	14.4	16.4	13.8	15.0	-	17.6	13.7	15.3	13.9	-	11.3	14.8	16.1	15.3	-	-	17.1	14.8	13.8	14.2	-	16.3	15.4	18.8	16.1					14.7	5/16			
5/17	15.0	13.5	-	16.0	14.8	15.0	15.4	-	14.1	14.2	14.9	12.6	-	-	15.6	17.8	13.6	14.7	-	16.0	12.0	14.4	15.8	-	-	14.5	17.3	15.8	13.7	-	-	16.3	15.3	18.0	15.5					14.8	5/17		
5/18	16.7	-	13.9	16.0	15.9	15.4	15.0	13.1	15.1	15.0	16.0	-	-	12.8	16.4	17.2	14.4	-	16.2	12.2	14.5	16.2	-	12.7	14.8	17.0	15.0	-	-	15.9	17.5	14.8	17.2					15.0	5/18				
5/19	-	14.0	13.9	16.2	16.0	15.1	-	13.9	16.0	13.4	15.6	-	18.2	13.8	15.7	18.2	-		13.9	16.8	13.0	14.1	-	17.4	13.5	14.0	16.4	-	-	13.6	15.0	17.8	15.7					15.1	5/19				
5/20	15.2	13.4	13.0	15.8	15.2	-	14.6	14.2	17.0	13.0	-	13.6	16.1	13.8	15.0	-	-	14.6	14.1	15.4	14.3	-	-	15.0	14.1	14.0	16.4	-	15.8	13.7	14.9	18.3			12.3				14.7	5/20			
5/21	13.4	14.6	14.4	15.0	-	13.5	14.6	13.8	17.8	-	-	14.5	15.5	14.6	15.4	-	17.6	15.3	14.4	13.6	-	-	14.8	14.9	17.9	16.0	-	17.9	16.8	13.1	13.9	-		17.4	11.8					15.2	5/21		
5/22	14.6	15.9	13.8	-	14.6	16.4	14.6	12.9	-	-	14.4	14.0	14.6	17.1	-	16.9	17.2	15.4	14.4	-	-	15.3	15.1	15.6	17.9	-	-	16.6	17.9	13.6	14.5	-	19.4	17.6	11.9					15.4	5/22		
5/23	15.6	16.3	13.5	15.6	14.4	17.2	15.2	-		17.0	14.9	13.8	14.5	-	-	17.3	17.4	14.9	14.1	-	17.4	15.9	15.7	14.8	-	-	15.0	15.1	19.1	14.3	-	18.6	19.6	16.7	12.7					15.6	5/23		
5/24	15.4	15.1	-	14.3	14.0	16.8	17.6	-	14.4	17.8	14.7	14.0	-	-	16.6	15.6	16.8	17.3	-	14.4	16.5	17.4	15.4	-	-	14.3	15.4	16.5	19.4	-	-	18.9	19.8	17.4	14.9					15.9	5/24		
5/25	15.1	-	14.6	14.6	13.1	16.4	-	15.0	14.1	18.0	15.9	-	-	18.1	17.0	16.2	18.0	-		15.0	15.8	18.4	14.5	-	16.6	17.0	15.8	17.1	-	-	14.1	18.1	18.3	18.0					16.0	5/25			
5/26	-	13.5	15.2	14.8	11.6	-	-	14.6	13.7	17.2	18.6	-	15.7	17.4	17.7	16.1	-		14.9	15.7	15.6	18.3	-	16.3	17.4	16.1	17.0	-	-	17.5	15.2	17.7	17.8					15.9	5/26				
5/27	15.2	13.4	15.3	15.7	-	-	16.1	14.1	13.9	15.8	-	15.4	15.2	18.2	18.2	-	-	17.8	16.5	16.2	14.8	-	-	15.0	17.3	14.9	-	-	16.8	16.6	16.2	16.7				15.2				15.9	5/27		
5/28	14.8	13.3	16.3	16.4	-	17.2	18.5	14.5	14.4	-	-	16.2	16.5	18.8	18.4	-	15.9	17.3	18.7	15.8	-	-	15.6	15.1	17.7	15.5	-	16.1	16.0	17.2	17.4	-		20.2	16.5					16.5	5/28		
5/29	15.0	14.0	16.9	-	13.2	16.6	18.6	15.2	-	-	17.8	18.4	16.6	17.6	-	15.6	16.1	17.6	19.7	-	-	15.8	15.4	14.7	15.9	-	-	17.4	14.4	16.5	18.1	-	18.8										

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
6/2	-	14.4	16.4	16.4	17.8	14.5	-	17.2	19.4	15.1	16.2	-	18.2	16.4	19.4	19.8	-	-	14.7	19.7	16.6	18.2	-	17.3	16.4	16.4	16.0	-	-	17.8	21.2	17.5	15.8	-	-	17.2	6/2	
6/3	17.8	15.8	16.2	15.4	16.9	-	17.2	17.7	17.4	15.1	-	18.4	17.5	15.7	19.2	-	-	17.7	16.3	19.6	17.4	-	-	16.5	17.0	15.3	17.2	-	15.8	17.0	20.0	17.2	-	-	17.0	17.1	6/3	
6/4	17.4	16.0	14.6	14.7	-	16.6	16.8	17.1	16.9	-	-	19.0	17.5	16.6	18.6	-	20.0	16.1	16.1	19.2	-	-	18.3	16.2	19.2	15.4	-	18.9	17.1	17.5	17.9	-	-	20.5	16.4	17.2	6/4	
6/5	17.4	16.0	14.0	-	18.7	19.5	18.6	16.0	-	-	16.1	16.6	18.5	16.4	-	18.4	19.9	17.4	16.0	-	-	16.3	17.4	17.4	18.6	-	-	18.9	18.6	16.4	17.9	-	16.6	19.5	15.9	17.4	6/5	
6/6	18.5	17.0	15.0	16.7	18.0	19.3	18.5	16.1	-	19.8	15.8	17.0	18.3	-	-	17.6	19.3	17.9	15.3	-	19.7	17.2	17.3	16.5	-	-	17.8	18.2	19.7	16.7	-	17.8	17.8	19.1	15.4	17.6	6/6	
6/7	17.4	15.2	-	15.7	15.6	20.7	18.7	-	16.4	17.8	16.6	17.6	-	-	18.6	15.5	16.8	20.7	-	15.2	19.2	18.7	18.3	-	-	17.4	17.0	17.6	20.8	-	-	17.3	18.9	20.2	13.9	17.6	6/7	
6/8	16.3	-	19.8	15.6	15.4	21.3	-	15.1	16.7	16.8	17.0	-	-	16.1	18.4	14.7	16.9	-	-	15.7	18.4	18.9	18.5	-	19.0	18.8	16.4	17.2	-	-	17.0	17.5	18.7	20.1	-	17.3	6/8	
6/9	-	17.8	20.6	15.3	13.8	-	-	15.4	-	19.0	17.5	-	15.5	18.1	19.6	15.2	-	-	15.4	18.0	17.2	18.7	-	15.2	19.8	20.9	17.6	-	-	18.5	12.9	17.0	18.4	-	-	17.2	6/9	
6/10	17.0	16.8	18.6	15.8	-	-	20.3	17.9	17.2	19.6	-	13.0	16.3	18.0	19.6	-	-	18.9	15.9	17.0	17.3	-	-	17.4	18.6	22.2	18.9	-	20.0	19.0	14.5	17.5	-	-	17.9	17.9	6/10	
6/11	16.6	17.2	19.4	17.4	-	16.2	20.3	17.2	17.2	-	-	13.5	17.4	17.6	21.2	-	18.4	19.0	17.1	18.1	-	-	18.3	15.2	18.2	22.1	-	18.6	19.1	19.6	16.2	-	-	18.7	17.6	18.0	6/11	
6/12	16.3	17.5	20.6	-	15.4	16.3	21.6	18.3	-	-	16.5	18.2	16.8	17.1	-	16.2	17.9	17.9	19.3	-	-	17.0	20.8	14.7	18.1	-	-	18.4	18.4	19.5	18.2	-	17.7	18.9	17.1	17.9	6/12	
6/13	16.0	16.3	18.0	16.9	14.4	17.4	20.7	-	-	18.6	17.2	19.0	18.5	-	-	17.4	18.2	17.5	19.3	-	18.0	18.7	23.0	15.5	-	-	20.4	18.1	18.6	19.4	-	17.9	17.8	18.9	18.3	18.2	6/13	
6/14	15.0	15.9	-	18.6	14.6	18.2	19.9	-	15.1	17.4	17.0	19.2	-	-	22.4	18.6	17.7	18.1	-	20.7	18.5	19.3	22.8	-	-	19.7	21.4	17.8	19.2	-	-	17.3	17.3	20.2	20.1	18.7	6/14	
6/15	13.9	-	17.1	18.6	13.4	18.1	20.2	19.0	16.1	20.1	16.6	-	-	17.2	21.1	19.2	17.1	-	-	21.8	17.9	19.7	19.6	-	18.1	17.0	20.0	17.9	-	-	21.2	19.9	17.5	19.7	-	-	18.5	6/15
6/16	-	15.6	17.0	17.8	16.2	17.4	-	19.3	18.0	20.4	17.2	-	17.1	18.5	19.4	20.4	-	-	18.3	21.0	18.1	17.8	-	20.4	17.7	16.0	21.6	-	-	19.0	21.3	19.9	16.0	-	-	18.5	6/16	
6/17	18.6	13.9	18.0	18.2	15.6	-	19.8	19.2	22.3	20.4	-	18.8	17.9	18.5	19.2	-	-	18.9	19.3	20.0	18.5	-	-	20.0	17.6	19.8	21.2	-	20.3	18.4	19.4	21.5	-	-	15.9	18.9	6/17	
6/18	18.7	12.4	17.4	18.7	-	18.8	19.8	17.8	22.6	-	-	18.2	20.0	17.8	18.2	-	19.7	18.1	19.0	20.4	-	-	20.3	20.9	18.0	18.7	-	18.2	20.0	18.4	19.8	-	-	18.5	16.9	18.8	6/18	
6/19	17.6	16.0	18.0	-	14.7	18.1	18.0	16.8	-	-	17.2	19.0	20.8	17.8	-	20.6	21.1	18.5	18.6	-	-	17.9	20.4	20.2	18.5	-	-	19.8	18.8	18.9	19.8	-	17.9	18.3	19.2	18.6	6/19	
6/20	16.9	18.3	17.7	18.7	13.5	22.0	17.6	17.4	-	17.6	16.8	19.2	21.5	-	-	20.8	20.1	19.6	18.9	-	20.9	19.3	19.4	18.7	-	-	17.4	17.9	20.4	20.2	-	21.4	18.1	18.7	18.0	18.9	6/20	
6/21	17.0	18.6	-	18.8	15.6	21.2	18.4	-	19.8	17.8	16.5	19.0	-	-	18.9	19.2	18.1	19.6	-	21.6	21.2	18.9	19.4	-	-	18.1	17.9	19.6	21.4	-	-	21.6	20.5	18.3	17.9	19.0	6/21	
6/22	17.0	-	17.3	19.6	16.2	20.4	-	15.0	19.9	19.8	16.8	-	19.0	19.4	18.7	18.6	-	-	20.0	20.9	20.5	18.9	-	19.7	19.5	19.6	18.6	-	-	20.1	21.0	20.0	19.5	-	-	19.0	6/22	
6/23	-	19.1	19.4	19.3	16.8	-	-	16.2	18.4	21.5	17.0	-	19.6	17.6	19.8	18.8	-	-	18.6	18.6	21.0	21.9	-	18.6	20.8	21.9	20.6	-	-	21.6	19.0	20.2	21.3	-	-	19.4	6/23	
6/24	18.2	17.2	21.6	19.2	-	-	19.0	16.6	18.6	20.8	-	17.8	19.3	18.6	17.6	-	-	18.7	18.2	17.6	22.2	-	-	18.9	20.1	20.6	18.3	-	19.6	22.8	19.6	20.7	-	-	19.1	19.2	6/24	
6/25	17.7	17.0	21.2	18.6	-	20.4	19.0	16.4	18.9	-	-	17.1	19.7	19.0	19.1	-	19.4	17.7	18.9	19.6	-	-	19.1	18.4	20.5	22.6	-	17.8	20.4	22.7	20.2	-	-	23.2	18.9	19.3	6/25	
6/26	18.6	17.2	20.8	-	17.5	20.1	22.0	17.5	-	-	18.2	16.5	19.1	19.3	-	19.1	20.0	17.2	19.5	-	-	20.0	19.4	18.3	21.1	-	-	18.2	19.8	22.9	21.0	-	21.0	23.3	19.7	19.3	6/26	
6/27	17.8	17.8	19.6	19.0	17.8	18.9	23.3	-	19.8	18.8	18.7	18.8	-	-	20.1	20.1	17.3	19.4	-	19.4	21.4	21.3	18.5	-	-	19.1	19.6	19.0	22.5	-	20.1	19.5	22.6	20.6	-	-	19.6	6/27
6/28	18.0	17.0	-	19.5	16.7	18.4	21.8	-	19.6	17.8	19.0	19.6	-	-	20.8	17.4	20.1	17.4	-	20.1	18.6	21.5	22.9	-	-	20.8	20.2	19.8	18.2	-	-	19.7	19.6	22.3	23.2	19.4	6/28	
6/29	18.4	-	17.5	21.0	16.8	18.5	21.2	20.8	19.6	18.2	19.2	-	-	19.7	19.8	20.8	18.8	-	19.8	19.4	21.5	21.6	-	20.7	19.7	21.8	18.3	-	-	20.6	20.8	19.9	22.7	-	-	19.8	6/29	
6/30	-	16.4	17.2	21.0	18.3	18.6	-	21.3	19.0	19.2	20.5	-	19.6	19.5	19.0	22.1	-	-	20.7	22.5	19.2	20.9	-	20.3	19.4	18.4	22.9	-	-	20.2	21.5	21.8	19.1	-	-	19.9	6/30	
7/1	19.0	17.3	18.0	19.0	19.6	-	21.0	18.2	18.6	18.8	-	19.8	20.0	19.8	18.6	-	-	17.4	19.8	23.6	19.0	-	-	22.1	17.2	21.4	22.2	-	20.1	21.6	20.5	22.2	-	-	20.6	19.7	7/1	
7/2	20.2	17.6	19.0	18.8	-	18.8	19.6	19.4	18.6	-	-	22.0	22.4	20.2	21.0	-	22.9	17.7	19.0	23.7	-	-	21.2	22.0	17.6	21.2	-	20.4	18.4	22.2	19.9	-	-	23.4	21.5	20.2	7/2	
7/3	19.6	16.9	18.7	-	16.9	18.3	20.3	20.1	-	-	19.0	21.3	21.8	23.1	-	23.2	23.9	18.3	19.6	-	-	20.9	20.9	22.4	19.5	-	-	21.1	17.2	21.5	19.7	-	21.5	23.5	20.6	20.2	7/3	
7/4	17.8	17.9	17.4	18.7	17.0	20.1	20.8	19.0	-	19.6	18.2	20.5	23.1	-	-	22.3	23.9	18.5	19.2	-	21.0	20.9	21.0	21.6	-	-	23.4	21.9	16.1	21.1	-	21.8	21.2	21.6	20.8	20.1	7/4	
7/5	17.8	19.2	-	19.6	19.0	20.6	20.0	-	19.6	23.6	17.8	19.6	-	-	21.3	21.0	24.4	19.3	-	21.2	20.2	19.7	19.8	-	-	22.9	21.6	21.6	19.0	-	-	20.6	22.6	20.0	21.5	20.5	7/5	
7/6	17.0	-	18.0	19.2	18.7	22.0	21.0	19.0	19.0	22.2	18.8	-	-	24.9	21.0	20.6	23.3	-	-	22.3	20.8	20.1	19.9	-	21.9	22.2	22.4	21.2	-	-	20.1	20.8	24.6	20.0	-	-	20.8	7/6
7/7	-	19.4	18.5	21.2	19.1	20.2	-	19.6	19.4	19.6	19.0	-	23.0	25.3	20.7	20.2	-	-	19.1	22.8	21.8	21.3	-	20.4	22.4	21.9	21.7	-	-	22.3	20.2	21.2	25.0	-	-	20.8	7/7	
7/8	17.8	20.2	21.2	18.5	-	-	21.2	19.1	19.4	20.9	-	17.5	22.9	24.1	21.3	-	-	24.0	18.6	21.8	20.8	-	-	20.1	22.2	23.4	23.2	-	21.3	22.7	20.1	21.1	-	-	18.6	21.1	7/8	
7/9	19.4	20.7	21.2	19.5	-	20.1	23.1	19.2	18.8	-	-	18.6	21.6	24.3	20.6	-	23.5	23.4	18.6	22.3	-	-	21.7	18.0	22.3	25.1	-	20.6	22.6	22.8	19.2	-	-	22.3	19.1	21.2	7/9	
7/10	18.0	19.4	22.2	-	18.4	18.8	22.3	18.8	-	-	19.2	18.4	20.6	23.8	-	22.6	22.5																					

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
7 /14	-	19.2	20.5	19.7	20.0	-	-	21.0	17.8	21.6	19.6	-	20.9	21.6	20.5	23.9	-	-	19.2	21.4	20.9	21.6	-	22.5	18.4	19.3	28.4	-	-	21.4	26.4	22.8	23.9	-	-	21.2	7/14	
7 /15	22.0	19.0	20.5	19.6	20.8	-	20.8	19.6	17.4	21.6	-	22.9	21.5	20.8	20.8	-	-	21.3	19.8	21.8	20.5	-	-	24.8	18.3	20.4	28.9	-	-	22.7	26.7	22.4	-	-	-	21.4	7/15	
7 /16	22.7	19.6	20.2	19.6	-	18.0	20.4	19.7	18.5	-	-	22.5	21.9	20.5	21.7	-	23.8	20.1	20.5	22.0	-	-	-	24.5	18.7	21.5	-	-	22.1	22.0	24.4	-	-	-	21.1	21.1	7/16	
7 /17	21.7	19.5	21.2	-	20.3	20.7	20.3	19.8	-	-	19.5	22.8	23.5	19.9	-	24.6	23.7	21.4	19.1	-	-	-	18.8	23.9	19.7	-	-	22.8	21.0	21.5	23.4	-	-	24.7	21.2	21.3	7/17	
7 /18	21.9	19.3	-	19.7	20.6	21.6	20.4	-	-	22.6	20.0	23.1	22.7	-	-	23.6	25.7	21.1	17.8	-	-	20.2	19.0	24.0	-	-	-	22.4	20.6	22.4	-	-	21.8	25.1	20.6	21.4	7/18	
7 /19	22.6	21.3	-	19.6	21.7	23.4	20.6	-	18.6	24.6	19.6	22.8	-	-	20.8	22.7	24.6	21.7	-	-	24.6	19.9	19.7	-	-	-	25.9	22.1	21.2	-	-	26.2	22.2	24.7	20.8	21.9	7/19	
7 /20	21.7	-	20.8	18.8	22.6	25.0	20.7	20.2	18.2	25.4	19.2	-	-	-	-	-	-	-	-	23.5	23.8	19.9	20.6	-	-	23.6	22.4	21.4	-	-	-	25.6	25.1	23.9	-	-	21.6	7/20
7 /21	-	19.9	22.2	19.7	21.6	23.0	-	20.2	18.2	26.2	20.4	-	-	22.9	20.9	21.8	-	-	-	22.8	22.3	19.8	-	-	-	22.6	23.8	19.8	-	-	-	22.3	24.2	26.1	-	-	21.6	7/21
7 /22	20.3	19.9	23.8	19.4	-	-	21.9	20.4	18.0	26.6	-	20.5	21.2	21.9	21.9	-	-	25.4	20.0	21.6	21.3	-	-	21.3	19.9	25.7	20.5	-	22.9	23.9	21.3	23.5	-	-	21.5	21.8	7/22	
7 /23	21.0	20.6	24.4	19.4	-	24.0	23.2	21.2	18.8	-	-	20.2	22.1	21.9	24.8	-	25.6	25.4	19.6	22.1	-	-	21.7	20.9	20.0	28.1	-	20.8	21.5	25.0	22.0	-	-	26.8	21.7	22.3	7/23	
7 /24	20.9	21.5	26.3	-	21.6	23.7	24.9	22.7	-	-	25.4	19.6	22.0	22.7	-	25.0	25.6	22.9	18.7	-	-	21.6	21.9	22.9	20.9	-	-	21.3	21.4	23.9	22.7	-	20.8	26.5	22.0	22.7	7/24	
7 /25	20.2	20.9	24.7	18.4	21.0	23.8	23.7	-	-	22.6	25.4	21.0	21.6	-	-	22.9	25.0	22.7	18.4	-	20.7	21.7	23.3	22.7	-	-	23.6	21.2	20.4	25.3	-	24.4	21.7	27.4	23.1	22.3	7/25	
7 /26	21.4	20.5	-	18.2	18.8	24.0	23.2	-	19.2	23.0	27.2	22.0	-	-	26.9	21.8	23.7	25.0	-	24.0	20.3	23.1	23.8	-	-	26.3	25.0	23.1	20.2	-	-	23.9	22.9	26.8	24.7	22.8	7/26	
7 /27	20.6	-	24.7	20.1	17.2	23.0	-	24.2	20.8	23.2	27.6	-	-	22.1	27.4	22.3	23.5	-	-	21.0	21.9	23.4	25.3	-	23.4	26.4	24.6	21.5	-	-	24.2	22.8	23.0	25.9	-	-	23.2	7/27
7 /28	-	19.6	22.9	16.6	18.3	-	-	24.1	20.8	23.3	26.6	-	17.7	22.5	26.4	24.2	-	-	18.5	24.2	22.1	21.7	-	21.0	23.6	26.6	23.7	-	-	24.5	26.1	22.2	22.7	-	-	22.5	7/28	
7 /29	25.2	21.7	23.3	17.8	22.8	-	23.2	23.6	20.6	25.1	-	25.8	17.9	22.7	24.0	-	-	23.1	19.2	24.9	22.3	-	-	23.0	23.5	23.8	24.0	-	22.2	23.2	26.3	23.3	-	-	25.3	22.8	7/29	
7 /30	26.7	23.3	20.8	18.1	-	23.6	22.2	24.8	20.8	-	-	24.5	22.2	22.2	23.6	-	24.2	24.0	19.0	26.1	-	-	22.2	23.3	23.0	21.9	-	26.4	21.5	23.3	25.7	-	-	26.5	24.9	22.9	7/30	
7 /31	26.6	22.5	20.2	-	26.2	23.3	23.0	23.2	-	-	24.6	24.1	24.9	22.4	-	25.1	26.5	23.8	24.0	-	-	21.5	22.4	23.3	22.6	-	-	26.2	21.8	23.1	25.0	-	24.5	26.8	24.8	23.6	7/31	
8 /1	25.8	24.9	20.3	20.8	24.3	23.6	23.5	-	25.7	23.5	23.0	26.4	-	-	25.3	26.4	23.8	20.5	-	24.5	21.3	23.6	24.4	-	-	21.4	25.3	21.8	23.4	-	25.9	23.6	25.7	23.6	23.5	8/1		
8 /2	26.3	25.7	-	20.8	23.2	23.4	23.8	-	22.0	25.4	23.6	21.2	-	-	21.8	25.1	23.7	24.1	-	21.5	25.9	21.8	24.4	-	-	21.9	21.8	24.2	21.6	-	-	27.9	22.3	25.3	25.8	23.2	8/2	
8 /3	25.9	-	21.6	20.7	22.3	26.2	22.8	21.4	21.2	26.6	22.5	-	-	22.2	20.8	24.3	23.9	-	-	21.0	24.2	22.1	23.7	-	23.9	22.7	22.4	23.9	-	-	24.9	27.4	23.3	25.9	-	-	23.0	8/3
8 /4	-	22.7	21.8	20.8	23.6	26.5	-	22.2	20.6	28.6	22.6	-	26.7	22.1	19.8	24.0	-	-	21.3	19.6	24.3	21.2	-	23.2	23.2	23.1	23.1	-	-	24.8	24.3	27.2	23.2	-	-	23.0	8/4	
8 /5	25.8	19.1	21.6	20.9	23.9	-	23.1	22.1	20.6	29.2	-	24.3	24.5	24.2	18.7	-	-	24.4	20.6	19.6	26.4	-	-	21.9	24.0	22.9	23.8	-	23.0	25.2	25.1	26.2	-	-	24.1	23.0	8/5	
8 /6	23.6	20.7	21.6	22.4	-	26.7	22.3	22.4	20.2	-	-	22.4	23.0	23.8	21.9	-	24.0	27.7	21.1	19.3	-	-	22.2	23.2	24.8	25.1	-	24.5	24.4	26.6	24.8	-	-	26.3	22.4	23.3	8/6	
8 /7	21.4	22.8	21.4	-	21.4	27.7	22.0	23.2	-	-	24.8	21.7	23.2	22.3	-	22.2	22.1	27.4	20.4	-	-	25.6	23.9	24.4	23.7	-	-	25.1	23.6	27.9	25.8	-	26.1	24.1	22.4	23.8	8/7	
8 /8	18.8	23.7	21.8	21.8	22.0	27.8	19.5	-	27.2	26.6	22.6	23.6	-	-	23.7	21.8	26.7	20.5	-	26.2	26.3	24.5	24.7	-	-	25.2	23.3	23.8	27.2	-	25.0	25.1	23.7	25.1	24.1	8/8		
8 /9	17.9	22.2	-	24.0	23.9	26.4	22.5	-	19.8	26.3	27.7	24.0	-	-	25.4	24.6	22.1	25.7	-	24.8	25.0	25.7	24.8	-	-	27.1	25.9	24.0	23.2	-	-	25.4	23.8	22.4	26.1	24.5	8/9	
8 /10	20.7	-	24.8	25.6	22.7	23.8	-	22.8	19.8	24.8	26.5	-	-	22.2	24.8	24.8	23.6	-	-	25.7	23.2	23.0	27.4	-	22.2	26.6	27.1	24.4	-	-	27.5	26.3	23.4	23.9	-	-	24.4	8/10
8 /11	-	21.8	24.6	23.8	23.6	-	-	22.5	19.9	22.9	25.6	-	24.9	22.8	25.2	25.8	-	-	22.1	25.4	22.0	23.3	-	23.2	21.1	25.9	27.4	-	-	23.8	28.2	-	-	-	-	23.9	8/11	
8 /12	20.0	22.7	23.3	21.8	-	-	21.1	21.8	20.4	21.0	-	26.8	23.3	22.2	26.5	-	-	22.9	22.4	26.4	22.3	-	-	23.7	21.0	24.3	28.0	-	24.5	21.6	27.7	26.6	-	-	-	23.4	8/12	
8 /13	24.1	20.4	24.3	21.3	-	25.2	21.2	22.1	20.6	-	-	26.6	24.4	23.1	25.0	-	22.3	24.9	23.0	26.5	-	-	26.7	25.4	21.7	22.3	-	25.6	23.2	21.2	26.9	-	-	26.2	27.2	23.6	8/13	
8 /14	26.9	19.8	23.8	-	25.1	25.3	22.1	22.0	-	-	26.0	26.4	24.6	23.8	-	23.4	22.9	25.8	21.5	-	-	23.5	26.4	26.0	23.7	-	-	26.0	26.0	22.6	25.2	-	23.2	26.2	26.5	24.2	8/14	
8 /15	27.9	21.4	22.9	23.5	24.0	25.5	22.9	-	-	23.4	24.0	25.1	24.3	-	-	26.0	22.6	24.7	19.7	-	23.0	23.0	26.8	26.0	-	-	26.2	26.1	26.3	23.0	-	26.7	23.1	26.6	26.9	24.1	8/15	
8 /16	27.3	22.6	-	22.3	24.2	25.4	22.8	-	22.2	23.6	25.6	23.9	-	-	25.1	26.3	23.2	24.4	-	23.0	23.7	23.5	26.5	-	-	23.2	24.8	26.3	24.8	-	-	27.3	22.8	25.4	23.6	24.2	8/16	
8 /17	26.4	-	23.0	22.8	25.8	25.6	22.4	22.8	22.1	25.1	25.6	-	-	22.0	25.7	24.5	24.4	-	-	22.9	25.2	24.6	25.7	-	24.3	23.7	24.4	27.7	-	-	24.4	25.5	22.6	24.5	-	-	24.3	8/17
8 /18	-	22.8	23.6	21.4	25.0	-	-	22.8	22.2	27.3	24.8	-	24.3	22.1	25.1	24.4	-	-	18.9	21.8	26.1	23.4	-	24.1	26.1	24.8	23.1	-	-	23.9	25.4	25.3	22.3	-	-	23.8	8/18	
8 /19	24.7	23.5	23.9	23.2	24.4	-	22.9	21.1	22.2	28.0	-	23.8	25.1	22.8	26.4	-	-	24.1	19.4	23.9	25.3	-	-	24.2	25.4	24.3	22.1	-	25.0	24.1	24.7	26.2	-	-	23.9	8/19		
8 /20	25.2	23.3	23.9	23.8	-	26.8	23.4	20.8	22.5	-	-	23.1	25.0	24.3	24.9	-	23.8	24.8	20.0	23.6	-	-	25.3	24.2	24.8	25.1	-	24.2	25.4	25.3	24.4	-	-	23.7	24.1	24.0	8/20	
8 /21	25.0	22.6	23.8	-	24.2	26.0	22.5	22.3	-	-	25.1	23.2	24.3	24.8	-	22.8	23.2	23.1	20.3	-	-	27.1	25.7	23.1	23.5	-	-	21.7	23.4	26.3	25.0	-	23.1	24.9	23.6	23.8		

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)	
8/25	-	22.8	25.2	26.6	24.0	-	-	26.4	24.2	23.4	28.1	-	22.1	24.8	25.6	24.5	-	-	24.1	21.9	24.0	25.4	-	21.7	23.5	27.3	24.8	-	-	25.1	22.7	25.7	24.2	-	24.5	8/25	
8/26	25.3	21.9	25.6	26.2	-	-	24.1	26.8	21.8	24.2	-	23.9	22.6	24.0	26.0	-	-	21.7	25.0	22.5	21.1	-	-	20.6	23.9	26.7	24.7	-	23.6	24.1	20.8	25.5	-	25.1	23.7	8/26	
8/27	26.9	21.9	24.3	25.8	-	23.2	23.7	26.0	22.0	-	-	23.8	23.7	24.1	24.8	-	23.3	22.7	22.9	22.8	-	-	26.4	21.7	23.3	26.2	-	25.4	24.4	22.1	21.0	-	23.8	26.1	23.7	8/27	
8/28	26.9	22.8	23.8	-	22.5	22.9	23.4	24.6	-	-	26.6	22.6	23.8	21.5	-	26.8	23.0	24.2	21.9	-	-	23.5	24.5	23.0	22.6	-	-	26.5	22.3	22.8	20.7	-	22.9	24.1	24.9	23.5	8/28
8/29	26.8	22.2	21.9	26.0	24.1	23.1	23.2	-	-	24.3	25.6	22.5	24.9	-	-	26.9	23.1	23.6	22.9	-	23.4	22.1	24.6	22.2	-	-	25.8	27.6	22.6	23.5	-	23.5	24.0	23.6	24.4	23.9	8/29
8/30	26.8	21.4	-	24.1	24.2	22.6	22.8	-	23.6	24.5	24.0	22.7	-	-	24.3	25.9	23.2	23.8	-	22.0	23.7	21.4	24.5	-	-	25.9	25.5	28.5	24.2	-	-	24.1	23.6	23.8	25.3	23.9	8/30
8/31	25.2	-	22.9	24.2	24.5	23.8	21.5	24.2	24.2	24.6	24.0	-	-	20.3	24.8	26.5	22.4	-	-	22.9	24.6	23.4	23.7	-	20.6	25.8	25.0	27.9	-	-	21.4	22.7	23.1	23.8	-	23.8	8/31
9/1	-	24.7	23.7	25.0	24.2	26.5	-	24.0	24.0	26.2	24.6	-	25.6	20.6	25.7	26.2	-	-	21.3	22.6	24.7	23.5	-	22.9	20.0	26.0	25.2	-	-	23.9	22.2	24.0	22.6	-	24.1	9/1	
9/2	22.5	24.2	23.2	24.8	24.8	-	21.3	23.6	23.9	25.6	-	23.2	26.6	21.8	25.6	-	-	23.6	21.3	21.7	26.1	-	-	22.7	22.8	25.7	24.4	-	26.4	23.5	21.9	24.4	-	24.8	23.9	9/2	
9/3	25.5	24.8	23.2	24.4	-	26.2	22.2	23.7	23.2	-	22.8	25.9	22.4	24.9	-	24.5	24.9	21.9	22.1	-	-	23.6	23.5	22.1	25.0	-	26.7	25.8	23.7	23.0	-	23.4	24.8	23.9	9/3		
9/4	25.3	25.2	22.4	-	21.7	25.3	22.3	24.0	-	-	23.8	23.4	25.0	22.5	-	23.0	22.8	26.6	22.2	-	-	24.9	24.4	23.1	21.6	-	-	27.0	25.6	23.4	22.9	-	22.2	23.8	24.4	23.8	9/4
9/5	25.4	24.5	22.4	22.8	21.3	23.9	24.2	-	-	26.8	22.6	23.4	24.7	-	-	22.7	22.0	24.7	22.5	-	21.9	25.8	23.7	23.1	-	-	21.7	26.5	24.4	23.4	-	25.6	22.9	23.5	24.5	23.6	9/5
9/6	24.9	23.3	-	21.7	21.6	23.9	25.5	-	22.8	25.8	22.8	23.7	-	-	24.5	22.6	21.9	23.6	-	22.1	22.0	24.6	24.4	-	-	28.3	22.6	26.4	23.6	-	-	25.2	23.1	24.8	24.3	23.7	9/6
9/7	25.1	-	24.1	22.4	21.2	23.4	26.1	21.8	22.0	24.2	23.5	-	-	22.6	25.1	23.5	22.3	-	-	23.0	22.6	23.7	23.8	-	23.5	27.7	23.0	26.2	-	-	22.1	24.6	22.8	25.4	-	23.5	9/7
9/8	-	23.0	24.1	21.3	21.2	-	-	22.2	21.4	24.2	23.2	-	24.1	22.6	25.5	23.5	-	-	21.1	22.2	22.9	24.3	-	24.7	23.6	25.9	23.4	-	-	23.5	21.0	24.3	22.8	-	23.1	9/8	
9/9	23.7	22.3	24.4	23.2	-	-	23.5	23.4	20.6	24.4	-	22.3	24.6	23.8	25.1	-	-	24.2	22.6	23.3	22.5	-	-	23.9	23.0	23.8	23.9	-	23.6	23.2	19.0	24.7	-	24.2	23.2	9/9	
9/10	23.2	22.6	23.7	23.6	-	24.1	23.7	23.6	20.6	-	-	21.8	24.8	24.2	25.4	-	23.8	24.0	23.6	22.7	-	-	25.2	24.0	22.8	24.7	-	24.4	24.5	23.6	20.9	-	22.3	25.6	23.6	9/10	
9/11	22.9	22.3	23.4	-	22.4	24.2	23.1	22.3	-	-	23.0	22.8	24.3	24.3	-	23.6	22.9	23.8	24.3	-	-	24.3	24.0	23.5	22.1	-	-	23.6	23.5	22.9	18.6	-	23.7	21.6	26.9	23.1	9/11
9/12	21.9	22.3	23.1	20.8	23.5	24.2	22.1	-	25.0	22.4	23.2	24.0	-	-	22.4	21.7	23.8	23.8	-	23.7	23.4	22.8	22.9	-	-	25.0	25.7	23.8	22.2	-	23.5	22.6	21.2	25.2	23.3	9/12	
9/13	22.0	22.3	-	21.5	24.6	24.4	21.7	-	20.9	22.8	22.8	22.8	-	-	24.9	21.6	22.9	23.2	-	23.2	24.1	22.3	22.9	-	-	23.4	25.6	25.8	24.0	-	-	22.1	22.5	22.3	23.9	23.2	9/13
9/14	22.5	-	22.5	22.3	22.8	24.1	-	22.2	21.4	20.4	21.9	-	-	24.1	25.2	22.5	22.9	-	-	24.1	24.3	21.2	23.5	-	21.5	23.7	25.8	27.5	-	-	20.8	21.1	22.7	23.2	-	23.1	9/14
9/15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.0	23.6	20.5	-	-	21.9	23.6	25.6	-	-	-	21.1	22.9	22.3	-	22.6	9/15	
9/16	-	22.7	22.4	19.0	22.4	-	-	21.7	22.2	21.3	-	-	20.4	23.0	21.6	-	-	-	22.1	22.0	23.8	-	-	23.3	22.7	23.6	25.6	-	-	22.8	22.1	24.0	-	22.4	9/16		
9/17	21.9	22.0	20.2	17.6	-	23.9	21.7	21.8	21.8	-	-	22.2	20.3	22.8	21.9	-	23.5	21.4	22.1	21.4	-	-	-	23.1	22.1	23.5	-	-	22.2	22.2	21.6	-	-	24.7	21.9	9/17	
9/18	21.7	22.8	18.1	-	22.8	24.4	21.3	21.8	-	-	18.8	21.8	21.9	20.9	-	22.5	23.5	20.9	22.5	-	-	-	23.1	22.9	21.8	-	-	24.2	22.8	22.1	20.7	-	-	23.1	24.7	22.0	9/18
9/19	21.7	23.4	19.2	21.9	21.8	24.3	21.0	-	24.5	19.0	22.6	21.7	-	-	22.9	23.7	21.2	22.5	-	-	22.8	22.9	23.0	-	-	-	22.7	22.6	21.4	-	-	22.2	22.9	23.8	22.3	9/19	
9/20	21.7	21.6	-	22.6	21.3	23.6	19.1	-	20.4	24.5	19.8	22.6	-	-	23.8	23.7	22.5	22.1	-	-	23.3	22.9	23.5	-	-	20.7	23.3	23.4	-	-	21.7	22.3	22.7	23.5	-	22.4	9/20
9/21	21.9	-	21.5	22.3	21.2	22.6	18.3	21.0	20.5	24.7	19.6	-	-	24.5	22.2	23.6	21.9	-	-	22.5	22.8	22.8	23.8	-	-	24.4	20.4	22.7	-	-	-	19.8	21.5	21.8	-	22.2	9/21
9/22	-	22.1	22.6	22.6	20.7	-	-	20.4	20.1	23.2	20.2	-	21.5	24.0	19.6	23.5	-	-	17.9	22.6	22.9	22.6	-	22.3	-	24.2	21.4	-	-	21.5	-	-	21.5	-	21.8	9/22	
9/23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9/23
9/24	20.3	21.4	21.5	22.3	-	-	21.6	20.8	19.8	-	-	19.2	19.8	21.5	20.6	-	-	20.7	18.9	21.7	-	-	-	21.7	21.9	19.1	-	22.2	22.6	21.3	22.1	-	-	-	22.8	21.0	9/24
9/25	18.6	21.2	21.1	-	20.8	22.8	21.7	20.9	-	-	21.2	20.7	19.6	22.4	-	21.7	20.8	20.5	18.9	-	-	21.2	24.0	21.4	21.8	-	-	22.4	23.2	21.0	21.4	-	21.9	22.4	22.7	21.4	9/25
9/26	19.6	20.8	21.2	18.4	20.8	22.4	20.9	-	-	20.8	22.0	21.1	20.1	-	-	21.7	21.2	20.9	19.7	-	20.6	21.7	23.0	20.6	-	-	20.9	21.4	22.4	21.5	-	22.8	22.2	21.0	22.7	21.1	9/26
9/27	19.0	20.9	-	17.9	20.0	21.9	20.9	-	20.1	21.8	21.8	21.0	-	-	22.2	21.3	21.2	20.4	-	20.3	20.2	19.7	22.8	-	-	20.2	20.3	21.6	21.6	-	-	22.5	22.3	20.4	21.7	20.9	9/27
9/28	19.6	-	19.5	19.4	20.2	21.6	-	19.0	19.6	21.6	21.2	-	-	21.5	22.7	20.8	21.2	-	-	21.2	20.6	20.4	22.5	-	21.2	20.7	20.4	20.7	-	-	21.4	22.9	20.9	20.4	-	20.8	9/28
9/29	-	20.7	19.6	19.6	20.4	21.9	-	18.8	20.3	21.6	21.0	-	18.8	21.6	22.6	20.9	-	-	20.5	21.7	20.4	21.0	-	18.7	21.0	20.3	20.8	-	-	21.5	20.4	22.7	20.5	-	20.6	9/29	
9/30	17.7	20.1	19.6	19.0	19.8	-	20.2	18.8	20.3	20.0	-	20.7	19.2	21.5	23.4	-	-	20.5	19.7	22.0	20.6	-	-	19.1	20.5	19.9	21.2	-	22.2	22.0	19.8	20.6	-	23.1	20.4	9/30	
10/1	18.5	21.3	19.4	20.0	-	20.1	20.3	19.6	19.6	-	20.6	19.5	20.2	22.6	-	19.4	20.1	19.4	21.1	-	-	21.1	19.3	20.2	20.5	-	24.0	22.0	21.2	20.3	-	21.8	23.0	20.5	10/1		
10/2	19.1	20.4	19.4	-	19.4	24.9	19.5	19.4	-	20.2	20.6	19.7	21.2	-	21.4	19.6	20.3	19.1	-	-	21.2	21.4	19.3	20.6	-	-	22.3	22.2	20.9	20.0	-	19.9	21.8	23.0	20.6	10/2	
10/3	19.8	21.4	19.9	21.0	18.6	20.7	20.2	-	-	21.6	21.2	20.8	20.2	-	-	21.1	18.5	21.2	18.5	-	21.4	20.2	21.5	19.7	-	-	19.6	21.9	21.6	21.2	-	22.4	2				

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
10 /6	-	19.6	19.4	19.8	19.5	21.6	-	18.2	18.2	21.6	18.5	-	20.0	20.5	19.9	20.8	-	-	17.8	18.7	20.3	17.3	-	19.5	19.4	22.0	19.5	-	-	18.2	19.6	21.9	18.5		19.6	10/6		
10 /7	20.3	19.8	20.8	18.6	19.4	-	18.5	17.3	18.4	21.8	-	21.0	19.7	21.0	20.2	-	-	21.3	17.2	19.2	20.9	-	-	19.6	19.9	21.4	18.8	-	21.2	17.3	18.1	21.2		20.8	19.6	10/7		
10 /8	20.3	18.8	20.3	18.6	-	21.0	18.5	16.8	18.3		-	20.0	19.9	20.8	20.7	-	-	19.8	17.3	19.2	-	-	-	19.6	17.1	21.6	-	-	22.6	18.8	17.3	-	-	20.9	19.4	10/8		
10 /9	19.5	18.8	19.8	-	18.2	19.5	18.3	17.6	-	-	18.8	18.8	18.4	20.7	-	-	18.5	19.9	17.1	-	-	-	18.4	19.6	17.7	-	-	21.4	22.2	19.0	16.1	-	-	21.6	19.6	18.9	10/9	
10 /10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.4	18.1	19.9	17.3	-	-	18.7	18.7	20.1	-	-	-	20.9	22.2	19.5	-	-	19.7	21.8	17.9	19.5	10/10	
10 /11	19.5	19.2	-	19.2	18.5	19.5	17.0	-	-	21.4	18.9	18.6	-	-	-	20.9	17.5	19.2	-		20.3	18.2	19.1	-	-	-	19.4	20.6	21.8	-	-	20.1	19.3	21.3	19.6	19.4	10/11	
10 /12	19.3	-	20.0	19.7	17.0	21.0	-	17.8	18.4	21.4	18.9		-	20.2	21.2	21.4	18.3	-	-	18.3	20.1	19.7	19.4	-	-	21.5	19.1	20.4	-	-	-	19.8	19.4	20.7		19.7	10/12	
10 /13	-	16.8	19.5	19.0	16.9	-	-	18.0	17.6	21.6	19.8		16.4	20.0	21.1	19.7	-	-	-	19.5	19.8	19.6	-	-	18.1	21.5	18.9	-	-	-	18.2	18.1	18.8		19.1	10/13		
10 /14	20.0	16.0	19.4	18.4	-	-	16.9	18.0	16.4	21.5	-	19.5	17.2	20.5	21.5	-	-	-	17.7	17.5	20.2	-	-	18.5	18.8	21.4	19.2	-	-	17.5	17.1	17.2		-	18.7	10/14		
10 /15	18.5	17.4	19.1	18.7	-	20.8	18.2	17.8	16.8	-	-	19.6	18.5	21.1	19.9	-	17.6	19.4	17.0	17.8	-	-	19.2	18.9	18.5	21.1	-	19.4	18.2	18.3	17.3	-	20.1	18.0		18.7	10/15	
10 /16	18.6	17.9	18.6	-	18.5	20.2	18.0	18.0	-	-	19.8	18.9	17.1	20.7	-	19.4	17.9	19.5	17.4	-	-	18.4	18.4	19.0	18.2	-	-	19.1	18.2	17.8	17.7	-	16.2	19.7	17.0		18.6	10/16
10 /17	19.2	17.2	18.5	19.0	17.8	20.3	18.4	-	-	19.2	20.0	18.6	18.2	-	-	19.2	18.3	19.0	17.4	-	20.2	18.5	18.5	19.3	-	-	19.9	19.8	15.4	18.3	-	19.4	16.0	19.7	17.5		18.7	10/17
10 /18	17.9	15.6	-	18.9	17.2	20.5	18.3	-	17.4	18.2	19.4	18.8	-	-	18.5	19.1	17.3	18.9	-	18.2	19.9	18.7	18.1	-	-	20.4	19.3	19.4	16.2	-	-	20.1	16.2	19.6	18.3		18.5	10/18
10 /19	18.0	-	19.2	18.5	17.5	19.9	18.2	18.2	17.2	18.8	19.2	-	-	20.4	18.1	18.2	16.6	-	-	18.4	19.0	18.0	18.8	-	18.9	19.0	18.6	19.5	-	-	18.6	19.9	15.9	19.0		18.6	10/19	
10 /20	-	15.8	17.8	17.4	17.4	19.4	-	18.2	17.8	20.2	18.7	-	19.2	18.7	17.7	18.8	-	-	17.3	18.0	19.1	18.1	-	19.3	18.6	18.7	18.3	-	-	17.7	18.5	20.3	16.0		18.3	10/20		
10 /21	18.0	16.8	17.4	18.3	17.2	-	16.8	16.2	17.8	18.2	-	17.7	19.4	17.7	16.7	-	-	16.6	16.4	16.2	19.3	-	-	19.4	18.4	18.9	18.6	-	17.0	18.6	18.0	19.1		18.3	17.7	10/21		
10 /22	18.2	17.6	16.4	17.8	-	18.7	16.5	13.9	17.8	-	-	17.6	18.9	17.8	17.0	-	18.2	15.2	17.1	16.2	-	-	18.0	19.1	18.4	17.7	-	19.3	18.4	18.0	17.7	-	16.8	-		17.5	10/22	
10 /23	17.2	16.8	16.9	-	18.2	17.9	17.3	15.2	-	-	18.2	17.1	18.8	17.1	-	18.0	18.5	16.0	17.0	-	-	17.7	17.8	18.8	18.2	-	-	19.5	16.4	17.0	17.2	-	15.5	17.7	17.6		17.5	10/23
10 /24	17.3	16.4	16.5	16.4	17.2	17.9	16.9	-	-	18.2	18.2	16.6	18.8	-	-	17.2	18.3	15.8	15.5	-	18.6	14.5	16.2	19.3	-	-	18.9	18.5	16.2	16.8	-	18.4	14.7	18.4	18.2		17.2	10/24
10 /25	14.6	16.3	-	16.4	17.4	18.7	16.8	-	16.4	18.2	18.2	18.3	-	-	16.7	17.2	17.9	17.4	-	16.6	18.5	13.2	17.0	-	-	19.4	18.7	17.4	18.4	-	-	17.6	15.2	18.2	17.2		17.4	10/25
10 /26	13.8	-	16.8	16.8	17.4	18.6	-	16.0	15.4	17.8	17.6	-	-	17.5	17.1	17.4	17.5	-	-	16.1	17.9	15.5	17.6	-	17.5	18.5	16.4	18.9	-	-	14.8	18.3	15.0	18.5		17.1	10/26	
10 /27	-	16.3	17.0	17.0	17.4	-	-	16.6	14.0	18.0	17.8	-	16.3	17.7	17.5	15.2	-	-	15.7	14.3	18.0	16.2	-	17.8	15.9	17.9	16.3	-	-	18.4	15.5	17.6	17.1		16.7	10/27		
10 /28	14.8	15.8	17.5	17.4	-	-	17.0	16.4	13.4	18.4	-	16.1	14.3	18.4	16.4	-	-	16.0	16.1	14.2	18.0	-	-	17.2	16.7	17.1	17.1	-	16.8	17.0	16.9	15.3		16.3	16.6	10/28		
10 /29	15.5	15.6	17.6	16.6	-	18.2	17.2	16.6	14.0	-	-	17.4	15.5	18.2	17.8	-	16.6	16.1	16.5	14.1	-	-	17.6	17.2	16.3	16.6	-	17.8	18.6	16.4	16.6	-	18.7	16.8		16.7	10/29	
10 /30	16.1	13.8	17.8	-	16.2	18.0	17.3	17.1	-	-	17.8	18.0	15.6	18.5	-	16.8	15.4	16.3	16.4	-	-	17.7	17.4	16.4	17.4	-	-	17.6	17.4	16.2	16.9	-	15.3	18.4	17.4		16.9	10/30
10 /31	16.3	13.0	17.4	15.8	16.6	17.2	16.6	-	17.9	17.6	17.4	16.0	-	16.7	15.7	16.1	16.1	-	15.9	17.6	17.8	16.6	-	-	17.4	17.4	17.8	16.6	-	15.4	14.0	17.6	18.1		16.7	10/31		
11 /1	16.4	13.8	-	15.5	17.2	15.7	15.8		15.1	15.8	17.8	17.3	-	17.6	16.9	16.2	16.0	-	17.0	15.5	17.6	17.9	-	-	16.3	17.6	17.8	17.2	-	-	16.3	12.8	16.6	18.3		16.6	11/1	
11 /2	16.2	-	16.4	15.8	17.0	16.4	15.3	15.1	15.2	16.0	15.2	-	16.2	17.0	15.9	16.4	-	-	17.1	16.6	16.3	17.6	-	15.9	15.9	17.4	16.8	-	-	16.1	15.1	14.5	15.0		16.3	11/2		
11 /3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	11/3
11 /4	-	15.6	16.2	14.1	17.0	-	-	14.5	15.8	16.1	-	-	15.9	17.1	16.5	-	-	-	16.4	16.6	16.5	-	-	16.4	14.9	15.6	17.8	-	-	14.9	16.1	15.9		-	16.0	11/4		
11 /5	15.7	14.9	15.9	14.3	-	16.4	14.1	14.9	15.9	-	-	16.6	16.5	15.3	15.8	-	15.5	12.9	15.4	16.4	-	-	16.9	16.5	16.1	15.8	-	16.2	16.8	14.4	16.3	-	16.3	16.9		15.6	11/5	
11 /6	15.9	15.0	14.9	-	16.8	17.3	13.8	14.6	-	-	14.4	16.9	16.2	15.3	-	16.6	16.1	12.9	16.1	-	-	17.2	16.5	16.8	16.5	-	-	16.7	17.0	15.6	16.3	-	15.0	16.8	17.0		15.9	11/6
11 /7	16.0	14.7	14.8	13.2	17.0	17.8	14.5	-	-	17.6	14.9	15.9	15.6	-	-	16.4	15.4	13.3	16.3	-	17.6	17.2	15.6	16.9	-	-	17.1	17.1	17.2	16.0	-	15.3	15.9	16.6	16.5		16.0	11/7
11 /8	16.2	14.8	-	12.3	16.9	17.3	16.0	-	13.6	16.6	14.8	15.2	-	-	16.4	16.6	15.4	14.0	-	15.8	17.1	16.5	15.9	-	-	17.1	16.4	17.1	16.9	-	-	15.3	15.9	16.7	16.3		15.8	11/8
11 /9	16.2	-	14.6	12.9	17.1	16.6	-	13.8	14.0	16.2	13.8	-	-	16.4	16.3	14.6	15.9		15.4	16.4	16.8	15.9	-	16.4	17.5	15.7	16.3	-	-	15.5	14.3	16.0	17.0		15.6	11/9		
11 /10	-	13.6	15.6	13.8	16.8	-	-	13.0	13.4	16.6	14.2	-	14.6	15.9	15.1	14.0	-	-	14.5	14.9	15.9	17.0	-	13.2	16.6	16.7	15.2	-	-	16.1	15.9	12.3	15.0		15.1	11/10		
11 /11	15.3	14.1	15.8	13.2	-	-	15.6	13.8	13.4	16.7	-	15.6	14.3	16.1	15.4		12.9	14.7	16.1	15.3	-	-	12.7	16.8	16.5	15.6	-	15.7	15.6	15.5	12.0		14.7	15.1	11/11			
11 /12	15.2	13.4	15.8	12.9	-	-	15.3	14.1	13.6	-	-	15.9	15.1	15.4	16.5	-	13.1	13.5	14.5	17.0	-	-	15.8	13.1	15.1	16.0	-	16.3	14.4	15.6	15.0	-	16.8	15.1		14.9	11/12	
11 /13	14.4	12.4	15.8	-	16.5	16.9	15.4	14.4	-	-	14.7	14.0	14.6	15.0	-	14.4	12.0	13.4	14.2	-	-	14.4	15.5	14.0	14.4	-	-	15.8	13.4	15.4	14.9	-	14.8	16.8	15.1		14.6	11/13
11 /14	14.9	12.8	14.4	13.6	16.1	16.7	14.6	-	-	15.2	14.6	14.1	14.9	-	-	14.5	12																					

相馬市松川浦の定地水温(℃)

※気象庁発表の日別海面水温に合わせ、S61年～H27年の30年平均としています。次回更新はH32年です。

月日\年	S60	S61	S62	S63	H1	H2	H3	H4	H5	H6	H7	H8	H9	H10	H11	H12	H13	H14	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	平年値(※)		
11 /17	-	11.4	14.2	12.4	14.8	15.3	-	14.7	14.8	12.8	13.6	-	15.0	15.7	14.7	14.5	-	-	14.9	15.6	13.4	14.2	-	15.6	13.9	14.4	14.6	-	-	13.4	16.3	13.8	12.0		14.4	11/17		
11 /18	14.1	11.4	13.2	12.1	14.6	-	14.6	13.6	15.2	13.9		13.4	14.8	13.8	12.9	-	-	11.5	14.3	15.7	13.5	-	-	15.5	13.0	13.6	14.1	-	14.2	12.8	16.4	13.6		15.3	13.8	11/18		
11 /19	13.7	12.0	13.7	11.6	-	15.2	14.5	13.8	15.2	-	-	12.6	14.5	13.0	14.9	-	13.7	10.6	14.2	15.1	-	-	14.2	14.9	13.1	13.2	-	14.0	14.4	12.8	15.5	-		13.7	15.7	13.8	11/19	
11 /20	13.7	11.7	12.1	-	14.4	15.2	13.6	14.4	-	-	13.0	11.6	14.0	11.9	-	13.2	13.8	11.2	13.9	-	-	13.5	14.0	13.9	13.0	-	-	13.8	14.0	12.1	15.4	-	11.6	13.0	14.9	13.4	11/20	
11 /21	13.6	11.7	12.8	11.0	14.0	15.1	12.6	-	-	15.2	11.8	13.6	14.3	-	-	13.4	13.6	11.9	14.3	-	13.0	13.5	13.4	13.9	-	-	14.0	13.6	13.6	12.4	-	14.1	11.6	13.5	13.7	13.3	11/21	
11 /22	13.2	12.3	-	11.1	14.4	15.0	12.9	-	14.2	14.2	11.6	13.0	-	-	13.8	12.5	13.7	11.0	-	14.2	12.5	13.8	12.8	-	-	14.8	13.1	13.3	13.6	-	-	14.6	11.7	13.9	13.4	13.2	11/22	
11 /23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11/23
11 /24	-	-	12.5	12.7	13.5	-	-	12.9	13.8	14.2	12.8	-	-	12.1	14.2	11.3	-	-	-	14.6	13.3	13.1	-	-	13.2	13.8	13.6	-	-	-	13.9	12.6	12.1		13.3	11/24		
11 /25	11.5	11.2	11.8	11.7	-	-	12.6	13.3	14.2	13.8	-	13.2	14.0	13.1	14.8	-	-	11.6	12.8	13.9	13.0	-	-	11.4	13.2	13.6	12.8	-	13.5	13.7	13.3	11.8		14.0	13.0	11/25		
11 /26	11.1	11.3	11.3	11.0	-	14.6	12.3	13.6	13.4	-	-	12.3	14.7	12.9	14.6	-	13.2	11.1	11.3	13.2	-	-	13.0	11.6	13.4	14.4	-	12.8	14.2	12.7	12.5	-		14.2	12.5	12.8	11/26	
11 /27	10.3	11.0	12.2	-	12.6	14.4	12.6	11.0	-	-	12.2	12.9	15.3	13.1	-	12.9	12.4	11.0	12.0	-	-	13.6	12.5	11.8	13.8	-	-	11.6	12.8	12.8	13.5	-	11.6	14.3	12.8	12.6	11/27	
11 /28	11.0	10.8	11.4	11.6	13.0	14.4	12.9	-	-	13.4	12.5	13.0	13.2	-	-	11.8	11.6	11.0	12.1	-	12.4	12.8	12.5	12.4	-	-	13.2	11.3	12.6	13.0	-	12.1	12.0	14.6	12.7	12.4	11/28	
11 /29	10.7	11.0	-	11.1	12.9	14.0	12.9	-	12.1	14.0	11.8	12.8	-	-	13.6	11.5	12.1	11.2	-	13.8	12.7	13.4	11.9	-	-	14.3	13.5	12.1	12.8	-	-	11.5	12.1	14.0	11.7	12.6	11/29	
11 /30	10.7	-	10.8	10.8	12.2	13.6	13.0	12.1	11.8	13.0	11.2	-	-	12.9	13.4	12.1	12.5	-	-	12.9	11.3	11.2	12.1	-	12.6	14.4	13.4	11.8	-	-	13.5	11.4	11.7	13.9		12.4	11/30	
12 /1	-	10.1	10.4	10.9	12.0	13.9	-	12.2	12.4	12.8	11.6	-	12.6	14.1	12.1	11.6	-	-	13.4	13.5	10.9	13.2	-	11.7	12.4	14.3	12.7	-	-	13.6	13.2	12.3	10.6		12.4	12/1		
12 /2	11.3	10.0	9.6	11.1	12.1	-	13.0	12.2	12.4	13.1	-	11.8	12.7	11.4	12.8	-	-	10.3	12.8	13.0	11.3	-	-	12.3	12.6	14.1	12.2	-	12.2	13.4	12.9	11.8		13.0	12.1	12/2		
12 /3	11.3	10.2	9.3	9.5	-	13.6	12.3	11.8	12.6	-	-	11.4	12.1	10.8	12.1	-	11.6	10.1	12.7	12.5	-	-	12.2	12.7	12.7	14.7	-	11.4	12.4	11.6	13.6	-		13.3	13.0	11.9	12/3	
12 /4	11.4	10.6	9.6	-	12.2	13.4	11.8	11.4	-	-	10.6	11.4	12.0	11.2	-	11.9	11.6	10.6	12.2	-	-	11.5	11.8	12.7	12.5	-	-	12.0	11.8	11.3	12.8	-	10.9	13.1	12.8	11.7	12/4	
12 /5	11.3	10.4	9.3	11.6	12.0	13.1	11.8	-	-	12.4	10.7	13.0	12.8	-	-	11.7	11.4	10.4	12.0	-	10.6	11.6	11.7	12.6	-	-	12.3	11.6	12.2	11.7	-	12.9	11.4	13.3	12.1	11.7	12/5	
12 /6	11.4	10.1	-	10.0	11.7	13.8	12.6	-	11.4	11.0	10.3	12.4	-	-	11.6	11.5	11.5	10.3	-	12.9	10.1	11.1	11.2	-	-	13.3	12.2	11.7	12.2	-	-	12.7	10.6	12.3	11.2	11.6	12/6	
12 /7	10.8	-	8.2	9.8	11.4	14.2	12.9	10.1	11.2	11.4	9.2	-	-	11.4	11.1	9.9	11.1	-	-	13.0	10.7	11.9	11.6	-	12.4	13.2	12.0	11.6	-	-	11.3	11.8	10.6	12.6		11.3	12/7	
12 /8	-	9.8	8.4	10.3	11.3	-	-	11.9	11.4	11.8	9.8	-	13.6	11.5	10.3	9.8	-	-	11.1	13.2	10.4	11.8	-	12.3	12.4	12.1	12.2	-	-	11.3	10.3	11.6	10.7		11.2	12/8		
12 /9	10.5	10.0	9.4	10.5	-	-	11.5	11.3	11.2	11.8	-	12.0	13.1	11.3	11.0	-	-	9.6	12.0	11.5	10.6	-	-	12.3	12.1	11.7	11.4	-	11.4	10.9	9.8	11.6		9.6	11.2	12/9		
12 /10	9.3	10.0	9.6	10.0	-	15.0	11.1	11.6	11.2	-	-	11.2	13.1	11.1	11.9	-	10.6	8.8	11.4	12.2	-	-	11.1	12.1	11.9	11.6	-	10.2	11.6	10.4	9.7	-		11.2	10.2	11.2	12/10	
12 /11	8.5	9.8	9.8	-	9.6	14.5	11.2	11.8	-	-	10.0	12.3	12.6	11.2	-	10.0	9.7	8.9	11.3	-	-	10.3	11.4	11.9	12.0	-	-	10.2	10.2	10.8	10.9	-	10.6	11.2	10.7	10.9	12/11	
12 /12	9.2	10.0	9.7	10.2	9.3	12.5	11.2	-	-	11.5	10.3	13.0	12.1	-	-	8.4	8.7	9.7	11.0	-	10.4	9.2	11.5	11.9	-	-	11.2	9.4	10.0	10.8	-	9.8	10.2	11.0	11.2	10.5	12/12	
12 /13	9.2	9.8	-	10.4	9.5	12.7	10.2	-	10.1	11.8	9.8	12.5	-	-	11.4	8.9	9.3	9.5	-	12.6	9.0	10.9	11.3	-	-	11.3	10.8	9.2	10.1	-	-	9.9	9.5	10.5	10.5	10.5	12/13	
12 /14	9.4	-	8.6	10.5	9.5	13.4	-	10.8	10.4	11.4	9.6	-	-	11.7	11.1	8.4	9.2	-	-	12.2	8.6	11.3	11.4	-	11.3	11.3	10.7	9.2	-	-	11.0	9.7	9.0	10.4		10.6	12/14	
12 /15	-	9.8	9.6	10.3	9.9	11.7	-	10.2	9.6	11.2	10.0	-	10.9	11.6	10.9	9.6	-		11.5	12.6	8.6	11.2	-	10.9	10.4	11.0	11.4	-	-	8.7	12.1	9.8	8.3		10.6	12/15		
12 /16	8.6	9.0	9.9	9.5	9.4	-	10.8	9.9	9.6	9.6	-	12.5	11.4	10.7	10.8	-	-	9.6	11.6	12.4	9.1	-	-	10.8	10.0	11.2	10.6	-	8.2	7.5	12.7	9.7		10.4	10.3	12/16		
12 /17	8.5	8.8	8.3	8.8	-	11.0	10.8	9.8	10.2	-	-	13.2	11.5	10.9	11.1	-	9.9	9.7	11.6	11.3	-	-	10.5	11.2	9.5	11.1	-	10.0	8.6	8.5	12.1	-		9.6	10.6	10.4	12/17	
12 /18	7.7	8.9	8.4	-	10.1	11.7	10.6	9.0	-	-	9.0	12.9	11.6	10.0	-	9.2	9.7	8.7	11.6	-	-	9.8	10.7	11.5	10.4	-	-	10.2	8.8	6.2	11.9	-	8.2	10.3	10.9	10.0	12/18	
12 /19	8.1	9.4	8.2	8.4	9.3	11.5	9.1		9.4	9.3	11.8	11.9	-	-	9.2	9.2	9.0	11.5	-	7.4	9.9	10.2	11.4	-	-	9.5	9.4	8.8	7.3	-	10.4	8.9	10.2	10.7		9.6	12/19	
12 /20	7.8	8.9	-	8.2	9.8	11.3	9.3	-	8.6	8.8	9.1	11.5	-	-	9.6	10.0	9.2	8.6	-	10.4	8.6	10.0	10.1	-	-	10.7	9.3	9.3	8.6	-	-	10.7	8.4	9.4	11.2	9.5	12/20	
12 /21	7.4	-	8.3	8.4	9.9	11.6	9.6	9.0	9.4	9.7	8.8	-	-	9.7	9.1	10.4	9.5	-	-	10.8	8.4	10.3	9.9	-	9.8	10.4	9.2	7.9	-	-	11.2	10.9	8.0	9.7		9.6	12/21	
12 /22	-	9.6	8.0	7.2	10.1	-	-	9.2	8.8	9.8	8.7	-	10.7	10.0	8.9	9.1	-	-	9.6	10.4	8.9	10.2	-	11.1	9.6	10.8	9.0	-	-	8.3	11.3	10.9	8.6			9.5	12/22	
12 /23	7.9	9.2	9.4	7.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.3	9.0	12/23	
12 /24	7.3	9.0	9.3	7.2	-	-	11.0	8.6	8.2	-	-	9.2	10.8	10.0	9.6	-	-	8.4	10.1	9.3	-	-	-	10.4	10.1	9.9	-	-	9.6	8.4	10.4	-		-	9.7	9.4	12/24	
12 /25	6.9	9.4	9.6	-	9.0	11.3	10.4	7.8	-	-	7.9	10.4	10.4	10.5	-	8.4	10.1	8.4	10.3	-	-	10.2	9.6	10.7	-	-	-	8.8	9.8	8.9	10.9	-	9.3	9.9	9.3	9.7	12/25	
12 /26	7.6	9.6	10.3	7.1	9.1	11.5	9.7	-	-	9.1	8.3	9.7	10.6	-	-	7.2	9.8	8.1	9.9	-	7.4	10.3	9.1	9.5	-	-	7.0	8.2	9.2	8.5	-	9.0	8.4	10.5	9.7	9.1	12/26	
12 /27	7.8	8.5	-																																			

