

初野浄水場 流量水質報告書

平成31年4月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	31,810	2.43	7.42	—	20,330	16,030	1.72	7.52	7.10	0.00	0.00	
2	31,990	2.41	7.39	—	20,250	16,470	1.71	7.50	6.90	0.00	0.00	
3	31,880	2.46	7.45	—	20,030	16,440	1.69	7.55	7.20	0.00	0.00	
4	32,020	2.81	7.46	—	19,430	16,540	1.91	7.54	7.50	0.00	0.00	
5	31,950	2.23	7.43	—	20,110	16,370	1.46	7.56	7.60	0.00	0.00	
6	32,220	2.02	7.47	—	19,850	17,270	1.40	7.59	8.20	0.00	0.00	
7	31,940	2.82	7.48	—	19,980	16,360	2.01	7.57	8.20	0.00	0.00	
8	30,860	2.56	7.47	—	19,280	15,250	1.74	7.55	8.30	0.00	0.00	
9	32,780	2.45	7.46	—	20,680	17,140	1.65	7.54	8.20	0.00	0.00	
10	32,030	2.46	7.50	—	19,800	16,760	1.65	7.56	8.40	0.00	0.00	
11	32,150	2.40	7.41	—	20,440	17,000	1.64	7.50	7.60	0.00	0.00	
12	31,480	2.34	7.44	—	19,650	16,650	1.59	7.51	7.70	0.00	0.00	
13	33,060	2.35	7.44	—	20,390	16,940	1.54	7.53	8.20	0.00	0.00	
14	31,010	2.14	7.46	—	19,130	15,590	1.44	7.52	8.50	0.00	0.00	
15	31,210	2.05	7.45	—	19,540	15,750	1.41	7.51	8.70	0.00	0.00	
16	30,910	2.23	7.49	—	19,670	17,850	1.46	7.55	9.50	0.00	0.00	
17	35,330	2.41	7.48	—	23,410	21,300	1.73	7.53	9.50	0.00	0.00	
18	37,720	2.51	7.48	—	25,350	23,600	1.80	7.51	9.40	0.00	0.00	
19	35,860	2.27	7.51	—	24,060	22,150	1.37	7.53	9.70	0.00	0.00	
20	37,770	2.54	7.49	—	26,470	25,030	2.74	7.54	10.60	0.00	0.00	
21	38,670	2.43	7.48	—	26,780	24,730	1.86	7.52	10.30	0.00	0.00	
22	37,430	2.31	7.50	—	26,690	23,720	1.71	7.52	10.30	0.00	0.00	
23	38,940	2.51	7.47	—	26,580	25,430	1.88	7.52	10.60	0.00	0.00	
24	37,060	2.36	7.46	—	25,560	24,280	1.62	7.49	10.60	0.00	0.00	
25	39,710	2.38	7.47	—	27,840	26,060	1.60	7.47	10.90	0.00	0.00	
26	35,730	2.22	7.44	—	24,620	24,250	1.62	7.49	10.60	0.00	0.00	
27	36,830	2.32	7.42	—	25,700	24,830	1.62	7.48	10.30	0.00	0.00	
28	36,720	2.29	7.43	—	25,770	24,770	1.62	7.49	10.40	0.00	0.00	
29	36,080	2.53	7.45	—	24,880	23,880	1.76	7.52	10.70	0.00	0.00	
30	37,180	2.28	7.46	—	26,250	24,260	1.68	7.49	10.70	0.00	0.00	
合計	1,030,330	—	—	—	678,520	602,700	—	—	—	0.00	0.00	
最大	39,710	2.82	7.51	—	27,840	26,060	2.74	7.59	10.90	0.00	0.00	
最小	30,860	2.02	7.39	—	19,130	15,250	1.37	7.47	6.90	0.00	0.00	
平均	34,344	2.38	7.46	—	22,617	20,090	1.69	7.52	9.08	0.00	0.00	

初野浄水場 流量水質報告書

令和元年5月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	36,380	2.19	7.33	—	25,900	23,720	1.56	7.28	14.30	0.00	0.00	
2	34,270	2.19	7.48	—	23,380	22,020	1.61	7.50	11.20	0.00	0.00	
3	37,420	2.94	7.44	—	26,480	24,270	2.09	7.48	11.40	0.00	0.00	
4	37,990	2.72	7.43	—	26,880	24,320	2.07	7.45	11.00	0.00	0.00	
5	37,100	2.59	7.45	—	26,270	24,000	1.87	7.45	11.50	0.00	0.00	
6	37,360	2.47	7.42	—	26,560	24,060	1.83	7.44	11.80	0.00	0.00	
7	37,300	2.53	7.40	—	26,190	24,490	1.89	7.45	11.90	0.00	0.00	
8	38,010	3.70	7.41	—	26,930	24,700	2.55	7.45	12.40	0.00	0.00	
9	38,070	2.75	7.40	—	26,600	25,400	2.16	7.44	12.90	0.00	0.00	
10	37,770	2.90	7.37	—	26,310	25,250	2.02	7.41	12.90	0.00	0.00	
11	39,760	2.64	7.34	—	27,660	26,300	1.88	7.40	13.30	0.00	0.00	
12	37,570	2.62	7.36	—	26,120	23,780	1.98	7.37	13.00	0.00	0.00	
13	36,670	2.52	7.38	—	26,030	22,820	1.96	7.41	13.00	0.00	0.00	
14	37,730	2.37	7.38	—	26,520	24,230	1.81	7.41	13.10	0.00	0.00	
15	38,080	2.49	7.31	—	26,630	24,400	1.84	7.33	12.60	0.00	0.00	
16	38,080	2.41	7.32	—	27,070	24,350	1.88	7.35	13.40	0.00	0.00	
17	37,890	2.48	7.31	—	26,270	24,620	1.91	7.35	13.60	0.00	0.00	
18	38,300	2.55	7.27	—	26,680	24,880	1.98	7.34	13.80	0.00	0.00	
19	37,900	2.71	7.27	—	26,870	24,090	2.07	7.31	14.00	0.00	0.00	
20	37,710	2.65	7.22	—	26,650	24,010	2.10	7.29	14.10	0.00	0.00	
21	38,170	2.62	7.20	—	27,190	24,750	2.02	7.26	13.90	0.00	0.00	
22	34,580	2.80	7.25	—	23,830	20,290	2.18	7.15	14.00	0.00	0.00	
23	35,360	2.62	7.25	—	23,700	21,230	2.08	6.62	14.00	0.00	0.00	
24	35,010	2.80	7.26	—	23,080	20,920	2.11	7.02	14.10	0.00	0.00	
25	35,210	2.85	7.22	—	23,200	21,290	2.08	6.99	14.40	0.00	0.00	
26	35,000	2.90	7.25	—	23,720	20,370	2.31	6.88	14.40	0.00	0.00	
27	34,800	3.06	7.22	—	23,350	20,210	2.38	7.26	14.50	0.00	0.00	
28	34,870	2.88	7.17	—	22,650	21,170	2.29	7.28	14.60	0.00	0.00	
29	35,000	2.93	7.14	—	23,670	21,070	2.18	7.23	14.40	0.00	0.00	
30	35,000	2.33	7.20	—	23,510	20,590	1.62	7.27	14.40	0.00	0.00	
31	34,860	2.53	7.18	—	22,380	21,230	1.68	7.28	14.50	0.00	0.00	
合計	1,139,220	—	—	—	788,280	718,830	—	—	—	0.00	0.00	
最大	39,760	3.70	7.48	—	27,660	26,300	2.55	7.50	14.60	0.00	0.00	
最小	34,270	2.19	7.14	—	22,380	20,210	1.56	6.62	11.00	0.00	0.00	
平均	36,749	2.67	7.31	—	25,428	23,188	2.00	7.30	13.30	0.00	0.00	

初野浄水場 流量水質報告書

令和元年6月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	35,450	2.58	7.17	—	24,480	21,300	1.74	7.27	14.60	0.00	0.00	
2	36,580	2.52	7.22	—	24,570	21,370	1.72	7.30	14.90	0.00	0.00	
3	32,850	2.57	7.19	—	22,060	18,760	1.73	7.29	14.80	0.00	0.00	
4	35,130	2.51	7.20	—	23,390	21,460	1.71	7.28	14.90	0.00	0.00	
5	35,430	2.36	7.20	—	22,800	21,530	1.58	7.27	15.00	0.00	0.00	
6	35,140	2.29	7.19	—	23,090	21,500	1.53	7.27	15.10	0.00	0.00	
7	34,630	2.27	7.12	—	22,540	20,590	1.70	7.20	14.80	0.00	0.00	
8	35,300	2.29	7.16	—	24,310	20,600	1.60	7.17	14.70	0.00	0.00	
9	34,770	2.25	7.12	—	24,010	19,730	1.56	7.23	14.70	0.00	0.00	
10	35,110	2.23	7.11	—	24,000	19,630	1.50	7.21	14.60	0.00	0.00	
11	35,540	2.15	7.08	—	24,580	20,980	1.43	7.19	14.60	0.00	0.00	
12	34,070	2.16	7.12	—	22,790	20,300	1.48	7.21	14.60	0.00	0.00	
13	35,500	2.16	7.17	—	23,540	21,110	1.46	7.21	14.70	0.00	0.00	
14	34,390	2.12	7.16	—	22,480	20,570	1.44	7.24	15.00	0.00	0.00	
15	35,350	2.10	7.16	—	22,890	21,290	1.44	7.21	14.90	0.00	0.00	
16	34,950	3.37	7.13	—	23,150	19,660	2.00	7.19	14.80	0.00	0.00	
17	34,890	2.54	7.17	—	23,710	20,130	1.69	7.24	15.00	0.00	0.00	
18	34,720	2.77	7.21	—	22,840	20,530	1.91	7.26	15.10	0.00	0.00	
19	35,480	2.95	7.20	—	23,890	21,310	2.19	7.21	15.10	0.00	0.00	
20	33,960	2.88	7.17	—	22,240	20,200	2.26	7.20	15.00	0.00	0.00	
21	34,970	2.79	7.14	—	22,830	20,890	2.20	7.17	15.10	0.00	0.00	
22	36,280	2.74	7.13	—	24,690	21,400	2.04	7.16	15.30	0.00	0.00	
23	33,760	2.75	7.10	—	22,980	19,420	2.02	7.16	15.30	0.00	0.00	
24	34,460	2.77	7.13	—	23,740	19,470	2.13	7.15	15.20	0.00	0.00	
25	34,910	2.75	7.14	—	24,130	20,710	2.15	7.17	15.40	0.00	0.00	
26	34,770	2.79	7.14	—	22,680	21,050	2.01	7.17	15.60	0.00	0.00	
27	34,890	2.68	7.14	—	22,780	21,140	2.09	7.17	15.80	0.00	0.00	
28	33,950	2.71	7.09	—	22,570	20,420	1.88	7.11	15.90	0.00	0.00	
29	40,330	2.65	7.09	—	26,630	23,900	1.90	7.14	15.60	0.00	0.00	
30	30,360	2.70	7.09	—	20,050	17,220	2.04	7.10	15.40	0.00	0.00	
合計	1,047,920	—	—	—	700,440	618,170	—	—	—	0.00	0.00	
最大	40,330	3.37	7.22	—	26,630	23,900	2.26	7.30	15.90	0.00	0.00	
最小	30,360	2.10	7.08	—	20,050	17,220	1.43	7.10	14.60	0.00	0.00	
平均	34,931	2.55	7.15	—	23,348	20,606	1.80	7.21	15.05	0.00	0.00	

初野浄水場 流量水質報告書

令和元年7月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (℃)	P A C	苛性 ソーダ	
1	33,680	3.91	7.07	—	22,680	19,180	3.24	7.10	15.70	0.00	0.00	
2	34,180	2.85	7.08	—	23,250	21,140	2.08	7.08	15.70	0.00	0.00	
3	36,110	3.79	7.13	—	24,130	21,880	2.31	7.13	15.70	0.00	0.00	
4	35,100	2.76	7.09	—	22,870	21,000	1.72	7.11	15.60	0.00	0.00	
5	34,720	4.09	7.12	—	23,550	20,570	4.05	7.11	15.70	0.00	0.00	
6	35,000	4.89	7.16	—	24,260	20,740	4.12	7.12	15.80	0.00	0.00	
7	34,870	6.15	7.08	—	24,380	19,670	4.76	7.09	15.80	0.00	0.00	
8	33,950	6.89	7.01	—	23,200	19,390	5.96	7.04	15.70	0.00	0.00	
9	32,920	7.04	7.01	—	22,320	20,330	6.28	7.03	15.80	0.00	0.00	
10	33,600	8.01	7.03	—	22,180	20,570	6.91	7.05	15.90	0.00	0.00	
11	33,510	7.72	7.02	—	22,080	20,500	6.73	7.05	15.90	0.00	0.00	
12	33,460	7.09	7.09	—	21,990	20,460	6.34	7.07	15.90	0.00	0.00	
13	33,710	6.65	7.14	—	22,370	20,620	5.80	7.11	16.20	0.00	0.00	
14	33,530	5.66	7.15	—	21,790	20,110	4.87	7.13	16.20	0.00	0.00	
15	33,530	5.11	7.16	—	23,200	19,660	4.70	7.08	16.20	0.00	0.00	
16	32,910	4.80	7.32	—	22,370	19,480	4.27	7.13	16.30	0.00	0.00	
17	33,970	4.37	7.14	—	22,800	20,790	3.84	7.07	16.30	0.00	0.00	
18	33,880	4.10	7.14	—	22,350	20,620	3.46	7.10	16.50	0.00	0.00	
19	34,460	4.07	7.11	—	22,530	20,680	3.18	7.06	16.60	0.00	0.00	
20	34,680	4.21	7.14	—	22,860	21,200	3.34	7.12	17.70	0.00	0.00	
21	34,470	4.20	7.12	—	23,650	20,070	3.41	7.12	17.60	0.00	0.00	
22	34,160	3.78	7.13	—	23,470	19,460	2.94	7.09	17.50	0.00	0.00	
23	34,280	3.53	7.11	—	23,440	21,350	3.21	7.10	17.50	0.00	0.00	
24	33,450	3.78	7.04	—	22,320	21,000	2.99	7.08	18.00	0.00	0.00	
25	34,530	4.01	7.08	—	22,850	21,720	3.51	7.05	18.30	0.00	0.00	
26	34,470	3.63	7.13	—	22,810	21,510	2.87	7.11	18.60	0.00	0.00	
27	36,560	3.76	7.16	—	24,380	22,030	2.87	7.15	19.30	0.00	0.00	
28	35,100	3.53	7.20	—	24,400	20,110	2.82	7.16	19.40	0.00	0.00	
29	35,550	3.56	7.22	—	24,830	20,430	2.93	7.14	19.80	0.00	0.00	
30	35,940	3.25	7.22	—	24,090	21,240	2.46	7.17	19.90	0.00	0.00	
31	36,820	3.34	7.23	—	24,540	21,820	2.07	7.34	21.20	0.00	0.00	
合計	1,067,100	—	—	—	717,940	639,330	—	—	—	0.00	0.00	
最大	36,820	8.01	7.32	—	24,830	22,030	6.91	7.34	21.20	0.00	0.00	
最小	32,910	2.76	7.01	—	21,790	19,180	1.72	7.03	15.60	0.00	0.00	
平均	34,423	4.66	7.12	—	23,159	20,624	3.87	7.11	17.04	0.00	0.00	

初野浄水場 流量水質報告書

令和元年8月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	35,130	3.30	7.21	—	23,730	20,920	2.44	7.20	20.40	0.00	0.00	
2	36,030	2.85	7.03	—	24,120	21,290	2.21	6.98	17.70	0.00	0.00	
3	36,240	2.91	7.02	—	24,350	21,420	2.13	7.00	17.60	0.00	0.00	
4	36,420	2.86	7.02	—	24,800	20,930	2.09	6.99	17.40	0.00	0.00	
5	36,640	2.71	7.04	—	25,090	21,140	2.11	6.99	17.50	0.00	0.00	
6	35,240	2.65	7.03	—	23,540	21,250	2.02	6.96	17.40	0.00	0.00	
7	36,620	2.56	6.97	—	24,340	22,280	2.40	6.95	17.50	0.00	0.00	
8	36,020	2.48	7.00	—	23,640	21,600	1.65	6.96	17.30	0.00	0.00	
9	36,340	2.46	7.00	—	24,480	21,790	1.63	6.99	17.50	0.00	0.00	
10	36,690	2.80	7.11	—	24,460	22,170	2.07	7.12	21.00	0.00	0.00	
11	36,170	2.68	7.05	—	25,070	20,640	1.91	7.08	21.20	0.00	0.00	
12	36,540	2.52	7.05	—	26,010	20,540	1.82	7.06	20.20	0.00	0.00	
13	35,640	2.21	7.08	—	24,410	20,510	1.72	7.09	21.40	0.00	0.00	
14	36,100	1.98	7.03	—	24,710	20,870	1.54	7.16	21.20	0.00	0.00	
15	35,990	1.78	7.01	—	25,570	20,320	1.44	7.03	20.60	0.00	0.00	
16	36,130	1.89	7.01	—	25,170	20,750	1.41	7.03	20.50	0.00	0.00	
17	34,250	1.66	7.03	—	23,450	21,330	1.33	7.06	20.60	0.00	0.00	
18	33,960	1.73	7.04	—	22,340	21,480	1.21	7.04	20.70	0.00	0.00	
19	34,710	1.63	7.04	—	23,860	20,770	1.32	7.02	20.70	0.00	0.00	
20	33,750	1.54	7.01	—	22,660	21,190	1.08	7.03	20.50	0.00	0.00	
21	34,720	1.46	7.05	—	23,380	21,520	0.94	7.04	20.60	0.00	0.00	
22	34,560	1.51	7.04	—	23,350	21,580	0.95	7.03	20.50	0.00	0.00	
23	35,000	1.54	7.05	—	23,600	21,710	0.95	7.03	20.50	0.00	0.00	
24	34,980	1.35	7.08	—	23,010	22,200	0.60	7.08	20.50	0.00	0.00	
25	34,360	1.32	7.05	—	23,570	21,390	0.60	7.06	20.60	0.00	0.00	
26	34,430	1.29	7.07	—	23,150	20,570	0.65	7.09	20.50	0.00	0.00	
27	34,340	1.36	7.03	—	23,350	21,170	0.68	7.09	20.40	0.00	0.00	
28	34,770	1.51	7.05	—	23,670	21,360	0.74	7.06	20.30	0.00	0.00	
29	34,620	1.47	7.04	—	23,170	21,320	0.73	7.08	20.30	0.00	0.00	
30	34,970	1.46	7.01	—	23,280	21,740	0.76	7.06	20.30	0.00	0.00	
31	34,350	1.47	7.02	—	23,150	21,310	0.81	7.05	20.20	0.00	0.00	
合計	1,095,710	—	—	—	742,480	659,060	—	—	—	0.00	0.00	
最大	36,690	3.30	7.21	—	26,010	22,280	2.44	7.20	21.40	0.00	0.00	
最小	33,750	1.29	6.97	—	22,340	20,320	0.60	6.95	17.30	0.00	0.00	
平均	35,345	2.03	7.04	—	23,951	21,260	1.42	7.05	19.79	0.00	0.00	

初野浄水場 流量水質報告書

令和元年9月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	34,610	1.56	7.07	—	23,640	20,760	0.90	7.09	20.30	0.00	0.00	
2	35,130	1.62	7.06	—	23,810	20,800	1.01	7.09	20.30	0.00	0.00	
3	34,110	1.66	7.10	—	23,430	20,850	1.12	7.08	20.10	0.00	0.00	
4	34,400	1.52	7.01	—	23,480	21,080	1.10	7.03	18.40	0.00	0.00	
5	35,090	1.49	7.00	—	24,040	21,790	1.17	7.01	18.20	0.00	0.00	
6	34,490	1.54	7.03	—	22,450	21,010	1.18	7.01	18.30	0.00	0.00	
7	35,330	1.71	7.11	—	23,730	21,650	1.36	7.07	19.70	0.00	0.00	
8	35,030	1.63	7.05	—	23,960	20,680	1.43	7.07	19.90	0.00	0.00	
9	35,110	1.96	7.06	—	24,180	20,680	1.43	7.06	20.10	0.00	0.00	
10	34,450	2.72	7.00	—	24,360	21,160	2.34	7.03	20.10	0.00	0.00	
11	36,340	2.77	6.97	—	24,390	21,910	1.73	6.92	21.40	0.00	0.00	
12	35,180	3.78	7.05	—	23,300	21,250	4.20	7.04	21.40	0.00	0.00	
13	35,020	3.11	7.00	—	23,420	21,810	2.24	6.99	20.80	0.00	0.00	
14	35,480	2.96	6.95	—	23,760	21,480	2.06	6.92	20.70	0.00	0.00	
15	34,860	2.79	6.93	—	24,060	20,510	1.98	6.90	20.50	0.00	0.00	
16	35,080	2.61	6.87	—	24,460	20,640	2.17	6.88	20.50	0.00	0.00	
17	34,690	2.58	6.92	—	24,040	20,310	1.87	6.92	20.60	0.00	0.00	
18	35,250	2.46	6.91	—	23,880	21,700	1.84	6.80	20.50	0.00	0.00	
19	35,260	2.54	6.99	—	23,510	22,090	1.80	6.97	19.70	0.00	0.00	
20	35,080	2.40	6.94	—	23,650	22,020	2.04	7.05	19.50	0.00	0.00	
21	35,740	2.50	6.95	—	24,270	21,960	1.94	7.02	19.40	0.00	0.00	
22	36,140	2.49	6.97	—	25,170	21,460	1.94	7.01	19.40	0.00	0.00	
23	34,910	2.33	6.90	—	24,320	20,250	1.41	6.92	19.20	0.00	0.00	
24	35,030	2.29	7.00	—	24,480	20,990	1.35	7.01	19.30	0.00	0.00	
25	35,220	2.20	6.94	—	23,480	22,410	1.30	7.02	19.40	0.00	0.00	
26	34,710	1.39	6.92	—	23,240	21,660	0.85	7.01	18.80	0.00	0.00	
27	35,480	1.54	6.92	—	23,020	21,820	0.91	7.04	18.70	0.00	0.00	
28	35,010	1.54	6.97	—	23,390	21,420	0.81	7.04	18.80	0.00	0.00	
29	34,930	1.45	6.97	—	24,230	20,900	0.85	6.99	18.80	0.00	0.00	
30	34,860	1.43	6.99	—	24,200	20,880	0.88	7.03	18.90	0.00	0.00	
合計	1,052,020	—	—	—	715,350	637,930	—	—	—	0.00	0.00	
最大	36,340	3.78	7.11	—	25,170	22,410	4.20	7.09	21.40	0.00	0.00	
最小	34,110	1.39	6.87	—	22,450	20,250	0.81	6.80	18.20	0.00	0.00	
平均	35,067	2.15	6.99	—	23,845	21,264	1.57	7.00	19.72	0.00	0.00	

初野浄水場 流量水質報告書

令和元年10月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	34,820	1.42	7.03	—	23,270	21,710	0.89	7.02	18.90	0.00	0.00	
2	35,400	1.42	7.05	—	23,600	21,910	0.90	7.04	18.90	0.00	0.00	
3	34,930	1.43	7.03	—	23,080	21,590	0.88	7.02	18.90	0.00	0.00	
4	34,570	1.45	7.01	—	23,540	21,200	1.02	6.95	18.80	0.00	0.00	
5	36,960	1.50	7.00	—	25,770	22,440	0.98	7.06	19.00	0.00	0.00	
6	35,850	1.39	6.92	—	24,810	21,020	0.97	6.99	18.80	0.00	0.00	
7	35,380	1.44	6.91	—	24,920	20,100	0.98	6.95	18.60	0.00	0.00	
8	35,920	1.37	6.90	—	25,110	21,240	0.92	6.93	18.60	0.00	0.00	
9	36,740	1.43	6.90	—	24,000	22,270	0.85	6.99	18.60	0.00	0.00	
10	35,060	1.35	6.95	—	23,500	20,870	0.86	7.00	18.30	0.00	0.00	
11	35,610	1.37	6.89	—	24,190	21,020	0.83	6.97	18.20	0.00	0.00	
12	35,510	1.38	6.83	—	23,670	20,900	0.80	6.93	19.00	0.00	0.00	
13	26,990	6.82	6.53	—	18,160	16,610	2.32	7.05	18.90	0.00	0.00	
14	0	7.53	6.68	—	0	330	1.47	7.20	19.00	0.00	0.00	
15	0			—	0	0				0.00	0.00	
16	0			—	0	0				0.00	0.00	
17	9,840	248.00	6.81	—	7,700	0	43.40	6.51	18.10	1,200.00	0.00	
18	24,980	250.00	6.80	—	15,410	10,630	112.00	5.80	16.90	1,200.00	0.00	
19	26,730	264.00	6.77	—	16,310	11,640	9.73	6.32	16.70	1,322.00	0.00	
20	37,710	240.00	6.80	—	19,830	13,590	13.10	6.32	16.80	1,322.00	0.00	
21	36,920	236.00	6.81	—	19,930	17,020	14.03	6.46	16.70	859.20	0.00	
22	32,260	220.00	6.78	—	20,150	18,730	15.73	6.48	16.60	859.20	0.00	
23	31,840	200.00	6.80	—	19,150	18,370	11.33	6.43	16.40	859.20	0.00	
24	36,150	183.00	6.80	—	22,280	19,380	13.80	6.43	16.40	981.60	0.00	
25	36,360	162.00	6.74	—	22,060	19,160	13.06	6.42	16.20	1,010.80	0.00	
26	35,300	132.00	6.82	—	22,770	17,750	11.86	6.46	16.20	981.60	0.00	
27	36,490	127.00	6.91	—	21,710	17,910	11.01	6.46	16.10	981.60	0.00	
28	35,120	128.00	6.92	—	22,400	17,150	28.80	6.38	15.90	933.80	0.00	
29	33,020	131.00	6.93	—	20,130	17,560	7.71	6.81	15.70	981.60	0.00	
30	33,210	134.00	6.94	—	19,630	17,680	7.84	6.80	15.50	1,010.80	0.00	
31	33,890	131.00	6.93	—	19,820	18,970	8.25	6.70	15.50	981.60	0.00	
合計	933,560	—	—	—	596,900	508,750	—	—	—	15,485.00	0.00	
最大	37,710	264.00	6.93	—	25,770	22,440	112.00	7.20	19.00	1,322.00	0.00	
最小	0	1.35	6.53	—	0	0	0.80	5.80	15.50	0.00	0.00	
平均	30,115	97.15	9.02	—	19,255	16,411	11.60	6.72	17.52	499.52	0.00	

初野浄水場 流量水質報告書

令和元年11月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	36,470	127.00	6.91	—	23,340	20,260	12.67	6.57	15.30	1,062.70	0.00	
2	37,760	128.00	6.87	—	24,800	21,110	9.91	6.39	15.20	1,140.48	0.00	
3	37,120	124.00	6.84	—	25,010	20,360	11.38	6.23	15.10	1,149.00	0.00	
4	35,170	120.00	6.80	—	22,770	20,070	8.70	6.42	15.00	1,068.00	0.00	
5	34,410	114.00	6.90	—	22,100	19,830	8.09	6.22	14.90	1,062.00	0.00	
6	35,210	109.00	6.89	—	22,410	20,680	8.04	6.52	14.80	964.80	0.00	
7	35,320	105.30	6.93	—	21,720	20,710	7.14	6.52	14.70	984.90	0.00	
8	35,020	89.20	6.91	—	21,980	20,800	5.65	6.51	14.70	964.80	0.00	
9	35,500	92.00	6.93	—	21,810	20,760	7.61	6.51	14.40	964.80	0.00	
10	34,880	90.50	6.91	—	22,320	19,760	8.14	6.54	14.30	964.80	0.00	
11	35,330	80.70	6.94	—	22,260	20,090	6.57	6.55	14.20	964.80	0.00	
12	34,900	74.60	6.91	—	21,860	20,520	6.83	6.53	14.10	964.80	0.00	
13	35,470	70.30	6.92	—	22,330	20,530	7.41	6.55	14.00	993.60	0.00	
14	35,900	66.20	6.95	—	22,470	21,010	5.71	6.55	14.00	964.80	0.00	
15	35,290	63.00	6.95	—	22,860	20,570	6.41	6.57	13.70	948.00	0.00	
16	36,330	60.40	6.94	—	23,450	21,060	7.41	6.62	13.70	868.80	0.00	
17	35,470	59.40	6.92	—	23,340	20,080	7.26	6.63	13.60	868.80	0.00	
18	35,460	58.30	6.98	—	22,960	19,970	5.98	6.65	13.40	889.90	0.00	
19	35,500	55.10	6.97	—	23,010	20,830	7.16	6.64	13.60	864.00	0.00	
20	35,730	54.40	6.97	—	22,800	21,100	5.14	6.66	13.30	859.20	0.00	
21	35,610	55.52	7.00	—	23,080	20,890	5.59	6.66	13.00	859.20	0.00	
22	35,630	55.70	7.02	—	22,850	21,220	5.77	6.66	12.80	859.20	0.00	
23	35,380	55.40	6.95	—	22,880	20,480	6.35	6.66	12.70	859.20	0.00	
24	35,590	54.40	6.99	—	23,650	20,060	6.65	6.66	12.80	859.20	0.00	
25	35,080	52.12	7.04	—	23,280	19,880	7.01	6.70	13.00	881.20	0.00	
26	35,640	51.50	7.00	—	23,440	21,030	5.75	6.70	12.70	859.20	0.00	
27	34,500	51.60	7.01	—	21,790	19,740	5.40	6.67	12.40	859.20	0.00	
28	36,760	47.93	6.94	—	24,030	21,670	5.42	6.68	12.40	859.20	0.00	
29	35,500	48.06	6.99	—	22,720	20,190	5.23	6.75	11.90	825.60	0.00	
30	35,470	48.23	6.96	—	22,690	20,120	5.87	6.72	11.80	825.60	0.00	
合計	1,067,400	—	—	—	686,010	615,380	—	—	—	28,059.78	0.00	
最大	37,760	128.00	7.04	—	25,010	21,670	12.67	6.75	15.30	1,149.00	0.00	
最小	34,410	47.93	6.80	—	21,720	19,740	5.14	6.22	11.80	825.60	0.00	
平均	35,580	75.40	6.94	—	22,867	20,513	7.08	6.57	13.72	935.33	0.00	

初野浄水場 流量水質報告書

令和元年12月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	35,390	48.20	6.98	—	22,760	19,600	6.75	6.74	11.60	825.60	0.00	
2	35,080	45.81	6.99	—	22,710	19,550	5.89	6.72	11.70	838.10	0.00	
3	35,850	46.55	6.96	—	23,090	20,940	4.94	6.75	11.70	825.60	0.00	
4	35,480	45.29	6.98	—	22,270	20,740	5.40	6.72	11.40	825.60	0.00	
5	35,370	45.75	6.96	—	22,330	20,910	4.94	6.73	11.20	846.70	0.00	
6	35,630	45.55	6.96	—	22,320	21,090	4.91	6.75	11.10	846.70	0.00	
7	35,710	44.53	6.98	—	23,000	20,910	5.41	6.76	10.90	846.70	0.00	
8	35,320	44.92	6.95	—	23,310	20,340	5.25	6.78	10.80	846.70	0.00	
9	36,150	45.13	6.95	—	23,300	20,780	5.37	6.77	10.50	846.70	0.00	
10	34,450	47.14	6.89	—	22,360	20,430	6.07	6.77	10.40	838.10	0.00	
11	35,950	44.34	6.90	—	22,940	21,280	6.51	6.78	10.40	846.70	0.00	
12	34,490	43.29	6.89	—	22,220	20,730	5.83	6.76	10.30	846.70	0.00	
13	35,520	42.23	6.97	—	22,460	21,770	4.98	6.77	10.20	846.70	0.00	
14	36,160	42.91	7.01	—	22,850	21,500	7.09	6.84	10.10	743.00	0.00	
15	34,070	43.31	7.00	—	21,710	20,200	5.30	6.87	10.00	743.00	0.00	
16	36,010	43.68	7.02	—	23,840	21,020	6.63	6.86	9.80	743.00	0.00	
17	35,990	44.05	7.05	—	22,820	20,660	6.94	6.86	9.70	743.00	0.00	
18	36,990	42.80	7.04	—	23,270	21,050	7.05	6.83	9.80	743.00	0.00	
19	37,070	44.28	7.07	—	23,930	21,520	7.43	6.88	9.60	722.40	0.00	
20	36,340	44.35	7.02	—	22,330	20,990	5.91	6.87	9.50	743.00	0.00	
21	36,000	43.20	7.07	—	22,890	21,400	7.09	6.89	9.40	743.00	0.00	
22	36,240	44.17	7.03	—	23,570	21,130	6.96	6.88	9.40	743.00	0.00	
23	34,830	45.32	7.00	—	22,640	19,990	5.74	6.87	9.30	743.00	0.00	
24	36,350	43.49	7.01	—	23,310	21,230	5.97	6.88	9.10	743.00	0.00	
25	35,980	42.25	7.08	—	23,430	21,320	6.37	6.89	9.00	743.00	0.00	
26	35,870	42.23	7.05	—	22,010	21,060	6.64	6.86	9.00	743.00	0.00	
27	36,060	41.76	7.00	—	23,130	21,010	7.19	6.89	8.90	743.00	0.00	
28	36,540	39.78	7.10	—	23,280	21,330	7.02	6.92	8.70	743.00	0.00	
29	35,540	38.93	7.09	—	23,120	18,030	6.76	6.93	8.60	743.00	0.00	
30	31,650	38.57	7.10	—	18,020	16,510	4.38	6.84	8.50	708.50	0.00	
31	32,000	36.85	7.11	—	19,400	19,350	6.87	6.93	8.50	769.00	0.00	
合計	1,100,080	—	—	—	700,620	638,370	—	—	—	24,271.50	0.00	
最大	37,070	48.20	7.11	—	23,930	21,770	7.43	6.93	11.70	846.70	0.00	
最小	31,650	36.85	6.89	—	18,020	16,510	4.38	6.72	8.50	708.50	0.00	
平均	35,486	43.57	7.01	—	22,601	20,593	6.12	6.83	9.97	782.95	0.00	

初野浄水場 流量水質報告書

令和2年1月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	34,820	36.20	7.11	—	21,440	20,810	4.83	6.92	8.30	743.00	0.00	
2	34,060	34.53	7.15	—	21,510	20,070	4.58	6.92	8.20	751.70	0.00	
3	34,470	33.54	7.50	—	22,190	20,340	6.31	6.93	8.10	751.70	0.00	
4	34,270	32.99	7.13	—	22,240	20,440	5.29	6.93	7.90	751.70	0.00	
5	34,180	31.46	7.14	—	22,370	20,270	6.63	6.94	7.80	751.70	0.00	
6	33,990	30.48	7.15	—	21,680	20,150	4.60	6.94	7.70	751.70	0.00	
7	35,700	30.17	7.12	—	23,420	21,330	6.30	6.95	7.60	768.90	0.00	
8	35,430	30.53	7.18	—	22,730	21,200	6.26	6.94	7.50	725.70	0.00	
9	35,060	28.46	7.18	—	22,710	20,740	6.91	6.97	7.50	725.70	0.00	
10	36,040	27.61	7.17	—	23,240	21,500	6.94	6.98	7.40	602.40	0.00	
11	36,150	26.86	7.16	—	23,460	21,740	8.32	7.02	7.40	622.00	0.00	
12	34,830	26.89	7.15	—	22,710	20,710	6.37	7.03	7.30	622.00	0.00	
13	35,530	26.20	7.18	—	23,530	20,700	7.63	7.10	7.30	622.00	0.00	
14	34,870	25.19	7.11	—	22,910	20,520	7.51	7.01	7.20	622.00	0.00	
15	35,300	24.70	7.10	—	23,050	21,170	6.83	7.01	7.20	604.80	0.00	
16	34,860	25.27	7.14	—	22,080	20,790	6.03	6.99	7.00	604.80	0.00	
17	36,330	25.56	7.12	—	22,780	21,950	6.01	7.01	7.10	587.50	0.00	
18	37,010	24.21	7.11	—	23,220	21,930	5.65	7.03	7.10	578.90	0.00	
19	34,110	25.85	7.01	—	22,230	19,750	6.45	7.02	7.00	578.90	0.00	
20	35,060	24.99	7.13	—	22,690	20,170	6.64	7.03	7.00	552.90	0.00	
21	35,720	24.66	7.10	—	22,860	21,560	5.93	7.05	7.00	552.90	0.00	
22	35,460	24.81	7.11	—	22,180	21,240	7.02	7.05	6.80	535.70	0.00	
23	35,780	25.10	7.15	—	22,560	21,170	6.74	7.05	6.80	518.40	0.00	
24	35,290	25.40	7.13	—	22,090	21,070	7.09	7.07	6.70	501.10	0.00	
25	35,400	25.03	7.13	—	22,380	21,220	6.58	7.08	6.70	501.10	0.00	
26	35,450	24.97	7.16	—	22,790	20,810	7.94	7.11	6.60	501.10	0.00	
27	34,980	25.01	7.14	—	22,610	20,330	7.05	7.09	6.50	501.10	0.00	
28	35,890	25.71	7.09	—	22,770	21,610	7.59	7.09	6.50	492.50	0.00	
29	34,980	25.56	7.11	—	22,260	21,040	7.56	7.09	6.60	501.10	0.00	
30	35,760	25.10	7.12	—	23,790	21,970	7.48	7.08	6.70	492.50	0.00	
31	35,340	25.91	7.13	—	23,100	21,340	5.45	7.06	6.80	544.30	0.00	
合計	1,092,120	—	—	—	701,580	649,640	—	—	—	18,961.80	0.00	
最大	37,010	36.20	7.50	—	23,790	21,970	8.32	7.11	8.30	768.90	0.00	
最小	33,990	24.21	7.01	—	21,440	19,750	4.58	6.92	6.50	492.50	0.00	
平均	35,230	27.39	7.14	—	22,632	20,956	6.53	7.02	7.20	611.67	0.00	

初野浄水場 流量水質報告書

令和2年2月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	36,210	27.12	7.19	—	23,410	21,420	7.16	7.06	6.70	553.00	0.00	
2	34,930	27.67	7.18	—	22,760	20,400	7.45	7.06	6.60	553.00	0.00	
3	35,200	29.35	7.18	—	22,750	20,520	7.32	7.03	6.60	544.30	0.00	
4	34,950	28.51	7.16	—	22,170	21,030	6.11	7.04	6.50	578.80	0.00	
5	34,870	31.61	7.11	—	22,020	20,930	6.75	7.04	6.50	578.80	0.00	
6	36,330	25.20	7.14	—	22,790	21,830	5.71	7.04	6.30	578.80	0.00	
7	36,430	25.52	7.19	—	23,140	21,460	7.11	7.05	6.20	561.60	0.00	
8	36,230	26.17	7.14	—	23,030	21,770	7.37	7.06	6.30	553.00	0.00	
9	35,340	26.10	7.14	—	22,520	20,660	7.40	7.03	6.10	561.60	0.00	
10	36,310	25.43	7.17	—	23,580	21,060	7.57	7.06	6.00	544.30	0.00	
11	35,350	25.64	7.17	—	22,920	20,710	7.92	7.06	6.00	535.70	0.00	
12	35,480	24.86	7.18	—	23,070	21,100	8.07	7.09	5.90	535.70	0.00	
13	35,910	24.06	7.18	—	22,380	21,310	6.96	7.06	5.90	527.00	0.00	
14	34,980	23.64	7.18	—	21,840	21,030	7.13	7.05	6.00	518.40	0.00	
15	36,550	23.98	7.19	—	23,190	22,020	7.00	7.07	6.40	501.10	0.00	
16	36,530	23.43	7.15	—	23,460	21,210	7.57	7.05	6.50	501.10	0.00	
17	34,980	23.68	7.17	—	22,840	19,770	6.52	7.05	6.20	483.80	0.00	
18	35,350	23.72	7.15	—	22,080	20,400	7.46	7.06	6.30	470.40	0.00	
19	35,530	22.92	7.19	—	22,420	21,040	6.24	7.10	6.40	457.90	0.00	
20	35,760	26.62	7.47	—	22,580	21,300	6.77	7.11	6.20	453.60	0.00	
21	35,040	26.31	7.43	—	21,930	20,520	7.46	7.11	6.00	466.60	0.00	
22	35,570	25.88	7.44	—	23,350	20,970	7.36	7.11	6.10	466.60	0.00	
23	36,440	25.80	7.44	—	23,810	20,930	7.19	7.12	6.40	466.60	0.00	
24	35,980	26.04	7.45	—	24,120	20,120	7.48	7.12	6.30	466.60	0.00	
25	36,380	25.76	7.42	—	23,680	20,500	7.49	7.13	6.30	466.60	0.00	
26	36,320	25.90	7.39	—	23,530	20,490	7.75	7.14	6.30	466.60	0.00	
27	36,510	25.47	7.41	—	23,350	20,430	7.27	7.11	6.10	457.90	0.00	
28	36,790	24.97	7.42	—	24,210	20,840	7.73	7.16	6.10	449.30	0.00	
29	37,310	25.25	7.37	—	23,240	20,910	7.99	7.13	6.20	449.30	0.00	
合計	1,039,560	—	—	—	666,170	606,680	—	—	—	14,748.00	0.00	
最大	37,310	31.61	7.47	—	24,210	22,020	8.07	7.16	6.70	578.80	0.00	
最小	34,870	22.92	7.11	—	21,840	19,770	5.71	7.03	5.90	449.30	0.00	
平均	35,847	25.75	7.26	—	22,971	20,920	7.22	7.08	6.26	508.55	0.00	

初野浄水場 流量水質報告書

令和2年3月分

項目 日	原 水 関 係				沈澱池 流量 (m3/日)	配 水 関 係				薬品注入量(1)		記事
	原水量 (m3/日)	濁度 (ppm)	P H	アルカ リ 度		配水量 (m3/日)	濁度 (ppm)	P H	水温 (° C)	P A C	苛性 ソーダ	
1	36,260	25.15	7.37	—	23,770	20,060	8.12	7.16	6.20	449.30	0.00	
2	36,520	24.88	7.35	—	23,770	20,210	7.75	7.15	6.30	449.30	0.00	
3	36,670	24.71	7.36	—	23,590	20,740	7.30	7.06	6.30	449.30	0.00	
4	36,450	24.07	7.38	—	23,160	20,990	7.30	7.08	6.40	436.80	0.00	
5	36,720	23.95	7.37	—	23,960	20,820	6.53	7.10	6.30	436.80	0.00	
6	36,660	23.44	7.39	—	23,120	21,270	6.68	7.12	6.30	436.80	0.00	
7	37,070	23.57	7.42	—	23,790	21,450	7.33	7.09	6.40	436.80	0.00	
8	36,690	23.50	7.40	—	23,670	20,610	7.78	7.11	6.40	436.80	0.00	
9	36,290	22.99	7.38	—	23,850	20,190	7.53	7.07	6.50	449.30	0.00	
10	36,700	22.23	7.43	—	24,040	21,160	7.77	7.09	6.70	449.30	0.00	
11	36,160	21.87	7.41	—	23,140	20,900	6.12	7.07	6.90	449.30	0.00	
12	36,270	21.45	7.44	—	23,030	20,640	6.01	7.07	7.20	449.30	0.00	
13	36,290	21.94	7.42	—	23,160	20,760	6.64	7.07	7.20	449.30	0.00	
14	36,510	21.24	7.42	—	23,340	21,700	6.19	7.10	7.40	449.30	0.00	
15	36,010	21.87	7.36	—	23,590	20,420	6.93	7.05	6.70	449.30	0.00	
16	35,680	21.35	7.41	—	23,070	20,520	6.78	7.05	6.80	449.30	0.00	
17	35,960	20.99	7.39	—	22,540	21,260	5.87	7.05	6.90	449.30	0.00	
18	36,100	20.69	7.40	—	23,040	21,250	6.02	7.06	6.90	449.30	0.00	
19	35,950	20.64	7.42	—	22,660	21,470	6.42	7.07	7.20	449.30	0.00	
20	36,960	20.01	7.44	—	22,840	20,440	6.75	7.06	7.30	449.30	0.00	
21	34,920	21.08	7.44	—	23,130	16,820	7.09	7.07	7.30	449.30	0.00	
22	33,380	20.02	7.40	—	20,780	16,350	7.08	7.05	7.90	449.30	0.00	
23	32,980	19.96	7.44	—	20,380	16,550	4.68	7.05	7.70	449.30	0.00	
24	33,630	19.69	7.47	—	20,610	17,080	4.53	7.04	7.50	449.30	0.00	
25	33,210	19.41	7.46	—	20,450	16,860	5.11	7.05	7.50	449.30	0.00	
26	33,330	18.78	7.46	—	19,240	17,500	4.45	7.00	7.60	449.30	0.00	
27	32,980	18.34	7.48	—	19,860	16,790	4.65	7.04	7.90	449.30	0.00	
28	33,350	17.80	7.49	—	19,780	17,120	4.27	6.97	7.90	449.30	0.00	
29	33,280	17.77	7.46	—	20,360	16,450	3.47	7.02	7.90	449.30	0.00	
30	32,770	17.64	7.45	—	20,290	16,080	4.55	7.03	7.70	449.30	0.00	
31	33,280	17.49	7.48	—	20,070	17,010	4.27	7.01	7.70	449.30	0.00	
合計	1,095,030	—	—	—	692,080	601,470	—	—	—	13,865.80	0.00	
最大	37,070	25.15	7.49	—	24,040	21,700	8.12	7.16	7.90	449.30	0.00	
最小	32,770	17.49	7.35	—	19,240	16,080	3.47	6.97	6.20	436.80	0.00	
平均	35,324	21.24	7.42	—	22,325	19,402	6.19	7.06	7.06	447.28	0.00	