

(2)北放水口									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H1. 6. 5	ND	ND	ND	ND					
H1. 8. 3	ND	ND	ND	0.84					
H1. 10. 13	0.05	ND	ND	0.5					
H2. 1. 23	ND	ND	ND	ND					
H2. 6. 5	0.03	ND	ND	ND					
H2. 8. 6	ND	ND	ND	ND					
H2. 10. 11	ND	ND	ND	0.9					
H3. 1. 24	0.04	ND	ND	1.3					
H3. 6. 5	0.02	ND	ND	ND					
H3. 8. 8	ND	ND	ND	ND					
H3. 10. 16	ND	ND	ND	ND					
H4. 1. 29	ND	ND	ND	ND					
H4. 6. 3	ND	ND	ND	ND					
H4. 8. 6	0.01	ND	ND	ND					
H4. 10. 13	0.01	ND	ND	ND					
H5. 1. 21	0.02	ND	ND	0.95					
H5. 6. 4	0.02	ND	ND	ND					
H5. 8. 10	ND	ND	ND	1.1					
H5. 10. 12	ND	ND	ND	ND					
H6. 1. 20	0.01	ND	ND	ND					
H6. 6. 7	ND	ND	0.002	ND					
H6. 8. 10	ND	ND	0.002	ND					
H6. 10. 13	ND	ND	0.002	ND					
H7. 1. 20	ND	ND	0.003	0.78					
H7. 6. 6	ND	ND	0.002	ND					
H7. 8. 9	ND	ND	0.003	ND					
H7. 10. 11	0.01	ND	0.003	ND					
H8. 1. 22	0.01	ND	0.003	ND					
H8. 6. 6	ND	ND	0.002	ND					
H8. 8. 7	ND	ND	0.002	ND					
H8. 10. 8	0.02	ND	0.003	ND					
H9. 1. 13	0.05	ND	ND	ND					
H9. 6. 5	0.02	ND	0.002	ND					
H9. 8. 7	ND	ND	0.003	ND					
H9. 10. 8	ND	ND	0.002	0.54					
H10. 1. 20	ND	ND	0.003	ND					
H10. 6. 5	ND	ND	0.002	0.47					
H10. 7. 28	ND	ND	ND	ND					
H10. 10. 13	ND	ND	ND	0.61					
H11. 1. 19	ND	ND	ND	ND					
H11. 5. 26	ND	ND	0.002	0.59					
H11. 7. 27	ND	ND	0.003	ND					
H11. 10. 12	ND	ND	0.002	ND					
H12. 1. 18	0.02	ND	ND	ND					
H12. 5. 23	0.01	ND	0.002	ND					
H12. 7. 25	0.02	ND	0.001	ND					
H12. 10. 10	0.01	ND	0.002	0.53					
H13. 1. 16	0.01	ND	0.003	ND					
H13. 5. 16	0.03	ND	0.002	ND					
H13. 7. 23	ND	ND	ND	ND					
H13. 10. 12	0.02	ND	ND	ND					
H14. 1. 15	0.02	ND	0.002	ND					
H14. 5. 20	0.01	ND	ND	0.5					
H14. 7. 12	0.01	ND	ND	ND					
H14. 10. 23	0.02	ND	0.001	ND					
H15. 1. 14	0.02	ND	0.002	ND					
H15. 5. 21	ND	ND	ND	ND					
H15. 7. 15	ND	ND	ND	ND					
H15. 10. 20	0.01	ND	0.002	ND					
H16. 1. 13	ND	ND	0.003	ND					
H16. 5. 19	0.01	ND	0.002	ND					
H16. 7. 15	ND	ND	ND	ND					
H16. 11. 2	0.02	ND	0.002	0.61					
H17. 1. 12	0.01	ND	ND	ND					
H17. 5. 18	ND	ND	ND	ND					
H17. 7. 14	0.02	ND	0.002	0.93					
H17. 10. 11	0.01	ND	ND	ND					
H18. 1. 11	0.03	ND	ND	1.2					
H18. 5. 23	0.01	ND	ND	ND					
H18. 7. 25	ND	ND	ND	ND					
H18. 10. 11	0.02	ND	0.002	ND					
H19. 1. 9	0.01	ND	0.002	ND					

(2) 北放水口									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H19. 5. 9	0.02	ND	0.002	ND					
H19. 7. 25	0.01	ND	0.001	ND					
H19. 10. 9	0.01	ND	0.001	ND					
H20. 1. 16	0.01	ND	0.002	ND					
H20. 5. 8	0.02	ND	0.001	ND					
H20. 7. 22	0.01	ND	0.001	ND					
H20. 10. 14	0.01	ND	0.002	ND					
H21. 1. 14	0.01	ND	0.002	ND					
H21. 5. 21	0.01	ND	ND	ND					
H21. 7. 21	ND	ND	0.002	ND					
H21. 10. 15	ND	ND	0.001	ND					
H22. 1. 12	0.01	ND	0.002	ND					
H22. 5. 10	ND	ND	0.001	ND					
H22. 7. 22	ND	ND	ND	ND					
H22. 10. 18	0.01	ND	0.001	ND					
H23. 1. 11	0.01	ND	0.002	欠測					
H23. 4. 1	欠測	欠測	欠測	欠測					
H23. 7. 1	欠測	欠測	欠測	欠測					
H23. 10. 1	欠測	欠測	欠測	欠測					
H24. 1. 1	欠測	欠測	欠測	欠測					
H25. 6. 27		2.4	5	0.97			0.28	ND	ND
H25. 7. 31	0.12	0.097	0.18	0.89			0.75	ND	ND
H25. 8. 19	0.51	ND	0.17	1.3			0.78	ND	ND
H25. 9. 19	0.05	0.15	0.33	0.49			0.032	ND	ND
H25. 10. 5	0.06	0.071	0.14	0.52			0.021	ND	ND
H25. 10. 30	0.41	0.24	0.56	2.5			0.78	ND	ND
H25. 11. 12	0.08	ND	0.18	0.59			0.077	ND	ND
H25. 12. 9	0.07	0.077	0.17	0.57			0.09	ND	ND
H26. 1. 14	0.06	ND	0.2	ND			0.056	ND	ND
H26. 2. 3	0.08	0.084	0.19	0.47			0.063	ND	ND
H26. 3. 10	0.04	ND	0.085	ND			0.005	ND	0.012
H26. 4. 14	0.04	ND	ND	ND			0.002	ND	0.008
H26. 5. 19	0.03	ND	ND	ND			0.003	ND	ND
H26. 6. 16	0.03	ND	ND	ND			0.002	ND	ND
H26. 7. 7	0.09	ND	0.17	0.44			0.083	ND	ND
H26. 8. 20	0.31	0.13	0.4	2.5			0.44	ND	ND
H26. 9. 16	0.14	0.13	0.35	0.84			0.17	ND	ND
H26. 10. 20	0.04	ND	ND	ND			0.012	ND	ND
H26. 11. 10	0.04	0.066	0.18	ND			0.039	ND	ND
H26. 12. 8	0.06	ND	0.095	ND			0.024	ND	ND
H27. 1. 14	0.05	ND	0.069	ND			0.047	ND	0.007
H27. 2. 10	0.04	ND	ND	ND			0.008	ND	0.007
H27. 3. 3	0.06	ND	0.094	ND			0.041	ND	0.011
H27. 4. 22	0.02	ND	ND	ND			0.002	ND	ND
H27. 5. 18	0.03	ND	ND	ND			0.003	ND	ND
H27. 6. 16	0.03	ND	ND	ND			0.046	ND	ND
H27. 7. 21	0.31	0.19	0.67	1.9			0.76	ND	ND
H27. 8. 17	0.05	ND	0.12	ND			0.1	ND	ND
H27. 9. 14	0.03	0.21	1	ND			0.003	ND	ND
H27. 10. 13	0.08	ND	0.14	ND			0.054	ND	ND
H27. 11. 17	0.06	ND	0.13	ND			0.007	ND	0.013
H27. 12. 14	0.08	ND	0.059	ND			0.001	ND	0.009
H28. 1. 22	0.03	ND	0.12	ND			0.002	ND	0.01
H28. 2. 8	0.03	ND	ND	ND			0.002	ND	ND
H28. 3. 3	0.05	ND	0.065	ND			0.002	ND	0.009
H28. 4. 20	0.03	0.004	0.019	0.39			0.0008	ND	ND
H28. 5. 16	0.02	0.007	0.036	ND			0.0014	ND	ND
H28. 6. 15	0.07	0.01	0.053	ND			0.0028	ND	0.016
H28. 7. 11	0.02	0.002	0.009	ND			0.0009	ND	ND
H28. 8. 3	0.03	ND	0.009	ND			ND	ND	ND
H28. 9. 15	0.03	0.018	0.1	ND			0.011	ND	ND
H28. 10. 18	0.02	0.005	0.025	ND			0.0012	ND	ND
H28. 11. 15	0.02	0.016	0.097	ND			0.0028	ND	ND
H28. 12. 12	0.03	0.005	0.03	ND			0.0024	ND	ND
H29. 1. 20	0.03	0.005	0.031	ND			0.0034	ND	ND
H29. 2. 14	0.03	0.004	0.027	ND			0.0024	ND	ND
H29. 3. 7	0.03	0.004	0.03	ND			0.0013	ND	ND
H29. 4. 20	0.03	0.003	0.023	0.36			0.0018	ND	0.006
H29. 5. 16	0.03	0.006	0.04	ND			0.0027	ND	0.012
H29. 6. 13	0.02	0.004	0.021	ND			0.0017	ND	ND
H29. 7. 10	0.02	0.008	0.057	ND			0.0025	ND	ND
H29. 8. 18	0.02	0.003	0.019	ND			0.0017	ND	ND

(2)北放水口									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H29. 9. 14	0.02	ND	0.011	ND			0.0011	ND	ND
H29. 10. 17	0.02	ND	0.009	ND			0.0006	ND	ND
H29. 11. 14	0.02	0.003	0.022	ND			0.002	ND	ND
H29. 12. 5	0.02	0.005	0.039	ND			0.0024	ND	ND
H30. 1. 16	0.03	0.004	0.03	0.4			0.0024	ND	ND
H30. 2. 13	0.02	ND	0.009	ND			0.0013	ND	ND
H30. 3. 13	0.02	0.006	0.038	ND			0.0059	ND	ND
H30. 4. 20	ND	ND	0.011	ND			0.0007	ND	ND
H30. 5. 16	0.02	ND	0.021	ND			0.0016	ND	ND
H30. 6. 14	0.04	ND	0.023	ND			0.0016	ND	ND
H30. 7. 10	0.02	ND	0.005	ND			0.0008	ND	ND
H30. 8. 19	0.02	ND	0.021	ND			0.001	ND	ND
H30. 9. 13	0.04	0.009	0.11	ND			0.0096	MD	ND
H30. 10. 5	0.03	0.005	0.057	ND			0.0042	ND	ND
H30. 11. 14	0.03	0.002	0.019	ND			0.0011	ND	0.013
H30. 12. 11	0.02	ND	0.021	ND			0.0012	ND	ND
H31. 1. 17	0.02	0.002	0.021	ND			0.0011	ND	0.005
H31. 2. 13	0.02	ND	0.011	ND			0.001	ND	0.007
H31. 3. 18	0.04	ND	0.016	ND			0.0012	ND	0.009
H31. 4. 17	0.03	ND	0.012	ND			0.0009	ND	ND
R1. 5. 10	0.02	ND	0.005	ND			0.0009	ND	ND
R1. 6. 4	0.02	0.002	0.030	ND			0.0012	ND	ND
R1. 7. 2	0.03	0.011	0.16	ND			0.011	ND	ND
R1. 8. 1	0.02	ND	0.013	ND			0.0011	ND	ND
R1. 9. 20	0.02	0.002	0.025	ND			0.0013	ND	ND
R1. 10. 2	0.03	0.004	0.056	ND			0.0013	ND	ND
R1. 11. 21	0.03	ND	0.036	ND			0.0010	ND	ND
R1. 12. 11	0.02	0.003	0.040	ND			0.0009	ND	0.009
R2. 1. 8	0.05	0.005	0.055	ND			0.0012	ND	ND
R2. 2. 4	0.04	0.004	0.072	ND			0.0007	ND	0.011
R2. 3. 12	0.02	ND	0.020	ND			0.0013	ND	0.007
R2. 4. 22	0.03	ND	0.017	ND			0.0011	ND	ND
R2. 5. 14	0.03	ND	0.005	ND			0.0011	ND	0.006
R2. 6. 2	0.03	ND	0.005	ND			0.0006	ND	ND
R2. 7. 3	ND	ND	0.005	ND			ND	ND	ND
R2. 8. 6	0.02	ND	0.007	ND			0.0010	ND	ND
R2. 9. 11	0.03	ND	0.004	ND			0.0007	ND	ND
R2. 10. 20	0.02	ND	0.038	ND			0.0012	ND	ND
R2. 11. 12	0.02	ND	0.015	ND			0.0010	ND	ND
R2. 12. 4	0.02	ND	0.017	ND			0.0008	ND	ND
R3. 1. 7	0.03	ND	0.009	ND			0.0009	ND	0.011
R3. 2. 12	0.04	ND	0.013	ND			0.0009	ND	0.009
R3. 3. 4	0.04	0.003	0.061	ND			0.0027	ND	0.017
R3. 4. 20	0.02	ND	0.036	ND			0.0012	ND	0.013
R3. 5. 12	0.02	ND	0.011	ND			0.0013	ND	ND
R3. 6. 3	0.02	ND	0.012	ND			0.0016	ND	ND
R3. 7. 6	0.02	ND	0.024	ND			0.0015	ND	ND
R3. 8. 4	0.01	ND	0.019	ND			0.0013	ND	ND
R3. 9. 2	0.01	ND	0.014	ND			0.0034	ND	ND
R3. 10. 15	0.02	0.003	0.068	ND			0.0072	ND	0.009
R3. 11. 4	0.02	ND	0.023	ND			0.0011	ND	ND
R3. 12. 14	0.02	ND	0.024	ND			0.0012	ND	0.006
R4. 1. 13	0.02	ND	0.021	ND			0.0008	ND	0.009
R4. 2. 3	0.02	ND	0.025	ND			0.0010	ND	ND
R4. 3. 3	0.02	ND	0.017	ND			0.0009	ND	ND
R4. 4. 13	0.02	ND	0.007	ND			0.001	ND	ND
R4. 5. 19	0.02	ND	0.027	ND		0.34	0.0014	ND	ND
R4. 6. 19	0.02	ND	0.011	ND			0.0015	ND	ND
R4. 7. 5	0.01	ND	0.006	ND			0.0007	ND	ND
R4. 8. 2	0.01	ND	0.004	ND		0.08	0.0009	ND	ND
R4. 9. 13	0.01	ND	0.005	ND			0.0007	ND	ND
R4. 10. 21	0.02	ND	0.020	ND			0.0013	ND	ND
R4. 11. 8	0.02	ND	0.018	ND		0.09	0.0009	ND	ND
R4. 12. 9	0.05	ND	0.008	ND			0.0009	ND	ND
R5. 1. 13	0.06	ND	0.017	ND			0.0010	ND	0.009
R5. 2. 7	0.07	ND	0.005	ND		ND	0.0008	ND	ND
R5. 3. 7	0.02	ND	0.018	ND			0.0015	ND	ND
R5. 4. 25	0.01	ND	0.008	ND			0.0009	ND	ND
R5. 5. 10	0.01	ND	0.011	ND		0.05	0.0009	ND	0.018
R5. 6. 7	0.01	ND	0.11	ND			0.0012	ND	ND
R5. 7. 11	0.02	ND	0.004	ND			0.0011	ND	ND
R5. 8. 8	0.01	ND	0.012	ND		ND	0.0011	ND	ND

(2) 北放水口									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R5. 8. 25					ND				
R5. 8. 30					ND				
R5. 9. 3	0.01	ND	0.004		ND	0.11	ND	ND	ND
R5. 9. 12					ND				
R5. 9. 19					ND				
R5. 9. 26					ND				
R5. 10. 8					ND				
R5. 10. 12	0.02	ND	0.056		ND	0.30	0.0005	ND	0.018
R5. 10. 20					ND				
R5. 10. 24					ND				
R5. 11. 3					ND				
R5. 11. 9	0.02	ND	0.024		ND	0.30	0.0009	ND	ND
R5. 11. 14					ND				
R5. 11. 22					ND				
R5. 11. 28					ND				
R5. 12. 5	0.02	ND	0.011		ND	0.06	0.0008	ND	ND
R5. 12. 15					ND				
R5. 12. 20					ND				
R6. 1. 10					ND				
R6. 1. 18	0.02	ND	0.009		ND	0.10	0.0013	ND	ND
R6. 1. 31					ND				
R6. 2. 9	0.01	ND	0.008		ND	0.07	0.0009	ND	ND
R6. 2. 15					ND				
R6. 3. 15	0.02	ND	0.025		ND	0.31	0.0012	ND	ND
R6. 4. 12	0.02	ND	0.023		ND	0.07	0.0031	ND	ND
R6. 4. 23					ND				
R6. 5. 10	0.02	ND	0.020		ND	0.10	0.0010	ND	ND
R6. 5. 20					ND				
R6. 5. 28					ND				
R6. 6. 6	0.01	ND	0.021		ND	0.06	0.0009	ND	0.012
R6. 7. 3					ND				
R6. 7. 8	0.02	ND	0.007		ND	0.37	0.0007	ND	ND
R6. 8. 8					ND				
R6. 8. 14					ND				
R6. 8. 21	0.01	ND	0.016		ND	0.11	0.0008	ND	ND
R6. 9. 6	0.02	ND	0.008		ND	0.08	0.0008	ND	ND
R6. 10. 4					ND				
R6. 10. 7					ND				
R6. 10. 16	0.02	ND	0.015		ND	0.13	0.0011	ND	0.009
R6. 10. 22					ND				
R6. 11. 1					ND				
R6. 11. 14	0.02	ND	0.016		ND	0.11	0.0011	ND	ND
R6. 12. 6	0.02	ND	0.015		ND	0.06	0.0011	ND	ND
R7. 1. 24	0.02	ND	0.019		ND	ND	0.0008	ND	ND
R7. 2. 21	0.02	ND	0.021		ND	0.08	0.0006	ND	ND
R7. 3. 11	0.02	ND	0.008		ND	0.09	0.0010	ND	ND
R7. 3. 21					ND				
R7. 3. 25					ND				
R7. 4. 11					ND				
R7. 4. 18	0.02	ND	0.009		ND	0.76	0.0008	ND	ND
R7. 4. 22					ND				
R7. 5. 21	0.02	ND	0.019		ND	0.06	0.0012	ND	ND
R7. 6. 12	0.01	ND	0.003		ND	ND	0.0007	ND	ND
R7. 7. 25	0.01	ND	0.006		ND	1.0	0.0008	ND	ND
R7. 7. 29					ND				
R7. 8. 6	0.01	ND	0.007		ND	0.11	0.0007	ND	ND
R7. 8. 15					ND				
R7. 8. 19					ND				
R7. 9. 16	0.02	ND	0.003		ND	0.11	0.0007	ND	ND
R7. 10. 22	0.01	ND	0.011		ND	0.07	0.0013	ND	0.007
R7. 10. 31					ND				
R7. 11. 14					ND				
R7. 11. 20	0.02	ND	0.008		ND	0.39	0.0022	ND	ND
R7. 12. 17	0.02	ND	0.013		5.5	5.7	0.0008	ND	ND
R8. 1. 23	0.02	ND	0.008		ND	0.08	0.0009	ND	ND
R8. 2. 10	0.02	ND	0.005		ND	0.06	0.0005	ND	ND
R8. 3. 9	0.03	ND	0.006		ND	0.40	0.0007	ND	ND
R8. 3. 18					ND				
R8. 4. 8					ND				
R8. 4. 15	0.01	ND	0.005		ND	0.09	0.0009	ND	0.005
R8. 5. 15					ND				
R8. 6. 11					ND				

(2)北放水口									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R8. 6. 18					ND				
R8. 7. 7					ND				