

(5) 夫沢・熊川沖2km									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H1. 6. 14	ND	ND	ND	0.88					
H1. 11. 7	0.04	ND	ND	1.4					
H2. 6. 12	ND	ND	ND	ND					
H2. 11. 19	ND	ND	ND	1.4					
H3. 6. 22	ND	ND	ND	ND					
H3. 10. 17	ND	ND	ND	ND					
H4. 6. 9	ND	ND	ND	ND					
H4. 10. 15	ND	ND	ND	ND					
H5. 6. 2	0.01	ND	ND	0.77					
H5. 10. 29	0.01	ND	ND	1.3					
H6. 6. 10	ND	ND	0.002	ND					
H6. 10. 11	0.01	ND	0.002	ND					
H7. 6. 7	0.01	ND	0.002	ND					
H7. 10. 3	0.01	ND	0.002	ND					
H8. 6. 7	ND	ND	0.003	0.96			0.003		
H8. 10. 7	0.01	ND	0.003	ND					
H9. 6. 6	ND	ND	0.002	ND			0.002		
H9. 10. 13	0.01	ND	0.002	0.66					
H10. 6. 8	0.02	ND	0.002	ND			0.002		
H10. 10. 15	ND	ND	0.002	ND					
H11. 5. 31	ND	ND	0.002	ND			0.001		
H11. 10. 12	0.01	ND	0.002	ND					
H12. 6. 5	ND	ND	0.002	ND			0.002		
H12. 10. 12	ND	ND	ND	ND					
H13. 5. 23	ND	ND	0.002	ND			0.001		
H13. 10. 17	0.02	ND	0.001	ND					
H14. 5. 27	ND	ND	0.002	ND			0.002		
H14. 10. 25	0.03	ND	0.002	ND					
H15. 5. 22	ND	ND	0.001	ND			0.002		
H15. 10. 21	ND	ND	0.001	ND					
H16. 5. 20	0.02	ND	ND	ND			0.002		
H16. 10. 28	0.02	ND	ND	0.41					
H17. 5. 25	ND	ND	0.002	ND			0.001		
H17. 10. 27	ND	ND	0.001	ND					
H18. 5. 12	0.01	ND	0.001	ND			0.002		
H18. 10. 13	0.02	ND	0.002	ND					
H19. 5. 24	0.02	ND	ND	ND			ND		
H19. 10. 25	0.01	ND	0.001	ND					
H20. 5. 28	0.01	ND	0.001	ND			0.001		
H20. 10. 8	0.01	ND	0.001	ND					
H21. 5. 20	0.01	ND	0.002	ND			0.001		
H21. 10. 14	ND	ND	ND	ND					
H22. 5. 28	ND	ND	ND	ND			0.001		
H22. 10. 8	0.01	ND	ND	ND					
H23. 4. 1	欠測	欠測	欠測	欠測			欠測		
H23. 10. 1	欠測	欠測	欠測	欠測					
H25. 7. 31	0.02	ND	ND	ND			0.002	ND	ND
H25. 8. 19	0.14	ND	ND	ND			0.26	ND	ND
H25. 9. 19	0.04	ND	ND	0.33			0.002	ND	ND
H25. 10. 5	0.02	ND	0.06	ND			0.014	ND	ND
H25. 10. 30	0.03	0.094	0.18	0.53			0.028	ND	ND
H25. 11. 12	0.02	ND	0.11	0.32			0.002	ND	ND
H25. 12. 9	ND	ND	ND	0.35			0.002	ND	ND
H26. 1. 14	0.04	ND	ND	ND			0.007	ND	ND
H26. 2. 3	0.04	ND	0.068	ND			0.014	ND	ND
H26. 3. 10	0.03	ND	ND	ND			0.018	ND	ND
H26. 4. 14	0.03	ND	ND	ND			0.002	ND	ND
H26. 5. 12	0.03	ND	ND	ND			0.004	ND	0.006
H26. 6. 16	0.03	ND	ND	ND			0.004	ND	0.006
H26. 7. 7	0.04	ND	ND	ND			0.004	ND	ND
H26. 8. 20	0.03	ND	ND	ND			0.002	ND	ND
H26. 9. 16	0.03	ND	ND	ND			0.005	ND	ND
H26. 10. 20	0.03	ND	ND	ND			0.016	ND	ND
H26. 11. 10	0.03	ND	ND	ND			0.005	ND	ND
H26. 12. 8	0.04	ND	ND	ND			0.007	ND	ND
H27. 1. 14	0.04	ND	ND	ND			0.005	ND	ND
H27. 2. 10	0.04	ND	ND	ND			0.001	ND	ND
H27. 3. 3	0.03	ND	ND	ND			0.002	ND	0.008
H27. 4. 22	0.02	ND	ND	ND			0.001	ND	ND
H27. 5. 18	0.03	ND	ND	ND			0.005	ND	ND
H27. 6. 16	0.02	ND	ND	ND			0.002	ND	ND
H27. 7. 21	0.02	ND	0.061	ND			0.002	ND	ND

(5) 夫沢・熊川沖2km									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H27. 8. 17	0.02	ND	ND	ND			0.001	ND	ND
H27. 9. 14	0.02	0.067	0.31	ND			0.002	ND	ND
H27. 10. 13	0.02	ND	ND	ND			0.001	ND	ND
H27. 11. 17	0.04	ND	0.055	ND			0.004	ND	0.007
H27. 12. 14	0.04	ND	0.062	ND			0.002	ND	ND
H28. 1. 22	0.04	ND	ND	ND			0.003	ND	ND
H28. 2. 8	0.03	ND	ND	0.76			0.002	ND	ND
H28. 3. 3	ND	ND	ND	ND			0.001	ND	ND
H28. 4. 20	0.02	0.002	0.011	ND			0.0013	ND	ND
H28. 5. 16	0.02	ND	0.013	ND			0.0009	ND	ND
H28. 6. 15	0.03	ND	0.009	ND			0.0008	ND	ND
H28. 7. 11	0.02	ND	0.008	ND			0.0006	ND	ND
H28. 8. 3	0.02	0.002	0.007	ND			0.0011	ND	ND
H28. 9. 15	0.02	0.013	0.071	ND			0.0019	ND	ND
H28. 10. 18	0.02	0.002	0.013	ND			0.0011	ND	ND
H28. 11. 15	0.02	0.007	0.041	ND			0.0019	ND	0.006
H28. 12. 12	0.04	ND	0.006	ND			0.0027	ND	ND
H29. 1. 20	0.03	ND	0.006	ND			0.0035	ND	ND
H29. 2. 14	0.03	ND	0.012	ND			0.001	ND	ND
H29. 3. 7	0.03	ND	0.012	ND			0.0012	ND	ND
H29. 4. 20	0.04	ND	0.008	ND			0.0009	ND	ND
H29. 5. 16	0.04	0.002	0.014	ND			0.0009	ND	ND
H29. 6. 13	0.03	ND	0.005	ND			0.0011	ND	ND
H29. 7. 10	0.03	ND	0.012	ND			0.0011	ND	ND
H29. 8. 18	0.02	ND	0.005	ND			0.0011	ND	ND
H29. 9. 14	0.02	ND	0.017	ND			0.0012	ND	ND
H29. 10. 17	0.02	ND	0.01	ND			0.0009	ND	ND
H29. 11. 14	0.03	ND	0.011	ND			0.0016	ND	ND
H29. 12. 5	0.02	ND	0.007	ND			0.0012	ND	ND
H30. 1. 16	0.03	ND	0.012	ND			0.0015	ND	ND
H30. 2. 13	0.02	ND	0.004	ND			0.0013	ND	ND
H30. 3. 13	0.02	0.003	0.024	ND			0.002	ND	ND
H30. 4. 20	ND	ND	0.014	ND			0.0006	ND	0.007
H30. 5. 16	0.03	ND	0.009	ND			0.0015	ND	ND
H30. 6. 14	0.02	ND	0.007	ND			0.0007	ND	0.005
H30. 7. 10	0.02	ND	0.008	ND			0.0011	ND	ND
H30. 8. 19	0.03	ND	0.007	ND			0.001	ND	ND
H30. 9. 13	ND	ND	0.02	ND			0.0009	ND	ND
H30. 10. 5	0.02	ND	0.009	ND			0.0006	ND	ND
H30. 11. 14	ND	ND	0.008	ND			0.0012	ND	ND
H30. 12. 11	0.02	ND	0.003	ND			0.0007	ND	ND
H31. 1. 17	0.02	ND	0.007	ND			0.0006	ND	0.007
H31. 2. 13	0.03	ND	0.004	ND			0.001	ND	0.006
H31. 3. 14	0.02	ND	0.012	ND			0.0008	ND	0.01
H31. 4. 17	0.02	ND	0.012	ND			0.0005	ND	0.010
R1. 5. 10	0.02	ND	0.006	ND			0.0010	ND	ND
R1. 6. 4	0.02	ND	0.007	ND			0.0008	ND	ND
R1. 7. 2	ND	ND	0.005	ND			0.0088	ND	ND
R1. 8. 1	0.02	ND	0.008	0.41			0.0007	ND	ND
R1. 9. 20	0.02	ND	0.003	ND			0.0009	ND	ND
R1. 10. 2	0.03	ND	0.004	ND			0.0008	ND	ND
R1. 11. 21	0.03	ND	0.015	ND			0.0009	ND	ND
R1. 12. 11	0.02	ND	0.013	ND			0.0007	ND	ND
R2. 1. 8	0.03	ND	0.021	ND			0.0005	ND	0.008
R2. 2. 4	0.04	ND	0.03	ND			0.0010	ND	ND
R2. 3. 12	0.03	ND	0.014	ND			0.0011	ND	0.008
R2. 4. 22	0.03	ND	0.011	ND			0.0010	ND	ND
R2. 5. 14	0.03	ND	0.004	ND			0.0007	ND	ND
R2. 6. 2	0.02	ND	0.005	ND			0.0007	ND	ND
R2. 7. 3	ND	ND	0.004	ND			0.0011	ND	ND
R2. 8. 6	0.02	ND	0.010	ND			0.0007	ND	ND
R2. 9. 11	0.04	ND	0.004	ND			0.0010	ND	ND
R2. 10. 20	0.02	ND	0.005	ND			0.0008	ND	ND
R2. 11. 12	0.03	ND	0.004	ND			0.0011	ND	ND
R2. 12. 4	0.03	ND	0.006	ND			0.0008	ND	ND
R3. 1. 7	0.03	ND	0.004	ND			0.0010	ND	ND
R3. 2. 12	0.03	ND	0.008	ND			0.0006	ND	0.009
R3. 3. 4	ND	ND	0.010	ND			0.0009	ND	ND
R3. 4. 20	0.02	ND	0.010	ND			0.0008	ND	0.010
R3. 5. 12	0.02	ND	0.004	ND			0.0010	ND	ND
R3. 6. 3	0.02	ND	0.006	ND			0.0012	ND	ND
R3. 7. 6	0.01	ND	0.009	ND			0.0013	ND	ND

(5) 夫沢・熊川沖2km									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R3. 8. 4	0.01	ND	0.005	ND			0.0006	ND	ND
R3. 9. 2	0.01	ND	0.007	ND			0.0013	ND	ND
R3. 10. 15	0.02	ND	0.012	ND			0.0014	ND	ND
R3. 11. 4	0.02	ND	0.007	ND			0.0008	ND	ND
R3. 12. 14	0.02	ND	0.022	ND			0.0010	ND	0.011
R4. 1. 13	0.02	ND	0.006	0.35			0.0010	ND	ND
R4. 2. 3	0.02	ND	0.007	ND			0.0006	ND	ND
R4. 3. 3	0.02	ND	0.006	ND			0.0013	ND	ND
R4. 4. 13	0.01	ND	0.003	ND			0.0009	ND	ND
R4. 5. 19	0.01	ND	0.006	ND		0.09	0.0006	ND	ND
R4. 6. 19	0.01	ND	0.008	ND			0.0005	ND	ND
R4. 7. 5	0.02	ND	0.003	ND			0.0007	ND	ND
R4. 8. 2	0.02	ND	0.003	ND		0.08	0.0007	ND	ND
R4. 9. 13	0.01	ND	0.003	ND			0.0013	ND	ND
R4. 10. 21	0.02	ND	0.005	ND			ND	ND	ND
R4. 11. 8	0.02	ND	0.006	ND		0.06	0.0007	ND	ND
R4. 12. 9	0.06	ND	0.003	ND			0.0008	ND	ND
R5. 1. 13	0.05	ND	0.003	ND			0.0009	ND	ND
R5. 2. 7	0.06	ND	0.003	ND		ND	0.0009	ND	ND
R5. 3. 7	0.02	ND	0.005	ND			0.0007	ND	ND
R5. 4. 25	0.01	ND	0.004	ND			0.0007	ND	ND
R5. 5. 10	0.01	ND	0.008	ND		ND	ND	ND	ND
R5. 6. 7	0.02	ND	0.008	ND			0.0005	ND	ND
R5. 7. 11	0.02	ND	0.011	ND			0.0017	ND	ND
R5. 8. 8	0.02	ND	0.004	ND		ND	0.0012	ND	ND
R5. 8. 25					ND				
R5. 8. 30					ND				
R5. 9. 3	0.01	ND	0.007		ND	0.63	ND	ND	ND
R5. 9. 12					ND				
R5. 9. 19					ND				
R5. 9. 26					ND				
R5. 10. 8					ND				
R5. 10. 12	0.02	ND	0.009		ND	ND	ND	ND	ND
R5. 10. 20					ND				
R5. 10. 24					ND				
R5. 11. 3					ND				
R5. 11. 9	0.02	ND	0.006		ND	0.44	0.0005	ND	ND
R5. 11. 14					ND				
R5. 11. 22					ND				
R5. 11. 28					ND				
R5. 12. 5	0.02	ND	0.006		ND	0.08	0.0006	ND	ND
R5. 12. 15					ND				
R5. 12. 20					ND				
R6. 1. 10					ND				
R6. 1. 18	0.02	ND	ND		ND	0.06	0.0007	ND	ND
R6. 1. 31					ND				
R6. 2. 9	0.03	ND	0.002		ND	0.05	0.0007	ND	ND
R6. 2. 15					ND				
R6. 3. 15	0.01	ND	0.010		ND	0.15	0.0008	ND	0.016
R6. 4. 12	0.02	ND	0.008		ND	0.05	0.0008	ND	ND
R6. 4. 23					ND				
R6. 5. 10	0.02	ND	0.005		ND	0.07	ND	ND	ND
R6. 5. 20					ND				
R6. 5. 28					ND				
R6. 6. 6	0.01	ND	0.011		ND	0.06	0.0007	ND	ND
R6. 7. 3					ND				
R6. 7. 8	0.02	ND	0.005		ND	0.46	0.0007	ND	ND
R6. 8. 8					ND				
R6. 8. 14					ND				
R6. 8. 21	0.02	ND	0.009		ND	0.38	ND	ND	ND
R6. 9. 6	0.03	ND	0.004		ND	ND	0.0007	ND	ND
R6. 10. 4					ND				
R6. 10. 7					ND				
R6. 10. 16	0.02	ND	0.012		ND	0.24	0.0006	ND	ND
R6. 10. 22					ND				
R6. 11. 1					ND				
R6. 11. 14	0.03	ND	0.002		ND	ND	0.0008	ND	ND
R6. 12. 6	0.02	ND	0.006		ND	ND	0.0007	ND	ND
R7. 1. 24	0.03	ND	0.004		ND	ND	0.0006	ND	ND
R7. 2. 21	0.02	ND	0.002		ND	0.05	0.0010	ND	ND
R7. 3. 11	0.02	ND	0.005		ND	0.08	0.0007	ND	ND
R7. 3. 21					ND				

(5) 夫沢・熊川沖2km 核種濃度(Bq/L ※PuはmBq/L)									
採取日	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R7. 3. 25					ND				
R7. 4. 11					ND				
R7. 4. 18	0.02	ND	0.006		ND	0.19	0.0006	ND	ND
R7. 4. 22					ND				
R7. 5. 21	0.02	ND	0.010		ND	0.06	ND	ND	ND
R7. 6. 12	0.02	ND	0.005		ND	ND	0.0007	ND	0.006
R7. 7. 25	0.01	ND	0.003		ND	0.64	0.0007	ND	ND
R7. 7. 29					ND				
R7. 8. 6	0.01	ND	0.005		ND	0.16	0.0007	ND	ND
R7. 8. 15					ND				
R7. 8. 19					ND				
R7. 9. 16	0.02	ND	0.002		ND	0.11	0.0005	ND	ND
R7. 10. 22	0.02	ND	0.011		ND	0.06	0.0010	ND	ND
R7. 10. 31					ND				
R7. 11. 14					ND				
R7. 11. 20	0.02	ND	0.003		ND	0.21	0.0009	ND	ND
R7. 12. 17	0.02	ND	0.004		ND	0.15	0.0008	ND	ND
R8. 1. 23	0.03	ND	ND		ND	ND	0.0007	ND	ND
R8. 2. 10	0.03	ND	0.002		ND	ND	0.0006	ND	ND
R8. 3. 9	0.02	ND	0.003		ND	0.15	ND	ND	0.007
R8. 3. 18					ND				
R8. 4. 8					ND				
R8. 4. 15	0.01	ND	0.002		ND	0.25	ND	ND	ND
R8. 5. 15					ND				
R8. 6. 11					ND				
R8. 6. 18					ND				
R8. 7. 7					ND				