

(6)双葉・前田川沖2km									
採取日	核種濃度 (Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
H25. 7. 31	0.02	ND	ND	ND			0.001	ND	ND
H25. 8. 19	0.14	ND	ND	0.91			0.014	ND	ND
H25. 9. 19	0.04	ND	0.10	0.58			0.002	ND	ND
H25. 10. 5	0.02	ND	ND	ND			0.001	ND	ND
H25. 10. 30	0.03	ND	0.19	0.51			0.094	ND	ND
H25. 11. 12	0.02	ND	ND	ND			0.001	ND	ND
H25. 12. 9	ND	ND	ND	ND			0.001	ND	ND
H26. 1. 14	0.04	ND	0.064	ND			0.004	ND	ND
H26. 2. 3	0.04	ND	0.17	0.47			0.084	ND	0.007
H26. 3. 10	0.03	ND	ND	ND			0.007	ND	0.01
H26. 4. 14	0.03	ND	ND	ND			0.001	ND	ND
H26. 5. 12	0.03	ND	0.056	ND			0.031	ND	0.005
H26. 6. 16	0.03	ND	ND	ND			0.001	ND	ND
H26. 7. 7	0.04	ND	ND	ND			0.003	ND	0.006
H26. 8. 20	0.03	ND	ND	0.45			0.003	ND	ND
H26. 9. 16	0.03	ND	ND	ND			0.001	ND	ND
H26. 10. 20	0.03	ND	ND	ND			0.001	ND	ND
H26. 11. 10	0.03	ND	ND	ND			0.001	ND	ND
H26. 12. 8	0.04	ND	ND	ND			0.002	ND	ND
H27. 1. 14	0.04	ND	ND	ND			0.004	ND	ND
H27. 2. 10	0.04	ND	ND	ND			0.001	ND	ND
H27. 3. 3	0.03	ND	ND	ND			0.004	ND	ND
H27. 4. 22	0.02	ND	ND	ND			0.002	ND	ND
H27. 5. 18	0.03	ND	ND	ND			0.002	ND	ND
H27. 6. 16	0.02	ND	ND	ND			0.003	ND	ND
H27. 7. 21	0.02	ND	ND	ND			0.002	ND	ND
H27. 8. 17	0.02	ND	ND	ND			0.001	ND	ND
H27. 9. 14	0.02	ND	0.082	0.39			0.001	ND	0.007
H27. 10. 13	0.02	ND	ND	ND			0.001	ND	0.01
H27. 11. 17	0.04	ND	ND	ND			0.002	ND	ND
H27. 12. 14	0.04	ND	ND	ND			0.001	ND	0.005
H28. 1. 22	0.04	ND	0.058	ND			0.002	ND	ND
H28. 2. 8	0.03	ND	0.058	0.36			0.001	ND	0.006
H28. 3. 3	ND	ND	ND	0.34			0.001	ND	ND
H28. 4. 20	0.02	ND	0.007	ND			0.001	ND	ND
H28. 5. 16	0.02	ND	0.007	ND			0.001	ND	ND
H28. 6. 15	0.03	0.002	0.009	ND			0.0006	ND	ND
H28. 7. 11	0.02	ND	0.008	ND			0.001	ND	ND
H28. 8. 3	0.02	ND	0.005	ND			ND	ND	ND
H28. 9. 15	0.02	0.006	0.038	ND			0.0011	ND	0.007
H28. 10. 18	0.02	0.003	0.019	ND			0.0010	ND	0.006
H28. 11. 15	0.02	0.004	0.024	ND			0.0011	ND	ND
H28. 12. 12	0.04	0.002	0.007	ND			0.0009	ND	0.008
H29. 1. 20	0.03	0.002	0.009	ND			0.0010	ND	ND
H29. 2. 14	0.03	ND	0.007	ND			0.0011	ND	ND
H29. 3. 7	0.03	0.002	0.012	ND			0.0010	ND	ND
H29. 4. 20	0.04	ND	0.011	ND			0.0009	ND	ND
H29. 5. 16	0.04	ND	0.007	ND			0.0010	ND	0.008
H29. 6. 13	0.03	ND	0.005	ND			0.0007	ND	ND
H29. 7. 10	0.03	ND	0.008	ND			0.0010	ND	ND
H29. 8. 18	0.02	ND	0.011	ND			0.0022	ND	ND
H29. 9. 14	0.02	0.002	0.008	ND			0.0014	ND	ND
H29. 10. 17	0.02	ND	0.007	ND			0.0009	ND	ND
H29. 11. 14	0.03	ND	0.010	ND			0.0017	ND	ND
H29. 12. 5	0.02	ND	0.015	ND			0.0015	ND	ND
H30. 1. 16	0.03	ND	0.01	ND			0.0016	ND	ND
H30. 2. 13	0.02	ND	0.005	ND			0.0010	ND	ND
H30. 3. 13	0.02	ND	0.007	ND			0.0011	ND	ND
H30. 4. 20	ND	ND	0.005	ND			ND	ND	ND
H30. 5. 16	0.03	ND	0.006	ND			0.0010	ND	ND
H30. 6. 14	0.02	ND	0.01	ND			0.0008	ND	ND
H30. 7. 10	0.02	ND	0.005	ND			0.0006	ND	ND
H30. 8. 19	0.03	ND	0.006	ND			0.0007	ND	ND
H30. 9. 13	ND	ND	0.019	ND			0.0016	ND	ND
H30. 10. 5	0.02	ND	0.007	ND			0.0010	ND	ND
H30. 11. 14	ND	ND	0.008	ND			0.0009	ND	ND
H30. 12. 11	0.02	ND	0.007	ND			0.0009	ND	ND
H31. 1. 17	0.02	ND	0.008	ND			0.0009	ND	ND
H31. 2. 13	0.03	ND	0.008	ND			0.0010	ND	ND
H31. 3. 14	0.02	ND	0.011	ND			0.0009	ND	ND
H31. 4. 17	0.03	ND	0.007	ND			0.0006	ND	ND

(6)双葉・前田川沖2km									
採取日	核種濃度(Bq/L ※PuはmBq/L)								
	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R1. 5. 10	0.03	ND	0.005	ND			0.0007	ND	ND
R1. 6. 4	0.02	ND	0.012	ND			0.0008	ND	ND
R1. 7. 2	ND	ND	0.006	ND			0.0008	ND	ND
R1. 8. 1	0.02	ND	0.006	ND			0.0010	ND	ND
R1. 9. 20	0.02	ND	0.004	ND			0.0007	ND	0.008
R1. 10. 2	0.03	ND	0.003	ND			0.0007	ND	ND
R1. 11. 21	0.03	ND	0.016	ND			ND	ND	ND
R1. 12. 11	0.02	ND	0.01	ND			0.0009	ND	0.007
R2. 1. 8	0.04	ND	0.026	ND			0.0006	ND	ND
R2. 2. 4	0.04	ND	0.021	ND			0.0005	ND	ND
R2. 3. 12	0.02	ND	0.02	ND			0.0013	ND	ND
R2. 4. 22	0.03	ND	0.008	ND			0.001	ND	ND
R2. 5. 14	0.02	ND	0.007	ND			0.0009	ND	ND
R2. 6. 2	0.03	ND	0.005	ND			0.0008	ND	ND
R2. 7. 3	0.02	ND	0.003	ND			0.0006	ND	ND
R2. 8. 6	0.02	ND	0.003	ND			0.0008	ND	0.005
R2. 9. 11	0.04	ND	0.002	ND			0.0009	ND	0.005
R2. 10. 20	0.03	ND	0.009	ND			0.0012	ND	0.009
R2. 11. 12	0.03	ND	0.005	ND			0.0008	ND	0.008
R2. 12. 4	0.03	ND	0.005	ND			0.0009	ND	ND
R3. 1. 7	0.03	ND	0.006	ND			0.0009	ND	ND
R3. 2. 12	0.04	ND	0.003	ND			0.001	ND	ND
R3. 3. 4	0.03	ND	0.023	ND			0.0012	ND	ND
R3. 4. 20	0.02	ND	0.012	ND			0.0013	ND	ND
R3. 5. 12	0.02	ND	0.006	ND			0.0008	ND	ND
R3. 6. 3	0.02	ND	0.005	ND			0.0006	ND	ND
R3. 7. 6	0.02	ND	0.009	ND			0.0009	ND	ND
R3. 8. 4	0.02	ND	0.010	ND			0.0008	ND	ND
R3. 9. 2	0.01	ND	0.008	ND			0.0016	ND	ND
R3. 10. 15	0.02	ND	0.015	ND			0.0013	ND	0.008
R3. 11. 4	0.02	ND	0.006	ND			0.0007	ND	ND
R3. 12. 14	0.02	ND	0.012	ND			0.0010	ND	ND
R4. 1. 13	0.02	ND	0.006	ND			0.0007	ND	ND
R4. 2. 3	0.02	ND	0.006	ND			0.0005	ND	ND
R4. 3. 3	0.02	ND	0.005	ND			0.0008	ND	ND
R4. 4. 13	0.01	ND	0.009	ND			0.0012	ND	ND
R4. 5. 19	0.02	ND	0.007	ND		0.10	0.0006	ND	ND
R4. 6. 19	0.01	ND	0.005	ND			0.0007	ND	ND
R4. 7. 5	0.01	ND	0.006	ND			0.0005	ND	ND
R4. 8. 2	0.02	ND	0.004	ND		0.10	0.0008	ND	ND
R4. 9. 13	0.01	ND	0.002	ND			0.0010	ND	ND
R4. 10. 21	0.02	ND	0.005	ND			0.0006	ND	0.009
R4. 11. 8	0.02	ND	0.006	ND		0.06	0.0007	ND	ND
R4. 12. 9	0.05	ND	0.003	ND			0.0009	ND	ND
R5. 1. 13	0.07	ND	ND	ND			0.0011	ND	ND
R5. 2. 7	0.07	ND	0.003	ND		0.05	0.0011	ND	ND
R5. 3. 7	0.02	ND	0.004	ND			0.0010	ND	0.009
R5. 4. 25	0.02	ND	0.003	ND			0.0008	ND	ND
R5. 5. 10	0.01	ND	0.008	ND		ND	0.0009	ND	0.008
R5. 6. 7	0.01	ND	0.006	ND			0.0007	ND	ND
R5. 7. 11	0.01	ND	0.003	ND			0.0008	ND	ND
R5. 8. 8	0.02	ND	0.004	0.39		ND	0.0013	ND	ND
R5. 8. 25					ND				
R5. 8. 30					ND				
R5. 9. 3	0.01	ND	0.006		ND	0.06	ND	ND	ND
R5. 9. 12					ND				
R5. 9. 19					ND				
R5. 9. 26					ND				
R5. 10. 8					ND				
R5. 10. 12	0.02	ND	0.012		ND	ND	0.0005	ND	ND
R5. 10. 20					ND				
R5. 10. 24					ND				
R5. 11. 3					ND				
R5. 11. 9	0.02	ND	0.007		ND	0.13	0.0006	ND	ND
R5. 11. 14					ND				
R5. 11. 22					ND				
R5. 11. 28					ND				
R5. 12. 5	0.02	ND	0.008		ND	0.07	0.0006	ND	ND
R5. 12. 15					ND				
R5. 12. 20					ND				
R6. 1. 10					ND				

(6)双葉・前田川沖2km 核種濃度 (Bq/L ※PuはmBq/L)									
採取日	全β放射能	¹³⁴ Cs	¹³⁷ Cs	³ H			⁹⁰ Sr	²³⁸ Pu	²³⁹⁺²⁴⁰ Pu
				減圧蒸留法	迅速分析	電解濃縮法			
R6. 1. 18	0.03	ND	0.003		ND	0.07	0.0007	ND	ND
R6. 1. 31					ND				
R6. 2. 9	0.02	ND	ND		ND	0.05	0.0009	ND	ND
R6. 2. 15					ND				
R6. 3. 15	0.02	ND	0.004		ND	0.06	0.0008	ND	0.015
R6. 4. 12	0.02	ND	0.017		ND	0.05	0.0012	ND	ND
R6. 4. 23					ND				
R6. 5. 10	0.01	ND	0.004		ND	0.06	ND	ND	ND
R6. 5. 20					ND				
R6. 5. 28					ND				
R6. 6. 6	0.01	ND	0.005		ND	0.07	ND	ND	ND
R6. 7. 3					ND				
R6. 7. 8	0.02	ND	0.005		ND	0.39	0.0007	ND	ND
R6. 8. 8					ND				
R6. 8. 14					ND				
R6. 8. 21	0.02	ND	0.003		ND	0.09	ND	ND	ND
R6. 9. 6	0.02	ND	0.003		ND	0.07	ND	ND	ND
R6. 10. 4					ND				
R6. 10. 7					ND				
R6. 10. 16	0.02	ND	0.019		ND	0.11	0.0011	ND	ND
R6. 10. 22					ND				
R6. 11. 1					ND				
R6. 11. 14	0.03	ND	ND		ND	ND	0.0009	ND	ND
R6. 12. 6	0.02	ND	0.003		ND	ND	0.0008	ND	ND
R7. 1. 24	0.03	ND	0.007		ND	ND	0.0006	ND	ND
R7. 2. 21	0.02	ND	0.007		ND	0.08	0.0006	ND	ND
R7. 3. 11	0.01	ND	0.005		ND	0.08	ND	ND	ND
R7. 3. 21					ND				
R7. 3. 25					ND				
R7. 4. 11					ND				
R7. 4. 18	0.02	ND	0.009		ND	0.62	0.0007	ND	ND
R7. 4. 22					ND				
R7. 5. 21	0.02	ND	0.004		ND	0.08	0.0010	ND	ND
R7. 6. 12	0.02	ND	0.003		ND	0.06	ND	ND	ND
R7. 7. 25	0.01	ND	0.005		ND	0.13	0.0006	ND	ND
R7. 7. 29					ND				
R7. 8. 6	0.02	ND	0.004		ND	0.10	0.0005	ND	ND
R7. 8. 15					ND				
R7. 8. 19					ND				
R7. 9. 16	0.02	ND	0.002		ND	0.08	0.0005	ND	ND
R7. 10. 22	0.02	ND	0.004		ND	ND	0.0011	ND	ND
R7. 10. 31					ND				
R7. 11. 14					ND				
R7. 11. 20	0.02	ND	0.002		ND	0.10	0.0007	ND	ND
R7. 12. 17	0.02	ND	0.005		ND	0.17	0.0007	ND	0.011
R8. 1. 23	0.03	ND	0.002		ND	ND	0.0009	ND	ND
R8. 2. 10	0.03	ND	0.003		ND	0.05	0.0009	ND	0.006
R8. 3. 9	0.02	ND	0.004		ND	0.10	ND	ND	ND
R8. 3. 18					ND				
R8. 4. 8					ND				
R8. 4. 15	0.01	ND	0.002		ND	0.09	0.002	ND	ND
R8. 5. 15					ND				
R8. 6. 11					ND				
R8. 6. 18					ND				
R8. 7. 7					ND				